S692-1-U

VITAL STATISTICS ANNUAL REPORT 1985

The Honorable Edward D. DiPrete, Governor

Division of Vital Statistics

RHODE ISLAND DEPARTMENT OF HEALTH

H. Denman Scott, M.D., Director

STATE

OF

RHODE ISLAND AND PROVIDENCE PLANTATIONS

DEPARTMENT OF HEALTH

VITAL STATISTICS

ANNUAL REPORT

1985

The Honorable Edward D. DiPrete, Governor

H. Denman Scott, M.D.
Director of Health

Edward J. Martin, State Registrar

Roberta A. Chevoya, Assistant Registrar

Charles Haskell, Principal Research Technician

Joseph Aldorisio, Senior Research Technician

P R E F A C E

This year we celebrate the thirtieth anniversary of the publication of the first in the current series of Vital Statistics Annual Reports in 1955 for the 1954 and 1955 data years. Since the 1955 publication, our Vital Statistics records have indicated significant changes in our society and in our health care system.

During 1954-55, we were in the Post War Baby Boom period as evidenced by the birth rates of over twenty births per 1,000 population as opposed to the 1985 rate of 13.4.

In that first report, we stated,

> The decline in the death rate among infants is a notable achievement. From a recorded mortality rate of 39.4 per 1,000 live births in 1942 the Rhode Island rate decreased to 21.4 in 1954 and 23.0 per 1,000 live births in 1955.

The current infant 1985 rate of 8.2 infants deaths per 1,000 live birth also represents a notable achievement.

The information tabulated in this report was derived chiefly from certificates of birth, death, marriage, divorce, and fetal death filed in the Division of Vital Statistics, as required by state law, for vital events occurring in Rhode Island. Information was also extracted from transcripts of birth and death certificates, filed in other states, for vital events occurring there to Rhode Island residents.

The filing and editing of the Rhode Island vital records, as well as the extracting and converting to machine-readable form of data contained on the certificates, were carried out by the Division of Vital Statistics, with partial support from federal contract HRA 282-85-2021. This contract with the National Center for Health Statistics represents the participation of the Department of Health in the Vital Statistics Cooperative Program. This report is intended primarily for reference, so there is a minimum of analysis and interpretation of the data. Where space permits, 1985 data are accompanied by figures for the previous year or years so comparisons may be made. Only information of general interest is published here; however, in most cases, more detailed data are available. Inquiries should be addressed to the Division of Vital Statistics, 101 Cannon Bldg., 75 Davis Street, Providence, Rhode Island 02908.

H. Denman Scott

H. Denman Scott, M.D.
DIRECTOR OF HEALTH

June 1987

A C K N O W L E D G E M E N T S

This report is the product of the efforts of many individuals. Special thanks are extended to Karen Johnson, of the Division of Vital Statistics, who was responsible for word processing, and to Wayne Aldrich and his staff, of the Division of Management Services, for printing the report.

TABLE OF CONTENTS

		Page
Table 31	Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1985	134
Table 32	Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1985	135
Table 33	Number of Marriages and Persons Married by City and Town of Residence of Bride and Groom: Rhode Island 1985 (Rhode Island Occurrences)	136
Table 34	Marriages Occurring in Rhode Island by Age of Bride, Age of Groom, 1985	137
Table 35	Marriages Occurring in Rhode Island by Age at Marriage and Previous Marital Status of Bride and Groom, 1985	138
Table 36	Number of Times Married for Brides by Number of Times Married for Grooms: Rhode Island, 1985 (Rhode Island Occurrences)	139
Table 37	Marriages Occurring in Rhode Island by Previous Marital Status of Bride and Groom, 1984	139
Table 38	Marriages According to Last Grade of School Completed by Bride According to Last Grade of School Completed by Groom: Rhode Island, 1985	140
Table 39	Divorces Occurring in Rhode Island by Age of Wife, by Age of Husband, 1985	141
Table 40	Divorces by Number of Times Married before this Divorce, by Sex: Rhode Island, 1985 (Rhode Island Occurrences)	141
Table 41	Divorces by Marital Status and Age of Husband and of Wife: Rhode Island, 1985 (Rhode Island Occurrences)	142
Table 42	Number of Divorces of Remarried Persons by Previous Marital History: Rhode Island, 1985 (Rhode Island Occurrences)	142
Table 43	Number of Divorces by County with Number of Children Under Eighteen Known to be Affected: Rhode Island, 1985 (Rhode Island Occurrences)	143
Table 44	Divorces According to Last Grade of School Completed, by Sex: Rhode Island, 1985 (Rhode Island Occurrences)	144

TABLE OF CONTENTS

		Page
Introduction		1
Table A	Vital Statistics Summary: Rhode Island, 1981-1985 and 1971-1975	1
Figure 1	Population Densities of Rhode Island Cities and Towns According to 1980 Census	2
Figure 1A	Rhode Island Population by Age and Sex, 1980	4
Figure 1B	Rhode Island Population by Age and Sex, 1970	5
Figure 2	Crude Birth and Death Rates per 1,000 Population: Rhode Island, 1956-1985	6
Table B	Rhode Island Occurrence Births at Home, 1976-1985	7
Figure 2A	Natural Increase - Number of Persons Added to Rhode Island Population (Births Minus Deaths), 1971-1985	8
Figure 3	Rates for First Live Births, Rhode Island Residents, by Age of Mother, 1970, 1975, 1980, and 1985	10
Figure 3A	Birth Out-of-Wedlock Ratios Per 1,000 Live Births, by Age of Mother: Rhode Island Residents, 1976-1985	12
Figure 4	Infant and Neonatal Mortality Rates: Rhode Island and the United States, 1961-1985	16
Table C	Median Ages by Sex for All Causes and for Ten Leading Causes of Death: Rhode Island Residents, 1985	19
Figure 5A	Rates from the Five Leading Causes of Death in 1985 with Comparable Rates for 1976-1984, Rhode Island Residents	20
Figure 5B	Rates from the Sixth to Tenth Leading Causes of Death in 1985, with Comparable Rates for 1976-1984, Rhode Island Residents	21
Figure 6	Leading Causes of Death by Sex: Rhode Island Residents, 1985	22
Table D	Five Leading Cancer Sites by Sex, Rhode Island Residents 1985	23
Figure 7	Five Leading Primary Sites, Malignant Neoplasms, by Sex, 1985	24

TABLE OF CONTENTS

		Page
Figure 8	Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1985	25
Figure 9	Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1985	26
Figure 10	Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1985	27
Table E	Resident Accidental Deaths by Type by Sex: Rhode Island, 1985	28
Figure 11	Leading Causes of Death from Accidents: Rhode Island, 1985	29
Table F	Deaths from Motor Vehicle Accidents, Rhode Island Residents 1976-1985	30
Table G	Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1985, with Provisional U.S. Rates	32
Table H	Five Leading Causes of Death, R.I. Residents, Compared to Five Leading Causes Ranked by Years of Potential Life Lost, 1985	33
Figure 12	Marriage Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1976-1985	34
Figure 13	Divorce Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1976-1985	36
Table 1	United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980	39
Table 2	Population of Rhode Island Cities and Towns by County: Census of 1970 and 1980, and 1985 Estimate	40
Table 3	Number of Live Births, Deaths, and Marriages, with Rates by City and Town: Rhode Island, 1985	41
Table 4	Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island, 1956-1985	42
Table 5	Number of Infant, Neonatal, Perinatal and Maternal Deaths with Rates, Rhode Island Residents, 1956-1985	43
Table 6	Resident Deaths by City or Town of Residence by Age, Race and Sex, Rhode Island, 1985	44
Table 7	Deaths and Death Rates for Leading Causes in 1985 and for Comparable Causes in 1976-1984	50

TABLE OF CONTENTS

		Page
Table 8	Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-year Totals with Average Rates, 1981-1985	51
Table 9	Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island 1962-1985 (Rhode Island Residents)	54
Table 10	Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island, 1976-1985	54
Table 11	Resident Live Births by Sex and Race of Child and Age of Mother and Live Birth Order, Rhode Island, 1985	55
Table 12	Resident Births Out of Wedlock by Age of Mother, Sex of Child, Race and Live Birth Order, Rhode Island 1985	59
Table 13	Resident Live Births by Age of Mother, Race, and Birth Weight, Rhode Island, 1985	63
Table 14	Resident Plural Live Births by Age of Mother, Race and Birth Weight, Rhode Island, 1985	66
Table 15	Resident Live Births Out of Wedlock by Age of Mother, Race and Birth Weight, Rhode Island, 1985	69
Table 16	Births by City or Town of Residence by Selected Characteristics, Rhode Island, 1985	72
Table 17	Resident Live Births by City or Town by Month, Rhode Island, 1985	73
Table 18	Selected Natality Data by City or Town by Census Tract, Rhode Island Residents, 1985	74
Table 18A	Births and Births Out of Wedlock, 1985: All Ages and Under Age 20, by City or Town of Residence	82
Table 19A	Fetal Deaths Occurring in Rhode Island by Race of Fetus, Weeks of Uterogestation, and Mode of Delivery, 1985	83

TABLE OF CONTENTS

		Page
Table 19B	Fetal Deaths Occurring in Rhode Island by Month of Delivery by Weeks of Uterogestation, 1985	83
Table 20	Resident Fetal Deaths Occurring in Rhode Island by Mode of Delivery, by City or Town and Census Tract of Mother's Residence, by Marital Status of Mother, 1985	84
Table 21	Induced Fetal Deaths by Age and Marital Status of Mother and by Number and Nature of Previous Deliveries to Mother, Rhode Island Occurrences, 1985	93
Table 22A	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths and Age of Mother, 1985	97
Table 22B	Spontaneous Fetal Deaths Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 1985	98
Table 23	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Weight of Fetus and Age of Mother, 1985	99
Table 24	Fetal Deaths Occurring in Rhode Island by Selected Cause of Death and Weeks of Uterogestation, 1985	100
Table 25	Resident Deaths from 72 Selected Causes by Race, Age, and Sex: Rhode Island, 1985	101
Table 26	Resident Deaths by City or Town by Month, Rhode Island, 1985	113
Table 27	Resident Infant Deaths from 61 Selected Causes by Age, Rhode Island, 1985	114
Table 28	Resident Accidental Deaths, with Non-Motor Vehicle Accidents Shown, by New England Standard Location by Sex and Age: Rhode Island, 1985	115
Table 29A	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1985	117
Table 29B	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1985	125
Table 30	Resident Accident Deaths by Type and Age: Rhode Island, 1985	133

INTRODUCTION

This report includes data from all 1985 vital records received by 15 April 1986. Because of the exchange of birth and death records between states, it is possible to publish the number of births and deaths occurring in Rhode Island regardless of the place of residence (occurrence data) and the number of births and deaths of Rhode Island residents regardless of the place of occurrence (resident data). Both resident and occurrence data are shown for births and deaths in Table 3, by city or town of occurrence and by city or town of residence. Resident rates for births and deaths are computed using the number of vital events occurring to residents of each city and town and the population estimates shown in Table 2.

As shown in Table 3, the Division of Vital Statistics recorded 13,674 births which occurred in Rhode Island in 1985, of which 1,155 were to non-residents; 477 births occurred outside the state to Rhode Island residents, yielding a total of 12,996 resident live births in 1985. The resident rate was 13.4 per 1,000 population. In 1985, the number of deaths recorded in the state was 9,836; non-residents accounted for 618, and 418 deaths to Rhode Island residents were recorded in other states. The total number of resident deaths, therefore, was 9,636, yielding a rate of 10.0 deaths per 1,000 population.

Vital Statistics Summary

Table A, shown below, compares vital statistics data and average rates for the five-year period 1981-1985 with average rates for the years 1971-1975. Rates averaged over five years reduce the effect of random fluctuations that may occur when comparing single years.

Table A - Vital Statistics Summary: Rhode Island, 1981-1985 and 1971-1975

(Birth and Mortality Data are for Rhode Island Residents; Fetal Death, Marriage and Divorce Data are for Rhode Island Occurrences)

	Five-Year Average				
	1981-1985		1971-1975		Per Cent
Item	Number	Rate	Number	Rate	Change In Rate
Live Births#	12,630	13.2	12,505	12.9	+ 2.3
Deaths#	9,291	9.7	9,265	9.6	+ 1.0
Infant Mortality*	129	10.2	217	17.3	- 41.0
Neonatal Mortality*	99	7.8	167	13.3	- 41.4
Perinatal Mortality**	141	11.1	239	19.0	- 41.6
Maternal Mortality***	1	0.5	1	0.8	- 37.5
Fetal Deaths (of 28 weeks or more Uterogestation)*	57	4.5	88	7.0	- 35.7
Marriages#	7,896	8.3	7,422	7.7	+ 7.8
Divorces#	3,579	3.7	2,282	2.4	+ 54.2
Population Est. (1982 and 1972)	955,000		967,000		- 1.0

\# Rate per 1,000 Population
* Rate per 1,000 Live Births
** Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation
*** Rate per 10,000 Live Births

FIGURE 1 - POPULATION DENSITIES OF RHODE ISLAND CITIES AND TOWNS ACCORDING TO THE 1980 CENSUS



The average birth rate over the past five years (13.2 per 1,000 population) was two per cent higher than the five-year average rate of 12.9 observed a decade ago. The average death rate over the past five years (9.7) was one per cent above the five-year average rate of 9.6 a decade ago. The most recent five-year average infant mortality rate (death within the first year of life) was 10.2 per 1,000 live births -- 41 per cent lower than the five-year average of 17.3 a decade ago. The 1981-1985 neonatal mortality rate of 7.8, including infants who died before the 28th day of life, was 41 per cent lower than the rate of 13.3 observed for the period 1971-1975. Perinatal mortality, as used here, refers to early infant deaths (under 7 days old) combined with late fetal deaths (products of conception of 28 weeks or more gestation showing no signs of life following delivery). The average perinatal mortality rate over the past five years was 11.1 per 1,000 live births combined with late fetal deaths, 42 per cent lower than the five-year average a decade ago (19.0).

The average marriage rate for the five-year period 1981-1985 (8.3 per 1,000 population) was eight per cent higher than the average rate of a decade ago (7.8).

The average divorce rate for the period 1981-1985 increased 54 per cent over the five-year period 1971-1975. Caution should be observed when analyzing marriage and divorce rates for two reasons. First, it is difficult to compare marriage and divorce rates because the divorce rate for a specified period refers to any persons divorced during that period of time, regardless of the length of the marriage. Since the great majority of persons obtaining a divorce have been married for more than one year, the divorce rate for that year has no direct relationship to the marriage rate in that same year. Second, because there is no complete exchange of marriage and divorce records among the states, marriages and divorces of Rhode Island residents occurring outside the state are not included in Rhode Island rates.

RHODE ISLAND POPULATION

Table 1 shows the 1970 and 1980 census population figures for the state by race and sex and also by age and sex, showing the per cent change for each category between 1970 and 1980. The population pyramids illustrated in Figures 1A and 1B show population shifts within each age group, by sex, reflected in the 1970 and 1980 censuses.

The male population declined, three per cent between 1970 and 1980, (464,291 to 451,251); the female population increased by three per cent (482,434 to 495,903). The black population increased nine per cent (25,338 to 27,584); other non-white population was 2 1/2 times as great in 1980, and the white population decreased two per cent (914,757 to 896,692).

Figure 1 illustrates the population density by city or town according to the 1980 Census. Central Falls, with 14,162 persons per square mile was the most densely populated. Other cities with a density greater than 5,000 were: Providence, 8,663; Pawtucket, 8,091; Woonsocket, 5,812; and North Providence, 5,121 persons per square mile. The five least populous towns and their densities were: West Greenwich, 54; New Shoreham, 62; Foster, 66; Exeter, 77; and Richmond, 99 persons per square mile. The State average was 903 persons per square mile in 1980.

The statewide population estimates for 1985, as well as county and city/town estimates, shown in Table 2, were obtained from Office of Statewide Planning.

FIGURE - 1A

Rhode Island Population by Age + Sex, 1980



FIGURE - 1B

Rhode Island Population by Age + Sex, 1970



Figure 2 - Crude Birth and Death Rates Per 1,000 Population Rhode Island 1956-1985



Natural Increase

Natural increase (the excess of resident births over resident deaths) resulted in the net addition of 3,360 persons to the Rhode Island population in 1985. This is the first increase in the rate of change after two consecutive years of decrease. (For the six-year period 1977-1982, the natural increase had been higher from year to year).

L I V E B I R T H S

There were 12,996 resident live births recorded for Rhode Island in 1985, yielding a resident rate of 13.4 per 1,000 population. In Rhode Island, the birth rate had decreased steadily from 1959 until 1975, reaching the all-time low rate of 1 .6 in both 1975 and 1976. From 1976-1981, the birth rate showed a slow but steady increase for all years; from 1981-1984 the rate stabilized with rates of 13.1, 13.0, 13.2, and 13.1. The 1985 rate of 13.4 represents an increase of two per cent over the 1984 rate. (See Table 4 and Figure 2 for the annual variations in births and birth rates over the past 30 years).

Home Births

There continues to be a great deal of interest focused on midwifery and home births, both nationally and locally. Until 1978, when the Rhode Island Department of Health promulgated regulations for the licensing of midwives, there was only one licensed midwife practicing in Rhode Island. Since 1978, the number of licensed midwives has increased to twenty.

During the last ten years, the percentage of home births occurring in Rhode Island ranged from a low of 0.2 in 1976 to a high of 0.6, first recorded in 1979 and maintained every succeeding year except 1980 and 1984, when the percentage was 0.5. (see Table B below). The rate of 0.4 in 1985 was the lowest rate since 1978, but it is not yet clear if this indicates a downward trend in home births.

Table B - Rhode Island Occurrence Births at Home, 1975-1985

	Occurrence Births	Home Births	
Year	Total Number	Number	Per Cent
1976	11,102	24	0.2
1977	11,937	36	0.3
1978	11,785	51	0.4
1979	12,251	71	0.6
1980	12,574	66	0.5
1981	12,866	74	0.6
1982	13,032	82	0.6
1983	13,092	81	0.6
1984	13,290	66	0.5
1985	13,674	52	0.4

Fertility Rates

The fertility rate is calculated by dividing the total number of resident births by the female population aged 15-44, multiplied by 1,000. The fertility rate is a more precise measure of reproduction than the crude birth rate, but it can be determined accurately only in census years. The fertility rate for 1980 was 56.4 per 1,000 female Rhode Island residents aged 15-44. Assuming the ratio of females

Figure 2a - Natural Increase
Number of Persons Added to RI Population
(Births Minus Deaths) 1971-1985



in this age group to the total female population is the same as in 1980, the estimated fertility rate for 1985 was 60.2, an increase of four per cent over 1984.

The table below shows age-specific fertility rates for Rhode Island during 1960, 1965, 1970, and 1980. The fertility rate decreased for all age groups between 1970 and 1980; the largest decrease occurred in the 40-44 age group, for which the fertility rate dropped by 68 per cent.

Fertility Rates by Age of Mother: 1960, 1965, 1970 and 1980
(Rates per 1,000 Female Population in Specified Age Groups)

Age of Mother in Years	1960	1965	1970	1980	Per Cent Change Between 1970 and 1980
TOTAL(15-44)	108.7	98.8	84.9	56.4	-33.6
15-19	56.9	47.7	45.2	32.9	-27.2
20-24	236.8	212.6	163.4	89.3	-45.3
25-29	206.9	192.9	155.3	104.2	-32.9
30-34	122.1	111.4	79.6	57.6	-27.6
35-39	61.5	54.3	35.6	15.9	-55.3
40-44	14.7	13.7	9.3	3.0	-67.7

Five-Year Average Rates by Residence

Average annual rates of birth for the past five years may be seen in Table 8 for the state as a whole and for each city or town and census tract of residence. Birth rates were computed using the 1980 census population. The average birth rate for the state for 1981 to 1985 was 13.3 per 1,000 population in 1980.

Daily Average

Rhode Island mothers delivered an average of 35.6 babies per day in 1985, compared with 34.6 in 1984, 34.5 in 1983, 34.2 in 1982 and 34.1 in 1981. The highest daily average for 1985 occurred in August, with 37.5 births per day. The lowest daily average, 33.3 per day, occurred in January.

Sex Ratio

In 1985, there were 6,730 male children and 6,266 female children born to Rhode Island residents. The ratio of males to females was 1,074 males per 1,000 females.

Births by Race

In 1985, there were 11,628 resident white births and 1,337 resident non-white births (90 and 10 per cent, respectively, of those births where race was reported), the same proportion as in 1984.

Prior to 1984, there had been a gradual but steady increase over the years in the percentage of non-white resident births: 1963, four per cent; 1973, seven per cent; and 1983, 11 per cent.

First Births

In 1985, first births accounted for 45 per cent of all deliveries where birth order was known, two per cent more than reported for 1984 (44 per cent). Similar

Figure 3 - Rates for First Live Births Rhode Island Residents by Age of Mother 1970, 1975, 1980, and 1985



percentages have been experienced in the last several years; first births accounted for 44 per cent of all deliveries for 1974-1975, for 45 per cent for 1976-1979, and for 46 per cent for 1980-1982.

Recently, there has been increasing interest in the age at which Rhode Island women have their first child. The rate of first live births per the female population in specified five-year age groups for the years 1970, 1975, 1980, and 1985 is shown in Figure 3. Census population figures were used to compute rates for 1970 and 1980. The 1975 population figures were computed by interpolating between the 1970 and 1980 censuses. The 1985 population figures were computed using the statewide population estimate for 1985 obtained from the the Office of Statewide Planning, and extrapolating from the proportions of females in the 1980 census in each specified age group being studied.

Figure 3 shows that the age at which Rhode Island women have chosen to start their families has increased over the past fifteen years. A steady decrease is observed in the rate of first births among women aged 15-19 over the years studied. A large drop in the rate of first births among women aged 20-24 occurred between 1970 and 1975. This was followed by a steady increase from 1975 through 1985 in the rate of first births among women aged 25-29 and 30-34. Although the numbers are small, the rate of first births to women aged 35-39 has increased since 1975, following a decrease from 1970 to 1975.

Second or Higher in Birth Order

The percentage of second births to Rhode Island residents has remained fairly constant during the last several years, ranging from 32 to 36 per cent. In 1985, 35 per cent of births were second births. A gradual downturn seemed evident in the last few years in the percentage of births third or higher in birth order: from 23 per cent in 1974 and 1975, to 22 per cent in 1976, dropping again to 21 per cent from 1977 to 1981 and to 20 per cent in 1982. In 1983, the rate increased to 23 per cent, but in 1984 and 1985 it decreased to 21 per cent and 20 per cent, respectively.

Low Birth Weight Infants

The rate of low birth weight infants (those weighing five pounds, eight ounces or less) averaged 61.7 per 1,000 live births over the past five years. In 1985, there were 821 low birth weight infants delivered to Rhode Island residents (63.2 per 1,000 live births). The non-white ratio (97.2) was 64 per cent higher than the white ratio of 59.3. Low birth weight infants by race may be seen in Table 16 by city or town of mother's residence. Low birth weight infants by age of mother may be seen in Table 13; low birth weight infants by plural birth may be seen in Table 14.

Table 16 shows low birth weight infants, the number of infants born in hospitals and the number born out of wedlock, by race and by city or town of residence. Table 18 shows all births, births out of wedlock, low-weight births, births with malformations, and births by the month prenatal care began, all distributed by city or town and census tract of mother's residence.

Births Out of Wedlock

Births out of wedlock accounted for 20 per cent of all resident births in 1985 (a ratio of 195.7 per 1,000 live births). The non-white ratio (461.5) was nearly three times the white ratio (165.2). The average birth out of wedlock ratio for the past five years (173.9) was 24 per cent above the five-year average of 140.8 for

Figure 3a - Births Out of Wedlock Ratios Per 1,000 Live Births by Age of Mother Rhode Island Residents 1976-1985



1976-1980. The ratio has increased steadily each year since 1964; the ratios for 1962-1985 may be seen in Table 9. Although the U.S. birth out of wedlock ratio for 1985 is not yet available, the U.S. ratio in the past years has been consistently above that observed in Rhode Island.

Birth out of wedlock ratios by age of mother are shown in Figure 3 and Table 10 for 1976-1985. In 1985, women under 20 years of age had considerably higher ratios than any other group, continuing a trend of rising birth out of wedlock ratios for this age group over the last ten years. The ratio of mothers aged 20-24 has also increased steadily since 1975, when a ratio of 103.6 was observed; the birth out of wedlock ratio for this age group reached a high of 237.7 in 1985. Although the birth out of wedlock ratios for women aged 25-29 and 30-34 have increased overall since 1975, some fluctuation has been observed from year to year. There was no clear trend in birth out of wedlock ratios for women aged 35 and over during the ten-year period; they ranged from a low of 61.5 in 1984 to a high of 96.9 in 1985.

Births out of wedlock to teenagers by city or town of residence are shown in Table 18A. Births out of wedlock to teenagers accounted for two-thirds of all births to teenagers in 1985, an increase of three per cent over 1984.

Teenage Pregnancy

In order to analyze pregnancy outcome for teenagers, it is necessary to include both births and fetal deaths occurring to teenagers. Table 18A shows births to these women by city or town of residence for 1985. There were 1,411 resident births to teenagers in 1985, along with 58 spontaneous fetal deaths and 1,951 induced terminations occurring to teenagers in Rhode Island, regardless of the teenager's residence, for a total of 3,420 teenage pregnancies; the rate of teenage pregnancies per 1,000 estimated female residents aged 15-19 for 1985 was 76.0, an increase of six per cent from 1984.

F E T A L D E A T H S

Definition

The definition of fetal death used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles".

Background Information

The Rhode Island abortion law was technically declared unconstitutional early in 1973, with the United States Supreme Court decision on the Texas and Georgia Laws. Following that decision, the Rhode Island Department of Health adopted Rules and Regulations for the termination of pregnancy that became effective in mid-June, 1973. One of the provisions of these Rules and Regulations made the reporting of all fetal deaths mandatory, regardless of the length of gestation; this requirement was also mandated by legislation passed in 1976 by the Rhode Island legislature. Prior to 1973, mandatory reporting applied only to fetal deaths of 20 weeks or more

uterogestation (from date of mother's last normal menstrual period to date of delivery). As a result, interpretation of fetal death data, other than late fetal deaths, cannot be compared with years prior to 1974, the first full year that data on early fetal deaths was required.

1985 Data

The number of fetal deaths occurring in Rhode Island, rather than resident data, are shown in most tables since there is not a complete exchange of fetal death certificates among the states. Twenty-three per cent of the fetal deaths in Rhode Island in 1985 occurred to non-residents, while the number of fetal deaths to Rhode Island residents reported from other states was insignificant.

There were 8,535 occurrence fetal deaths recorded in Rhode Island in 1985, an increase of five per cent over the 8,098 recorded in 1984. The majority of the fetal deaths (91 per cent) were induced terminations (Table 19A). The number of induced terminations increased by five per cent in 1985, when compared with 1984. The vast majority of fetal deaths (99 per cent) were under twenty weeks uterogestation. Only eight of the induced terminations were known to be twenty weeks or more gestation; whereas, 94 of the spontaneous fetal deaths (12 per cent) were known to be twenty weeks or more gestation. Table 19B displays the number of fetal deaths occurring in Rhode Island by month of delivery and weeks of gestation. The highest daily average (25.8) occurred in August; the lowest daily average (20.4) occurred in September. The daily average for 1985 was 23.4 fetal deaths per day.

Resident fetal deaths by mother's marital status and census tract of mother's residence may be seen in Table 20. In those cases where marital status was stated, seventy-four per cent of the resident fetal deaths occurred to unmarried women. Only 27 per cent of the spontaneous fetal deaths occurred to unmarried women, whereas 79 per cent of the induced terminations occurred to unmarried women. Caution should be exercised in utilizing data by census tract; wide variations, attributable to random fluctuations, can occur where the numbers are small.

All induced terminations occurring in Rhode Island in 1985 may be seen in Table 21 by age, marital status, and previous delivery history of mother. The statistics on marital status represent only those cases where marital status was known. Of the 7,765 cases where age was known, teenagers accounted for 25 per cent of all induced terminations; almost all of these teenagers (97 per cent) were unmarried. Of the 2,901 induced terminations to women aged 20-24 (37 per cent of the total), the great majority of this group (85 per cent) were unmarried. Of the 2,433 women in the age group 25-34 (31 per cent of the total), nearly two-thirds of the women (64 per cent) were unmarried. Six per cent of all induced terminations were to women aged 35 and older; of this group, 46 per cent were unmarried.

In 1985, 44 per cent of all induced terminations (Table 21) were to women who had no previous deliveries. Twenty-four per cent of women having an induced termination in 1985 had had one previous delivery; in 56 per cent of these cases the previous delivery was an induced termination, in 39 per cent a live birth, and in five per cent a spontaneous fetal death. Twenty-five per cent of the women had had two or three previous deliveries, while only eight per cent had had four or more previous deliveries. In fifty six cases, previous delivery history was unknown.

Spontaneous fetal deaths of 20 weeks or more uterogestation are shown in Table 22A by total birth order, number of previous fetal deaths, and age of mother; Table 22B shows all spontaneous fetal deaths, regardless of gestation, by the same parameters. The majority of the mothers were under age 30, accounting for 66 per

cent of spontaneous fetal deaths of 20 weeks or more gestation as well as for all spontaneous fetal deaths.

Table 23 illustrates the number of spontaneous fetal deaths of 20 weeks or more uterogestation for 1985 by age of the mother and fetal weight. In those cases where weight was reported, seventy-five per cent of the fetuses were of low weight (less than 5 lbs. 8 oz.).

Cause of death and weeks of uterogestation for all fetal deaths are shown for 1985 in Table 24.

PERINATAL MORTALITY

Perinatal mortality, as used in this report, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life. The 1985 perinatal mortality rate, 9.2 per 1,000 live births combined with late fetal deaths, decreased 11 per cent from the rate of 10.3 observed in 1984 and was the lowest rate experienced in the past thirty years (Table 5). The five-year average perinatal mortality rate (1981-85) of 11.1, shown in Table A, was 42 per cent lower than the five-year average of 19.0 a decade ago (1971-75).

MATERNAL DEATHS

The International Classification of Diseases, 9th Revision, defines maternal death as "the death of any woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management but not from accidental or incidental causes". This definition is used in Rhode Island for classifying maternal deaths.

In 1985, no maternal death occurred to any Rhode Island resident. (See Table 5 for annual variations in maternal deaths and maternal death rates for the past thirty years).

INFANT DEATHS

Definition

Infant death is defined as a death occurring within the first year of life.

1985 Data and Average Rates

There were 106 resident infant deaths in 1985, yielding a rate of 8.2 per 1,000 live births. The rate represents a decrease of 17 per cent from the rate of 9.9 observed in 1984. The average infant mortality rate for the last five years (10.2) was 41 per cent lower than the average rate (17.3) for 1971-75 (Table A). Average rates for the past five years are shown in Table 8 by city or town and neighborhood of residence. The provisional national infant death rate for 1985 was 10.6 per cent; the Rhode Island rate was 23 per cent lower.

Figure 4 - Infant and Neonatal Mortality Rates Rhode Island and the United States 1961-1985



Infant Deaths By Race

Of the 106 infant deaths in 1985, 12 were non-white infants. The 1985 non-white infant death rate was 9.0 per 1,000 non-white births and was 11 per cent above the white rate of 8.1. Although there was a significant decrease in the non-white infant death rate from 32.1 in 1979 to 11.9 in 1980, the rate for non-whites had been increasing steadily from 1980 to 1983. In 1981, the non-white rate rose to 14.4 per cent, an increase of 21 per cent over the rate observed in 1980; the 1982 rate increased again to 15.7, a nine per cent increase from 1981; and the 1983 rate represented a further increase of 10 per cent. The 1984 rate represented a 21 per cent decrease from 1983; the 1985 rate, a further 34 per cent decrease from 1984.

Infant Deaths by Cause and by Residence

Infant deaths are shown as a subset of all deaths by 72 selected causes of death in Table 25 and by 61 selected causes of infant deaths by the age at death in Table 27. Infant deaths by city or town and census tract of residence are shown in Tables 29A and 29B.

N E O N A T A L D E A T H S

Neonatal deaths (infant deaths that occurred prior to the 28th day of life) accounted for 74 per cent of infant deaths in 1985. Eighty-one per cent of all neonatal deaths occurred before the seventh day of life; sixty-two per cent of all neonatal deaths occurred before the end of the first day (Table 27).

The average neonatal death rate for the past five years, 7.8 per 1,000 live births, was 41 per cent lower than the five-year average rate of 13.3 observed a decade ago (Table A).

Neonatal deaths by city or town and census tract of residence are shown in Tables 29A and 29B.

D E A T H S

There were 9,636 Rhode Island resident deaths recorded in 1985, yielding a crude rate of 10.0 deaths per 1,000 estimated population. The 1985 rate was two per cent higher than the rate for 1984 and was the highest rate since 1970. Table 4 and Figure 2 show that the Rhode Island death rate has remained fairly stable during the past thirty years.

The 1985 state rate was 15 per cent higher than the provisional U.S. rate of 8.7. The Rhode Island death rate has been somewhat higher than the national rate for several years. A major factor in this difference is the percentage of elderly people in the population of Rhode Island: according to the 1980 census, the percentage of persons aged 65 and over in the state was 19 per cent higher than for the nation.

The number of deaths by city or town of occurrence and by city or town of residence, along with resident rates, is shown in Table 3.

Distributions of Rhode Island deaths by age, race, and sex are shown in Tables 6 and 25: 97 per cent white vs. three per cent non-white and 50 per cent male vs. 50 per cent female.

Resident deaths for each city or town by age, race, and sex are shown for the entire year in Table 6 and by month in Table 26. The daily average was 26.4 deaths per day in 1985. The highest daily average was in February, with 32.6 deaths per day; the lowest, in August, with 23.2 per day. All deaths and deaths from selected causes appear by city or town and census tract of residence in Tables 29A and 29B.

Average annual death rates for the past five years are given in Table 8 by city or town and neighborhood of residence. Death rates were computed per 1,000 population according to the 1980 census.

The median age for all deaths was 75.7 years. For all females, the median age at death was 79.6; for white females, 79.8; and for non-white females, 69.2. The male median was 71.9; for white males, 72.1; for non-white males, 63.3. (See Table C). The non-white medians may not be statistically significant, since they are based on small totals; however, the non-white median ages have been consistently below the median age, both on a national and state level.

Deaths By Cause

The Ninth Revision of the International Classification of Diseases (ICD) was first used in the classification of deaths for 1979. As has occurred in previous revisions of this mortality classification system, many changes were introduced, resulting in serious breaks in comparability between the Ninth and Eighth Revisions (in use from 1968-1978) for several cause-of-death categories. Ratios of comparability between the two Revisions have been computed to measure this discontinuity.

A ratio of 1.00 indicates that the same number of deaths was assigned to a particular cause of death category by both Revisions. In general, a ratio lower than 1.00 indicates either that fewer deaths were assigned to a particular category by the Ninth Revision than by the Eighth or that the cause of death category, as defined by the Ninth Revision, is only a part of the comparable Eighth Revision category. A ratio higher than 1.00 indicates the reverse situation. (For a more comprehensive discussion of the methodology and interpretation of comparability ratios, see "Monthly Vital Statistics Report", Vol. 28, No. 11, Supplement, February 1980.)

Table 7 shows the 20 leading causes of death for 1985, with the numbers and rates for the same causes for 1979 to 1984, and for the comparable cause categories for 1976 to 1978, along with the corresponding comparability ratios. These 20 causes of death accounted for 90 per cent of all deaths in 1985. For many years, the four leading causes had been Diseases of the Heart, Malignant Neoplasms, Cerebrovascular Diseases, and Accidents. However, in 1983 and 1984 the number of deaths from Chronic Obstructive Pulmonary Diseases were greater than those from Accidents. This phenomenon continued in 1985: the number of Chronic Obstructive Pulmonary Diseases (353, yielding a rate of 36.5) surpassed the number of Accidents (264, yielding a rate of 27.3). The ten leading causes accounted for 85 per cent of all deaths; rates for the ten leading causes may be seen in Figures 5A and 5B for the past ten years. The five leading causes of death for each sex are illustrated in Figure 6.

Table 31 shows the ten leading causes of death by sex, with rates for 1985 and 1984, and the per cent change in rates. The number of deaths for the five leading causes of death in each age group are shown in Table 32, along with age-specific death rates in 1985 and 1984 and the per cent change in rates. Median ages for all causes of death and for the ten leading causes of death, by sex, are shown in Table C below:

Table C - Median Ages by Sex for All Causes and for Ten Leading Causes of Death - Rhode Island Residents, 1985

Causes	Male	Female	Total
ALL CAUSES	71.9	79.6	75.7
1. Diseases of the Heart	73.5	82.5	78.2
2. Malignant Neoplasms	69.8	71.9	70.8
3. Cerebrovascular Diseases	78.6	83.8	82.1
4. Chronic Obstructive Pulmonary Disease and Allied Conditions	75.4	74.5	75.1
5. Accidents and Adverse Effects	32.4	72.5	43.3
6. Pneumonia and Influenza	82.1	87.2	84.9
7. Diabetes Mellitus	72.0	78.9	76.1
8. Atherosclerosis	74.8	91.0	84.6
9. Nephritis, Nephrotic Syndrome	72.9	79.4	75.7
10. Chronic Liver Disease and Cirrhosis	64.3	68.9	66.2

Cardiovascular Diseases is not ranked as a cause of death, but includes five cause of death categories, four of which were among the 20 leading causes. The five categories are: Diseases of the Heart (rank 1); Cerebrovascular Diseases (rank 3); Atherosclerosis (rank 8); Hypertension with or without Renal Disease (rank 17); and Other Diseases of Arteries, Arterioles, and Capillaries, which is not ranked. There were 4,622 deaths from Cardiovascular Diseases in 1985 (Table 25), representing 48 per cent of all deaths (46 per cent for males and 50 per cent for females). The provisional national rate was 409.0 per 100,000 estimated population. The state rate of 477.4 was 17 per cent higher than the U.S. rate.

Diseases of the Heart has been the leading cause of death historically, both nationally and in the state. The rate has remained fairly constant for many years and was 380.5 per 100,000 estimated population in 1985 (Figure 5A). Of all deaths in 1985, 38 per cent of males as well as females died from heart disease. It appears as one of the five leading causes in all age groups over age four, as shown in Table 32 and in Figures 8, 9, and 10. It was the leading cause of death among persons 65 years of age and over (41 per cent of deaths in this age group). The provisional national rate was 323.2 in 1985; the state rate was 18 per cent higher than the U.S. rate.

Malignant Neoplasms, including Neoplasms of Lymphatic and Hematopoietic Tissues with 25 per cent of all deaths, was the second leading cause of death in Rhode Island, as well as in the United States, in 1985. The state rate was 244.3 per 100,000 estimated population; the provisional national rate was 192.5. The state rate was 27 per cent higher than the U.S. rate. Malignant Neoplasms was the second leading cause of death for both males and females (Table 31 and Figure 6), accounting for 25 per cent of male deaths and 24 per cent of female deaths. Malignant Neoplasms appears as one of the five leading causes of death in all age

Figure 5a - Rates from Five Leading Causes Of Death in 1985 with Comparable Rates For 1976-1984 Rhode Island Residents



Figure 5b - Rates from the 6-10th Leading Causes Of Death in 1985 With Comparable Rates For 1976-1984, Rhode Island Residents



Figure 6 - Leading Causes of Death by Sex
Rhode Island Residents, 1985



Male



Female

Each slice represents a percentage of the total number of deaths, by sex, for the year.

groups over age four, as shown in Table 32 and Figures 8, 9, and 10). It was the leading cause of death among persons 45-64 (39 per cent of deaths among this age group).

The five leading primary sites for each sex are shown in Table D, below, and in Figure 7. All major sites may be seen in Table 25 by race, age, and sex.

Table D - Five Leading Cancer Sites by Sex, Rhode Island Residents, 1985

MALE			FEMALE		
Site	Number	Per Cent	Site	Number	Per Cent
1. Respiratory and Intrathoracic Organs	427	35	1. Digestive Organs and Peritoneum	335	29
2. Digestive Organs and Peritoneum	338	28	2. Breast	229	20
3. Genital Organs	123	10	3. Respiratory and Intrathoracic Organs	197	17
4. Urinary Organs	72	6	4. Genital Organs	97	8
5. Lymphatic and Hematopoietic Tissue (Other than Leukemia)	47	4	5. Lymphatic and Hematopoietic Tissue (Other than Leukemia)	57	5

Cerebrovascular Diseases, with 645 resident deaths and a rate of 66.6 per 100,000 population, was the third leading cause of death in 1985. Nine per cent of the females and five per cent of the males died from this cause (Table 31 and Figure 6). The female rate, 84.0 was 77 per cent above the male rate of 47.5. The provisional national rate was 64.0, the state rate was 4 per cent higher than the U.S. rate.

Cerebrovascular diseases are primarily diseases of maturity. The median age among decedents in this category was 82.1, eight per cent higher than for all deaths in 1985 (Table C). Two per cent of these decedents were under 45 years of age, and just seven per cent were younger than 60 years old. In contrast, for all decedents, six per cent were less than 45 years old, and 16 per cent were less than 60 years old.

Chronic Obstructive Pulmonary Diseases and Allied Conditions was the fourth leading cause of death in 1985. Because of changes from the Eighth to the Ninth Revision of the International Classification of Diseases, this group of diseases was not ranked as one of the ten leading causes before 1979. The comparability ratio between the Eighth and the Ninth Revision for this category is 1.8846, nationally, which means that 88 per cent more deaths are assigned to this category under the Ninth Revision than are assigned to its most nearly comparable category under the Eight Revision ("Bronchitis, Emphysema, and Asthma"). This large variability can be accounted for almost entirely by the transfer of deaths assigned by the Eighth Revision to "Chronic Obstructive Lung Disease without mention of Asthma, Bronchitis, or Emphysema" (ICDA No. 519.3) to the new Ninth Revision title "Chronic Airways Obstruction Not Elsewhere Classified" (ICD No. 496). In Figure 5 and Table 7 for deaths prior to 1979, the number of deaths assigned to ICDA No. 519.3 have been included with the number assigned to the Eighth Revision title "Bronchitis, Emphysema, and Asthma" (ICDA No. 490-492) in order to make that category more comparable to the new Ninth Revision title. Because these figures are not available

Figure 7 - Five Leading Primary Sites Malignant Neoplasms, by Sex, 1985



*Lymphatic and Hematopoietic Tissue (Other than Leukemia)

Figure 8 - Leading Causes of Death
By Specified Age Group: Rhode Island Residents
1985



Under 5 years **5 - 19 years**

*Certain Conditions Originating in the Perinatal Period

**Sudden Infant Death Syndrome

Figure 9 - Leading Causes of Death
By Specified Age Group: Rhode Island Residents
1985



20 - 44 years



45 - 64 years

*Chronic Obstructive Pulmonary Disease

Figure 10 - Leading Causes of Death
By Specified Age Group: Rhode Island Residents
1985



Age 65 and over

*Chronic Obstructive Pulmonary Disease

nationally, there is no comparability ratio for the Ninth Revision title and this special grouping.

There were 353 deaths to Rhode Island residents from this cause of death in 1985, accounting for a rate of 36.5 per 100,000 estimated population. The provisional national rate was 31.2; the state rate was 17 per cent higher than the U.S. rate.

Chronic obstructive pulmonary diseases was the third leading cause of death for males, with males accounting for 63 per cent of the deaths from this cause. It was the fourth leading cause for decedents aged 45 years and older (Tables 31 and 32). The median age (75.1) was one per cent lower than the median age for all causes (75.7).

Accidents ranked fifth among the leading causes in 1985, accounting for 264 deaths and a rate of 27.3 per 100,000 estimated population. For many years, the Rhode Island accidental rate has been lower than the national rate. The 1985 state rate was 28 per cent lower than the provisional U.S. rate of 38.1.

Table E - Resident Accidental Deaths by Type by Sex: Rhode Island, 1985

Type of Accident	Total	Males	Females
All Accidents*(E800-E949)	264	166	98
Motor Vehicles(E810-E825)	113	78	35
Water Transport (E830-E838)	2	2	0
Air and Space Transport(E840-E845)	0	0	0
Poisoning(E850-E869)	19	13	6
Falls(E880-E888)	60	27	33
Fires and Flames(E890-E899)	16	10	6
Drowning(E910)	5	5	0
Food/Object Inhalation(E911-E912)	12	6	6
Electric Current (E925)	1	0	1
All Other (Residual)	36	25	11

* For complete titles, see Table 30.

Accidents were a major factor in deaths among both males and young people. Males accounted for 63 per cent of all accidental deaths, and 52 per cent of the decedents were under 45 years of age. Thirty-five per cent of all accidental deaths occurred to males younger than 35 years old. Table 31 shows that the accidental death rate for males (36.0 per 100,000 estimated population) was nearly double that for females (19.3).

Except for persons 45 years of age and over, accidents ranked as one of the five leading causes in each age group shown in Table 32 and was the leading cause for ages 5 to 44 years. This information is shown in Figures 8, 9, and 10. The median age at death for all accidents was 43.3 years, 32.4 years for males and 72.5 for females). (See Table C). Accidental deaths are also shown by age of decedent and type of accident in Table 30 and Figure 11 and by location of accident in Table 28.

Motor Vehicle Accidents were responsible for the death of 113 Rhode Island residents, 43 per cent of all resident accidental deaths in 1985, accounting for a rate of 11.7 per 100,000 estimated population. Table F, below, gives the number of Rhode Island resident deaths and rates for motor vehicle accidents for the years 1976-1985.

Figure 11 - Leading Causes of Deaths From Accidents: Rhode Island Residents, 1985



Table F - Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1976-1985
(Rates per 100,000 Population)

Year	Number	Rate	Year	Number	Rate
1976	142	15.3	1981	116	12.2
1977	158	16.9	1982	121	12.6
1978	124	13.3	1983	99	10.4
1979	140	15.1	1984	110	11.4
1980	140	14.8	1985	113	11.7

Rhode Island's death rate from motor vehicle accidents has remained below the national rate for many years. The state's 1985 death rate was 36 per cent lower than the provisional national rate of 18.3.

Males accounted for 69 per cent of the deaths from motor vehicle accidents in 1985. The 78 male deaths in this category also represented 47 per cent of all accidental deaths to males. The median age at death was 24.6 for all motor vehicle accidents (23.9 for males and 40.0 for females).

Table 30 distributes Rhode Island deaths from motor vehicle accidents by type of accident by age of decedent. Of all deaths from motor vehicle accidents to Rhode Island residents during 1985, highway collisions accounted for 96 (85 per cent).

Non-motor Vehicle Accidents accounted for 151 of the 264 accidental deaths (57 per cent) to Rhode Island residents in 1985. These non-motor vehicle accidents were distributed as follows: falls, 40 per cent; poisoning, 13 per cent; fires and flames, 11 per cent; inhalation of food or other objects, 8 per cent; drowning and submersion, 3 per cent; water transport accidents, 1 per cent; electric current, less than one per cent. (See Table 30).

Non-motor vehicle accidents may be seen by place of accident by age in Table 28. Fifty-two per cent of these accidents occurred at home; 15 per cent, in resident institutions; 4 per cent, at places of recreation; and 3 per cent, in places of industry.

Pneumonia and Influenza accounted for 263 deaths and ranked as the sixth leading cause in 1985, yielding a rate of 27.2 per 100,000 estimated population. Of the 263 deaths in this category, 256 were classified to pneumonia and seven to influenza. The state rate for pneumonia and influenza was 3 per cent lower than the national provisional rate of 28.0 for 1985.

Pneumonia and influenza constituted the fourth leading cause of death for females and the sixth leading cause for males (Table 31). These deaths occurred predominantly among older persons: the median age was 84.9 years and only 24 decedents (9 per cent) were less than 65 years old (Tables C and 25).

Caution should be exercised in interpreting statistics on pneumonia mortality. In this report, as well as in national publications, deaths are classified to pneumonia only when that disease is designated by the certifying physician as the underlying cause of death, i.e., as the disease initiating the chain of events leading to death. Furthermore, in Rhode Island, when pneumonia is initially classified as the underlying cause of death, the Division of Vital Statistics routinely queries the physician to confirm whether the pneumonia initiated the chain of events leading to death or whether it was a terminal event secondary to another disease or condition. If the pneumonia was secondary to another disease or condition, the death is classified to the disease or condition which led to the pneumonia. It may be inferred, therefore, that deaths involving pneumonia are much greater in number than those classified to pneumonia as the underlying cause of death.

Diabetes Mellitus, with 221 deaths and a rate of 22.8 per 100,000 estimated population, was the seventh leading cause of death in 1985. The Rhode Island death rate from diabetes has been among the highest in the nation, and the state's 1985 rate was 44 per cent higher than the provisional national rate of 15.8. It was the sixth leading cause for females and the seventh leading cause for males (Table 31). The median ages for females (78.9) and for males (72.0) were close to the median ages for all female and male deaths (79.6 and 71.9, respectively). The median age for all diabetes deaths was 75.7.

Atherosclerosis and Hypertension ranked eighth and seventeenth, respectively, in 1985. There were 145 deaths classified to Atherosclerosis (a rate of 15.0) and 34 to Hypertension (a rate of 3.5) (Table 7). These relatively low rates seem to contradict the known devastating effects of these two diseases on the Rhode Island population and on that of the nation as a whole. These low rates occur each year because of the procedure used in classifying deaths for statistical purposes. World Health Organization (WHO) classification rules require deaths from atherosclerosis or hypertension to be assigned to more specific forms of these diseases (such as arteriosclerotic heart disease or acute myocardial infarction) whenever the more specific diseases are mentioned on the death certificate. One must be aware of this procedure, then, when interpreting mortality statistics prepared in accordance with WHO guidelines. The actual involvement of atherosclerosis and hypertension in deaths from diseases of the cardiovascular system is greatly in excess of the relatively few deaths classified to these diseases, both in this report and in national publications. The provisional national rates for 1985 were 9.9 for atherosclerosis and 3.1 for hypertension.

Nephritis, nephrotic syndrome and nephrosis was the ninth leading cause in 1985, with 116 deaths and a rate of 12.0 per 100,000 estimated population. It entered the top ten causes for the first time in 1985 after being 11th or 12th since 1979. The state rate of 12.0 is 28 per cent higher than the U.S. provisional rate of 9.4. The median age of death was 75.7.

Chronic Liver Disease and Cirrhosis was the tenth leading cause in 1985, with 109 deaths and a rate of 11.3 per 100,000 estimated population. It ranked as the tenth leading cause of death for males and the eleventh for females. The state rate was one per cent higher than the provisonal national rate of 11.2.

In 1985, chronic liver disease and cirrhosis was not one of the five leading causes in any age group. The median age for this cause has been generally increasing over the past several years and is now 66.2.

Other Leading Causes, ranking 11th through 20th, accounted for 466 deaths, five per cent of all deaths to Rhode Island residents in 1985. The number of deaths in each category was relatively small, ranging from 96 for "Suicide" to 22 for "Anemias" and "Nutritional Deficiencies". For this reason, comparisons of the death rates for these categories should be made with caution. Table G below lists these causes with the state rate and the provisional national rate per 100,000 estimated population for 1985.

Table G - Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1985 with Provisional U.S. Rates (Rates per 100,000 Estimated Population)

1985 Rank	Cause of Death (ICD) 1975	Rhode Island Number	Rhode Island Rate	U.S. Rate (Provisional)
11.	Suicide (E950-E959)	96	9.9	11.6
12.	Septicemia(038)	91	9.4	7.1
13.	Congenital Anomalies(740-759)	47	4.9	5.7
14.	Certain Conditions Originating in the Perinatal Period(760-779)	45	4.6	7.9
15.	Homicide and Legal Intervention (E960-E978)	39	4.0	8.2
16.	Benign Neoplasms*(210-239)	36	3.7	3.0
17.	Hypertension with or without Renal Disease(401,403)	34	3.5	3.1
18.	Ulcer of Stomach and Duodenum (531-533)	32	3.3	2.7
19.	Hernia and Intestinal Obstruction* (550-553,560)	24	2.5	2.1
20.	Anemias(280-285)	22	2.3	1.4

* For complete category title, see Ninth Revision International Classification of Diseases, 1975.

Caution should be observed in comparing the state's crude rates with the provisional U.S. rates because of the differing age and sex composition of the two populations. As mentioned earlier, the state's proportion of persons 65 years of age and over, according to the 1980 census, was 18 per cent higher than the national proportion.

Years of Potential Life Lost (YPLL)

Recently, attention has focused on the potential years of life lost for persons under age 65 who have reached their first birthday. In general, the younger the person, the greater the number of potential years of life yet available to that person.

Potential years of life lost for persons under 65 years of age at the time of death are derived by multiplying the number of deaths in each age category, (except under 1 year) by the difference between 65 years of age and the age at the midpoint or median of each category, and totalling the results.

Table H below compares the five leading causes of death for 1985 to the five causes of death which contributed the greatest number of years of potential life lost (YPLL).

Table H - Five Leading Causes of Death, R.I. Residents, Compared to Five Leading Causes Ranked by Years of Potential Life Lost, 1985

Cause of Death	Number	Cause of Death	YPLL
1. Diseases of the Heart	3,684	1. Malignant Neoplasms	7,759.0
2. Malignant Neoplasms	2,365	2. Diseases of the Heart	6,335.5
3. Cerebrovascular Diseases	645	3. Accidents	5,535.0
4. COPD	353	4. Suicide	2,340.5
5. Accidents	264	5. Homicide	1,083.0

Although the categories of Accidents, Suicides, and Homicides are ranked separately, those three external causes combined were the leading contributors to premature death for Rhode Island residents in 1985.

MARRIAGE AND DIVORCE

Marriage and divorce statistics in this publication relate only to those events which occurred within the state. No data has been included for Rhode Island residents who were married or divorced in other states because exchange of certificates among the states is not complete. There were 8,011 marriages and 3,698 divorces filed in Rhode Island in 1985, yielding rates of 8.3 and 3.8, respectively, per 1,000 estimated population. The divorce rate has no relationship to the marriage rate because most of the divorces in a given year terminate marriages that have lasted a number of years (only 6 of the 1985 divorces were granted to persons who were married less than a year, and 290 divorces were of persons who had been married 25 years of more).

MARRIAGE

The 1985 rate of 8.3 marriages per 1,000 estimated population was the same as the 1984 rate. The 1981-1985 average rate of 8.3 was eight per cent higher than the 1971-1975 rate of 7.7 (Table A). The Rhode Island rate has been consistently below the national rate in each of the past 30 years; the last ten years are shown in Figure 12. The state rate for 1985 was 19 per cent below the provisional United States rate of 10.2 in 1985.

In 1985, June was the most popular month for marriages, with 1,139 marriages recorded, averaging 38.0 marriages per day. The second highest average occurred in September (34.0). Five months, May, June, and August through October had averages above the year's daily rate of 21.9. The lowest average occurred in January, when only 261 marriages were performed, for a daily average of 8.4. The months of January through March, and also December, each averaged fewer than 15 marriages per day.

The number of brides and grooms married in Rhode Island in 1985 is shown according to their usual residence in Table 33. Because a marriage usually takes place in the bride's home town or the municipality of the church that she attends, it is not surprising that there were far fewer participants who were non-residents of Rhode Island among the brides than among the grooms. In 1985, 16 per cent of the

Figure 12 - Marriage Rates Per 1,000 Population
RI and US Occurrence Data 1976-1985



grooms were non-residents, whereas only 11 per cent of the brides resided outside the state.

The location of churches and courts is an important factor in determining the number of marriages performed in a particular city or town. Of the four municipalities where the Family Courts meet (Newport, Providence, Warwick and Westerly), all except Warwick, had rates above the state average, with Newport, Westerly, and Providence being 19.1, 12.3, and 9.2 respectively. Warwick equalled the state rate of 8.3.

Table 3 shows the number of marriages occurring in each city or town with the rates per 1,000 estimated population occurring in that area. The highest rate (54.3) was recorded in New Shoreham. Among those municipalities with an estimated population greater than 5,000, four had rates one-third or more higher than the state rate (11.1 or more): Newport, 19.1; Scituate, 14.0; Westerly, 12.3; and East Greenwich, 11.1. Four towns with greater than 5,000 estimated population had rates one-third or more lower than the state rate (5.5 or less): Glocester, 4.2; North Smithfield, 4.8; North Providence, 4.9; and Johnston, 5.3.

Table 36 shows the number of times previously married for each party. Sixty-one per cent of marriages involved those in which both parties were marrying for the first time. Marriages in which one party was marrying for the first time and the other was marrying for the second time added 19 per cent; 13 per cent had both parties marrying for the second time; and in six per cent of the cases, at least one of the parties was marrying for the third time or more.

A breakdown of previous marital status is shown in Table 37. Marriages between one previously unmarried and one divorced partner accounted for 20 per cent; marriages between two divorced individuals, 15 per cent; between two widowed parties, one per cent; and where only one of the two parties was widowed, three per cent.

The age distribution of brides and grooms who married in Rhode Island in 1985, including the number of brides and grooms under age 20, is shown in Table 34. The percentage of teenage brides and grooms has decreased over the last several years. In 1985, ten per cent of all the brides and three per cent of all the grooms were under age 20, compared to 11 and 3 per cent respectively in 1984. In two per cent of the marriages, both the bride and groom were under age 20. Thirty-seven per cent of all brides and 29 per cent of all grooms were in the age group 20-24 years; another 25 per cent of all brides and 29 per cent of all grooms were between 25-29 years of age.

The age distribution of brides and grooms by previous marital status is shown in Table 35. Thirteen per cent of all brides and five per cent of all grooms marrying for the first time in 1985 were under age 20.

The median age at first marriage was 23.8 years for brides and 25.7 years for grooms. The median age for remarried persons was much higher than for single persons: for brides whose previous marital status was divorced, it was 33.9 years; for previously divorced grooms, it was 37.2 years. The median age at remarriage for the widowed was 53.7 years for brides and 61.2 years for grooms. The median age in Rhode Island for all marriages was 25.7 years for brides and 28.0 years for grooms.

Figure 13 - Divorce Rates Per 1,000 Population
RI and US Occurrence Data 1976-1985



Educational achievement for brides and grooms is shown in Table 38. Twenty-three per cent of the brides and 26 per cent of the grooms were college graduates (slightly less than the 24 and 27 per cent in 1984). Three per cent of all the brides and four per cent of all grooms had completed eight or less years of schooling.

The race of the vast majority (95 per cent) of the 1985 marital partners was white; 94 per cent of marriages were between two white persons; and four per cent were between two non-white persons. Marriages between white brides and non-white grooms were one per cent of the total; between non-white brides and white grooms, less than one per cent.

D I V O R C E

Reports of 3,698 final divorces were received by the Division of Vital Statistics in 1985 from the state's Family Courts. The rate of 3.8 per 1,000 estimated population was the same as the 1984 rate. The 1981-1985 average rate of 3.7 was 54 per cent higher than the 1971-1975 rate of 2.4 (Table A).

The state rate was 24 per cent lower than the U.S. Provisional rate of 5.0. The provisional national rates for each of the three previous years ranged from 4.9 to 5.1. Rhode Island's rate has been consistently below the national rate for the past 10 years (Figure 13).

The total population is a poor base for determining the divorce rate. A more precise measure of divorce is the number of divorces per 1,000 married females aged 15 and over. This rate is accurately known only in decennial census years. The Rhode Island rate for 1980 was 16.7 divorces per 1,000 married females aged 15 and over. The rates for the previous ten-year intervals, 1970, 1960, 1950, 1940, and 1930 were: 8.1, 5.0, 4.7, 4.2, and 5.0, respectively.

The highest daily average for divorces (12.1 per day) occurred in January with 374 divorces. The lowest daily average (7.9 per day) occurred in November, when 236 decrees became final. The daily average for the year was 10.1.

Rhode Island law does not provide for annulment, but there were six divorces on grounds of "void marriage" in 1985. The most frequent grounds for obtaining a final decree were "irreconcilable differences", accounting for 91 per cent of all divorces. Eight per cent were granted on the grounds of "living separate and apart three years". The remaining divorces were distributed among the following grounds: "extreme cruelty","wilful desertion", "adultery", "continued drunkenness", "presumption of civil death", and "other gross misbehavior".

The 1985 data on duration of marriage show that 43 per cent of the marriages had endured ten years or more; 31 per cent, five to nine years; and 25 per cent, one to four years. Only six final decrees were entered before the couple had been married a full year.

Age of husband and wife at the time of divorce are tabulated for all 1985 divorces in Table 39 and are tabulated by age according to previous marital status for husband and wife in Table 41. The median age at time of divorce for all men was 35.1 years and for all women, 32.6. The median age at time of divorce after a first marriage was 33.3 for husbands and 30.8 for wives. The median age of persons for whom the 1985 divorce terminated a remarriage was 41.1 for men and 38.3 for women. Among those terminating a remarriage, 25 per cent of the husbands and 17 per cent of

the wives were 30 years of age or older. On those records where previous marital status was stated, 79 per cent of husbands and 79 per cent of wives were terminating a first marriage. Previous marital status was not stated for two per cent of the husbands and wives.

At least 3,674 children under 18 years of age were affected by a 1985 divorce decree. There were 116 records with the information regarding children not stated (three per cent). Thirty-nine per cent of the divorces in 1985 involved no children; 28 per cent involved one child; 21 per cent involved two children; seven per cent, three children; and two per cent, four or more children. (See Table 43).

Education is one of the most poorly reported items on the divorce record. Education was not stated for eight per cent of both husbands and wives divorced in 1985. In those cases where the item was reported, 16 per cent of the husbands and 13 per cent of the wives were college graduates; eight per cent of the husbands and five per cent of the wives had completed eight years or less of schooling. A breakdown of educational achievement is shown in Table 44.

The race of the vast majority of people divorced in 1985 was white. Ninety-two per cent of the time both husband and wife were stated to be white; four per cent of both husbands and wives were stated to be non-white. In one per cent of the divorces, one of the partners was white and the other was non-white; in the remaining three per cent of the divorces, the race of one or both partners was unknown.

Table 1 - United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980

Characteristic	Total Population*			Male			Female		
	1980	1970	Per Cent Change	1980	1970	Per Cent Change	1980	1970	Per Cent Change
RACE									
Total	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
White	896,692	914,757	- 2.0	426,601	447,892	- 4.8	470,091	466,865	+ 0.7
Non-White	50,462	31,968	+ 57.9	24,650	16,399	+ 50.3	25,812	15,569	+ 65.8
Black	27,584	25,338	+ 8.9	13,351	12,825	+ 4.1	14,233	12,513	+ 13.7
Other Races	22,878	6,630	+245.1	11,299	3,574	+216.1	11,579	3,056	+278.9
AGE IN YEARS									
All Ages	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
Under 5	56,692	76,035	- 25.4	28,887	38,878	- 25.7	27,805	37,157	- 25.2
Under 1	12,075	15,096	- 20.0	6,215	7,712	- 19.4	5,860	7,384	- 20.6
1 - 4	44,617	60,939	- 26.8	22,672	31,166	- 27.3	21,945	29,773	- 26.3
5 - 9	61,465	85,874	- 28.4	31,458	43,903	- 28.3	30,007	41,971	- 28.5
10 - 14	74,170	88,289	- 16.0	37,965	44,935	- 15.5	36,205	43,354	- 16.5
15 - 19	89,773	85,680	+ 4.8	44,771	44,181	+ 1.3	45,002	41,499	+ 8.4
20 - 24	90,231	87,963	+ 2.6	44,292	49,076	- 9.7	45,939	38,887	+ 18.1
25 - 29	76,215	59,319	+ 28.5	37,646	30,154	+ 24.8	38,569	29,165	+ 32.2
30 - 34	69,820	47,276	+ 47.7	34,583	23,586	+ 46.6	35,237	23,690	+ 48.7
35 - 39	54,393	47,465	+ 14.6	26,577	23,374	+ 13.7	27,816	24,091	+ 15.5
40 - 44	44,470	56,237	- 21.0	21,513	27,220	- 21.0	22,957	29,017	- 20.9
45 - 49	44,708	59,557	- 24.9	21,438	28,677	- 25.2	23,270	30,880	- 24.6
50 - 54	53,096	55,598	- 4.5	25,210	26,266	- 4.0	27,886	29,332	- 4.9
55 - 59	55,748	50,268	+ 10.9	26,182	23,523	+ 11.3	29,566	26,745	+ 10.5
60 - 64	49,451	43,232	+ 14.4	22,460	19,278	+ 16.5	26,991	23,954	+ 12.7
65 - 69	42,414	35,251	+ 20.3	16,346	14,947	+ 9.4	24,068	20,304	+ 18.5
70 - 74	33,148	28,665	+ 15.6	12,994	11,498	+ 13.0	20,154	17,167	+ 17.4
75 - 79	23,891	20,268	+ 17.9	8,619	7,892	+ 9.2	12,272	12,376	+ 23.4
80 - 84	15,491	12,030	+ 28.8	4,947	4,375	+ 13.1	10,544	7,655	+ 37.7
85 & Over	11,978	7,718	+ 55.2	3,363	2,528	+ 33.0	8,615	5,190	+ 66.0
Median Age	31.7	29.2	+ 8.6	30.1	26.9	+ 11.9	33.3	31.9	+ 4.4
65 Years & Over	126,922	103,932	+ 22.1	46,269	41,240	+ 12.2	78,653	62,692	+ 25.5

* The 1970 figures in this table add to 946,725 -- the original total. This total was later corrected to 949,723, but no corrections for age, sex, or race have been received.

Table 2 - Population of Rhode Island Cities and Towns by County: Census of 1970, 1980, and 1985 Estimate

City or Town by County	1970	1980	1985 Estimate*
STATE TOTAL	949,723	947,154	968,200
BRISTOL COUNTY	45,937	46,942	47,400
Barrington	17,554	16,174	16,100
Bristol	17,860	20,128	20,100
Warren	10,523	10,640	11,200
KENT COUNTY	142,382	154,163	158,700
Coventry	22,947	27,065	29,200
East Greenwich	9,577	10,211	10,400
Warwick	83,696	87,123	87,900
West Greenwich	1,841	2,738	3,100
West Warwick	24,323	27,026	28,100
NEWPORT COUNTY	94,228	81,383	84,500
Jamestown	2,911	4,040	4,600
Little Compton	2,387	3,085	3,300
Middletown	29,290	17,216	17,700
Newport	34,562	29,259	29,900
Portsmouth	12,521	14,257	15,100
Tiverton	12,559	13,526	13,900
PROVIDENCE COUNTY	581,470	571,349	578,300
Burrillville	10,087	13,164	14,700
Central Falls	18,716	16,995	17,500
Cranston	74,287	71,992	72,900
Cumberland	26,605	27,069	26,700
East Providence	48,207	50,980	51,800
Foster	2,626	3,370	3,600
Glocester	5,160	7,550	8,600
Johnston	22,037	24,907	25,500
Lincoln	16,182	16,949	17,200
North Providence	24,337	29,188	30,500
North Smithfield	9,349	9,972	10,200
Pawtucket	76,984	71,204	73,000
Providence	179,116	156,804	154,600
Scituate	7,489	8,405	8,700
Smithfield	13,468	16,886	17,500
Woonsocket	46,820	45,914	45,300
WASHINGTON COUNTY	85,706	93,317	99,300
Charlestown	2,863	4,800	5,500
Exeter	3,245	4,453	4,600
Hopkinton	5,392	6,406	6,800
Narragansett	7,138	12,088	12,800
New Shoreham	489	620	700
North Kingstown	29,793	21,938	23,400
Richmond	2,625	4,018	4,800
South Kingstown	16,913	20,414	21,300
Westerly	17,248	18,580	19,400

* Estimates obtained from the Office of Statewide Planning

Table 3 - Number of Live Births, Deaths, and Marriages with Rates by City and Town - Rhode Island, 1985
(Rates per 1,000 Estimated Population)

CITY OR TOWN	LIVE BIRTHS Number Occurrences	LIVE BIRTHS Number Residents	LIVE BIRTHS Resident Rate	DEATHS Number Occurrences	DEATHS Number Residents	DEATHS Resident Rate	MARRIAGES Occurrences Number	MARRIAGES Occurrences Rate
STATE TOTAL	13674	12996	13.4	9836	9636	10.0	8011	8.3
BARRINGTON	1	144	8.9	25	113	7.0	110	6.8
BRISTOL	1	252	12.5	135	188	9.4	182	9.1
BURRILLVILLE	2	181	12.3	172	146	9.9	105	7.1
CENTRAL FALLS	0	321	18.3	125	231	13.2	133	7.6
CHARLESTOWN	0	82	14.9	10	40	7.3	52	9.5
COVENTRY	2	345	11.8	109	220	7.5	168	5.8
CRANSTON	3	767	10.5	462	769	10.5	463	6.4
CUMBERLAND	0	278	10.4	88	232	8.7	241	9.0
EAST GREENWICH	0	99	9.5	20	88	8.5	115	11.1
EAST PROVIDENCE	1	592	11.4	281	544	10.5	396	7.6
EXETER	0	74	16.1*	12	22	4.8*	15	3.3*
FOSTER	2	47	13.1*	6	25	6.9*	33	9.2*
GLOCESTER	0	122	14.2	13	51	5.9	36	4.2
HOPKINTON	3	105	15.4	17	50	7.4	54	7.9
JAMESTOWN	0	64	13.9*	15	59	12.8*	55	12.0*
JOHNSTON	0	299	11.7	125	272	10.7	134	5.3
LINCOLN	1	194	11.3	49	184	10.7	117	6.8
LITTLE COMPTON	0	39	11.8*	14	26	7.9*	41	12.4*
MIDDLETOWN	1	263	14.9	103	120	6.8	118	6.7
NARRAGANSETT	0	183	14.3	19	93	7.3	98	7.7
NEWPORT	1051	413	13.8	374	275	9.2	572	19.1
NEW SHOREHAM	0	13	18.6*	3	10	14.3*	38	54.3*
NORTH KINGSTOWN	1	308	13.2	88	159	6.8	189	8.1
NORTH PROVIDENCE	0	338	11.1	331	319	10.5	149	4.9
NORTH SMITHFIELD	0	88	8.6	264	104	10.2	49	4.8
PAWTUCKET	717	1096	15.0	837	872	11.9	505	6.9
PORTSMOUTH	1	238	15.8	19	118	7.8	125	8.3
PROVIDENCE	8148	2692	17.4	3642	1758	11.4	1420	9.2
RICHMOND	0	52	10.8*	3	18	3.8*	12	2.5*
SCITUATE	0	98	10.1	20	84	9.7	122	14.0
SMITHFIELD	0	182	10.4	101	140	8.0	131	7.5
SOUTH KINGSTOWN	405	274	12.9	238	137	6.4	225	10.6
TIVERTON	1	137	9.9	24	101	7.3	110	7.9
WARREN	0	169	15.1	74	144	12.9	81	7.2
WARWICK	1853	1015	11.5	1088	921	10.5	731	8.3
WESTERLY	676	280	14.4	307	195	10.1	238	12.3
WEST GREENWICH	0	61	13.2*	15	22	7.1*	17	5.5*
WEST WARWICK	1	408	14.5	74	262	9.3	254	9.0
WOONSOCKET	803	713	15.7	534	524	11.6	377	8.3

(*) Rate based on less than 5,000 population

Table 4 - Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population: Rhode Island, 1956-1985

Year	Population Estimates (Except Census Years)	Resident Live Births		Resident Total Deaths		Rhode Island Occurrences Marriages		Divorces	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
1956	843,000	18,174	21.6	8,415	10.0	6,325	7.5	913	1.1
1957	854,000	18,846	22.1	8,512	10.0	5,884	6.9	933	1.1
1958	860,000	18,295	21.3	8,737	10.2	5,659	6.6	946	1.1
1959	854,000	18,667	21.9	8,767	10.3	5,770	6.8	1,049	1.2
1960	859,488	18,386	21.4	8,984	10.5	5,817	6.8	1,055	1.2
1961	869,000	18,326	21.1	8,814	10.1	5,640	6.5	1,040	1.2
1962	877,600	18,320	20.9	9,127	10.4	5,575	6.4	921	1.0
1963	885,600	18,121	20.5	9,520	10.7	5,967	6.7	1,055	1.2
1964	893,500	18,010	20.2	9,319	10.4	6,103	6.8	1,100	1.2
1965	892,709	17,270	19.3	9,614	10.8	6,321	7.1	1,193	1.3
1966	898,000	16,314	18.2	9,454	10.5	6,122	6.8	1,273	1.4
1967	900,000	15,803	17.6	9,370	10.4	6,536	7.3	871	1.0
1968	914,000	15,211	16.6	9,717	10.6	7,311	8.0	971	1.1
1969	938,000	15,463	16.5	9,288	9.9	7,548	8.0	1,267	1.4
1970	949,723	15,821	16.7	9,497	10.0	7,531	7.9	1,687	1.8
1971	960,000	14,903	15.5	9,377	9.8	7,589	7.9	1,803	1.9
1972	968,000	13,288	13.7	9,519	9.8	7,858	8.1	2,018	2.1
1973	967,000	12,275	12.7	9,476	9.8	7,715	8.0	2,409	2.5
1974	940,300	11,337	12.1	9,089	9.7	7,255	7.7	2,522	2.7
1975	927,000	10,724	11.6	8,866	9.6	6,695	7.2	2,658	2.9
1976	927,000	10,786	11.6	9,168	9.9	6,905	7.4	3,276	3.5
1977	935,000	11,617	12.4	9,034	9.7	7,114	7.6	3,420	3.7
1978	935,000	11,515	12.3	8,847	9.5	7,277	7.8	3,475	3.7
1979	929,300	11,860	12.8	9,060	9.7	7,366	7.9	3,603	3.9
1980	947,154	12,166	12.8	9,300	9.8	7,490	7.9	3,593	3.8
1981	952,000	12,430	13.1	9,138	9.6	7,559	7.9	3,413	3.6
1982	958,000	12,499	13.0	8,975	9.4	7,885	8.2	3,619	3.8
1983	955,000	12,576	13.2	9,286	9.7	8,053	8.4	3,525	3.7
1984	961,881	12,647	13.1	9,422	9.8	7,971	8.3	3,642	3.8
1985	968,200	12,996	13.4	9,636	10.0	8,011	8.3	3,698	3.8

1956 Data from Vital Statistics of the United States, U.S. Government Publications.

Table 5 - Number of Infant, Neonatal and Perinatal and Maternal Deaths with Rates
Rhode Island Residents, 1956 - 1985

	INFANT DEATHS (Under One Year)		NEONATAL DEATHS (Under 28 Days)		PERINATAL DEATHS						MATERNAL DEATHS	
					Early Infants (Under 7 Days)		Late Fetal Deaths (28 Weeks & Over)		Total Perinatal			
Year	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate#
1956	439	24.2	332	18.3	304	16.7	223	12.3	527	28.6	3	1.7
1957	450	23.9	345	18.3	311	16.5	228	12.1	539	28.3	5	2.7
1958	388	21.2	287	15.7	257	14.0	208	11.4	465	25.1	5	2.7
1959	444	23.8	336	18.0	301	16.1	191	10.2	492	26.1	3	1.6
1960	423	23.0	300	16.3	280	15.2	195	10.6	475	25.6	6	3.3
1961	412	22.5	310	16.9	286	15.6	198	10.8	484	26.1	2	1.1
1962	468	25.5	350	19.1	311	17.0	202	11.0	513	27.7	1	0.5
1963	438	24.2	342	18.9	315	17.4	208	11.5	523	28.5	5	2.8
1964	449	24.9	342	19.0	310	17.2	196	10.9	506	27.8	2	1.1
1965	385	22.3	299	17.3	274	15.9	188	10.9	462	26.5	2	1.2
1966	359	22.0	269	16.5	247	15.1	151	9.3	398	24.2	2	1.2
1967	306	19.4	244	15.4	219	13.9	155	9.8	374	23.4	2	1.3
1968	326	21.4	252	16.6	236	15.5	131	8.6	267	23.9	-	-
1969	304	19.7	235	15.2	214	13.8	151	9.8	365	23.4	4	2.6
1970	312	19.7	241	15.2	218	13.8	135	8.5	353	22.1	4	2.5
1971	289	19.4	231	15.5	210	14.1	113	7.6	323	21.5	2	1.3
1972	257	19.3	194	14.6	176	13.2	93	7.0	269	20.1	-	-
1973	208	16.8	164	13.4	154	12.5	72	5.9	226	18.3	1	0.8
1974	176	15.5	137	12.1	124	10.9	79	7.0	203	17.8	1	0.9
1975	156	14.5	108	10.1	93	8.7	81	7.6	174	16.1	1	0.9
1976	155	14.4	121	11.2	106	9.8	74	6.9	180	16.6	1	0.9
1977	139	12.0	94	8.1	77	6.6	70	6.0	147	12.6	-	-
1978	158	13.7	121	10.5	99	8.6	61	5.3	160	13.8	2	1.7
1979	167	14.1	119	10.0	101	8.5	74	6.2	175	14.7	-	-
1980	133	10.9	102	8.4	86	7.1	72	5.9	158	12.9	2	1.6
1981	145	11.7	114	9.2	96	7.7	63	5.1	159	12.7	-	-
1982	125	10.0	100	8.0	86	6.9	58	4.6	144	11.5	1	0.8
1983	145	11.5	113	9.0	98	7.8	51	4.1	149	11.8	1	0.8
1984	125	9.9	89	7.0	74	5.9	57	4.5	131	10.3	1	0.8
1985	106	8.2	78	6.0	63	4.8	57	4.4	120	9.2	0	0.0

* Rate per 1,000 Live Births
** Rate per 1,000 Live Births Combined with Late Fetal Deaths
# Rate per 10,000 Live Births

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
TOTAL RHODE ISLAND, 1995

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	100+
RHODE ISLAND	9636	106	14	14	12	47	93	148	205	425	491	574	1054	1241	1322	1390	2239	45
BARRINGTON	113	0	0	0	0	0	0	0	2	10	8	5	16	18	9	17	27	1
BRISTOL	188	2	0	1	0	2	1	4	3	12	15	14	10	23	23	29	48	1
BURRILLVILLE	146	1	0	0	0	1	3	2	1	5	9	12	14	16	24	22	36	0
CENTRAL FALLS	231	2	1	3	0	1	2	3	4	6	6	15	20	25	35	37	64	0
CHARLESTOWN	40	2	0	0	0	0	0	1	1	1	3	1	3	3	4	5	10	0
COVENTRY	220	2	0	1	0	3	3	4	4	14	13	12	37	26	27	30	43	1
CRANSTON	769	6	2	1	0	2	8	11	17	29	35	63	85	97	124	115	172	0
CUMBERLAND	232	2	0	0	0	1	1	1	6	7	13	22	26	35	33	26	56	1
EAST GREENWICH	88	2	0	0	0	0	0	0	1	1	10	1	13	16	7	10	21	0
EAST PROVIDENCE	544	4	0	0	1	2	0	10	13	15	19	33	62	96	85	83	120	1
EXETER	22	0	0	0	0	1	0	1	3	2	1	1	2	1	1	4	6	0
FOSTER	25	1	0	0	0	0	0	0	3	1	0	1	5	4	2	4	4	0
GLOCESTER	51	0	0	0	0	0	2	0	2	6	2	1	9	5	4	10	10	0
HOPKINTON	50	0	0	0	0	2	1	0	1	3	4	3	8	7	7	5	6	1
JAMESTOWN	59	1	0	0	0	0	1	1	0	1	2	3	6	7	6	11	13	0
JOHNSTON	272	3	0	0	1	2	1	3	6	15	12	23	41	40	36	33	45	0
LINCOLN	194	0	1	0	0	0	2	3	1	10	14	14	14	19	34	30	37	5
LITTLE COMPTON	26	0	0	1	0	0	1	0	0	1	0	1	3	2	1	3	13	0
MIDDLETOWN	120	2	0	1	0	1	0	3	5	4	6	3	20	15	15	16	26	2
NARRAGANSETT	93	1	0	0	0	0	1	2	1	1	2	1	16	15	14	14	11	0
NEWPORT	275	4	1	0	0	1	5	2	4	5	16	24	23	35	33	36	70	1
NEW SHOREHAM	10	1	0	0	0	0	0	0	0	0	1	0	0	1	1	3	1	0
NORTH KINGSTOWN	159	2	0	0	0	2	2	1	6	11	8	17	13	23	13	13	33	1
NORTH PROVIDENCE	319	7	0	0	0	1	2	5	7	10	15	12	37	51	41	44	71	1
NORTH SMITHFIELD	104	2	0	0	0	0	0	3	1	4	6	8	13	9	14	13	17	1
PAWTUCKET	972	7	1	0	0	3	4	10	23	35	41	48	90	97	129	122	218	5
PORTSMOUTH	118	1	0	1	0	1	2	3	5	11	6	11	16	17	15	12	17	0
PROVIDENCE	1758	23	3	0	3	7	20	40	32	82	85	121	181	194	240	253	477	17
RICHMOND	14	2	0	0	0	0	0	0	1	0	2	1	2	0	1	1	4	0
SCITUATE	94	0	0	0	0	2	0	1	2	6	4	5	10	13	11	6	21	0
SMITHFIELD	140	0	1	0	0	2	2	3	5	9	10	2	16	22	10	22	35	1
SOUTH KINGSTOWN	137	2	0	0	0	0	1	2	6	3	4	4	14	13	15	23	35	0
TIVERTON	101	1	1	1	1	1	1	0	4	2	7	3	17	13	16	14	14	0
WARREN	144	1	0	0	1	0	0	3	4	4	6	3	16	15	23	23	33	2
WARWICK	421	6	2	2	3	4	6	8	11	55	44	45	45	135	134	126	185	5
WESTERLY	195	3	0	0	2	0	3	7	3	4	11	12	26	23	27	22	46	0
WEST GREENWICH	22	0	0	0	0	0	0	1	0	4	3	2	4	2	3	2	3	0
WEST WARWICK	262	4	1	0	0	3	4	4	3	13	14	2	27	24	37	41	43	0
WOONSOCKET	524	9	0	2	0	1	4	6	12	19	29	44	49	58	66	40	136	3

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE MALES RHODE ISLAND, 1985

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	4632	58	11	9	6	32	57	95	124	248	284	472	622	694	631	606	675	8
BARRINGTON	59	0	0	0	0	0	0	0	1	6	3	3	11	13	6	8	8	0
BRISTOL	92	1	0	1	0	2	0	4	1	9	10	10	6	11	9	13	15	0
BURRILLVILLE	81	1	0	0	0	1	3	1	1	3	7	3	11	10	11	10	13	0
CENTRAL FALLS	104	2	1	2	0	1	2	2	3	5	5	7	11	11	11	20	21	0
CHARLESTOWN	26	2	0	0	0	0	0	1	1	1	2	1	3	5	2	1	4	0
COVENTRY	120	1	0	1	0	3	3	2	2	6	3	8	28	14	14	14	15	0
CRANSTON	379	4	1	1	0	1	5	8	8	17	22	41	52	58	57	51	53	0
CUMBERLAND	111	0	0	0	0	0	0	1	7	4	7	15	15	23	16	11	12	0
EAST GREENWICH	44	0	0	0	0	0	0	0	0	0	0	6	7	10	3	6	4	0
EAST PROVIDENCE	243	3	0	0	1	2	0	6	9	10	10	20	33	58	30	31	30	0
EXETER	14	0	0	0	0	1	0	1	2	1	1	0	1	0	0	3	4	0
FOSTER	15	1	0	0	0	0	0	0	1	1	0	1	4	2	1	3	1	0
GLOCESTER	27	0	0	0	0	0	1	0	2	3	1	0	5	4	2	4	5	0
HOPKINTON	26	0	0	0	0	2	0	0	1	1	2	2	5	5	4	2	1	1
JAMESTOWN	26	1	0	0	0	0	0	0	0	0	2	6	4	3	4	2	4	0
JOHNSTON	151	1	0	0	1	1	1	3	6	10	6	13	32	20	18	21	12	0
LINCOLN	98	0	1	0	0	0	0	3	1	8	8	9	9	9	17	13	14	0
LITTLE COMPTON	14	0	0	0	0	0	1	0	0	1	0	0	2	2	1	1	6	0
MIDDLETOWN	50	2	0	0	0	1	0	2	1	2	3	2	11	7	9	7	3	0
NARRAGANSETT	57	1	0	0	0	0	1	0	1	0	6	4	10	11	10	6	7	0
NEWPORT	120	2	1	0	0	1	3	2	3	5	10	13	13	17	14	16	20	0
NEW SHOREHAM	5	1	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	0
NORTH KINGSTOWN	89	1	0	0	0	2	2	1	5	8	5	12	11	10	11	10	11	0
NORTH PROVIDENCE	161	3	0	0	0	0	2	5	4	7	8	16	23	32	19	15	27	0
NORTH SMITHFIELD	58	2	0	0	0	0	0	2	1	3	6	10	5	5	8	14	2	0
PAWTUCKET	443	7	1	0	0	0	3	8	16	22	25	53	68	56	66	55	69	1
PORTSMOUTH	70	1	0	1	0	1	1	2	3	5	4	6	11	12	11	6	6	0
PROVIDENCE	649	5	2	0	0	3	11	17	13	33	16	67	79	89	107	98	136	3
RICHMOND	13	2	0	0	0	0	0	0	1	0	1	2	2	0	1	1	3	0
SCITUATE	51	0	0	0	0	1	0	1	1	5	3	8	3	3	6	4	10	0
SMITHFIELD	77	0	0	0	0	1	2	1	1	5	9	2	11	15	7	12	11	1
SOUTH KINGSTOWN	57	2	0	0	0	0	0	1	4	1	2	8	9	5	6	8	11	0
TIVERTON	57	0	1	1	0	1	1	0	2	1	5	6	12	8	9	6	4	0
WARREN	82	0	0	0	0	0	0	1	2	3	4	8	7	3	11	7	10	0
WARWICK	453	1	2	1	2	4	5	6	9	36	22	55	54	75	73	54	53	1
WESTERLY	102	2	0	0	2	0	3	5	2	1	6	6	17	22	11	7	18	0
WEST GREENWICH	11	0	0	0	0	0	0	1	0	4	2	0	3	0	0	0	1	0
WEST WARWICK	125	3	1	0	0	2	4	3	1	8	10	11	16	20	17	15	11	0
WOONSOCKET	242	6	0	1	0	1	3	5	8	13	14	26	25	31	28	41	34	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE FEMALES RHODE ISLAND, 1985

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	4262	36	2	5	4	9	21	37	65	150	175	248	405	514	659	761	1528	33
BARRINGTON	64	0	0	0	0	0	0	0	1	4	5	2	5	5	3	9	19	1
BRISTOL	96	1	0	0	0	0	1	0	2	3	5	4	4	12	14	16	33	1
BURRILLVILLE	65	0	0	0	0	0	0	1	0	2	2	3	3	6	13	12	23	0
CENTRAL FALLS	127	0	0	1	0	0	0	1	1	1	3	5	4	14	24	17	48	0
CHARLESTOWN	13	0	0	0	0	0	0	0	0	0	1	0	0	1	2	3	6	0
COVENTRY	100	1	0	0	0	0	0	2	2	9	4	4	9	12	13	16	29	1
CRANSTON	386	2	1	0	0	1	3	3	9	11	13	23	33	39	66	64	118	0
CUMBERLAND	120	2	0	0	0	1	1	0	1	3	6	7	11	11	17	15	44	1
EAST GREENWICH	44	2	0	0	0	0	0	0	1	1	2	1	6	6	4	4	17	0
EAST PROVIDENCE	263	1	0	0	0	0	0	3	2	4	5	12	22	32	50	47	84	1
EXETER	8	0	0	0	0	0	0	0	1	1	0	0	1	1	1	1	2	0
FOSTER	9	0	0	0	0	0	0	0	1	0	0	0	1	2	1	1	3	0
GLOCESTER	24	0	0	0	0	0	1	0	0	3	1	1	4	1	2	6	5	0
HOPKINTON	24	0	0	0	0	0	1	0	0	2	2	3	3	2	3	3	5	0
JAMESTOWN	33	0	0	0	0	0	1	1	0	1	0	3	2	4	2	9	10	0
JOHNSTON	121	2	0	0	0	1	0	0	0	5	6	9	9	20	18	18	33	0
LINCOLN	85	0	0	0	0	0	2	0	0	2	6	10	5	10	16	11	23	0
LITTLE COMPTON	12	0	0	1	0	0	0	0	0	0	0	1	1	0	0	2	7	0
MIDDLETOWN	65	0	0	1	0	0	0	1	2	1	2	1	6	4	6	9	23	2
NARRAGANSETT	35	0	0	0	0	0	0	2	0	1	0	3	6	7	4	8	4	0
NEWPORT	136	2	0	0	0	0	2	0	0	3	4	14	10	14	16	17	51	3
NEW SHOREHAM	5	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	0	0
NORTH KINGSTOWN	68	1	0	0	0	0	0	0	1	3	2	8	7	13	2	4	22	0
NORTH PROVIDENCE	156	4	0	0	0	1	0	0	3	3	5	11	14	19	22	29	44	1
NORTH SMITHFIELD	46	0	0	0	0	0	0	1	0	1	0	5	8	4	6	5	15	1
PAWTUCKET	425	0	0	0	0	0	1	1	7	13	15	31	34	40	63	67	148	4
PORTSMOUTH	47	0	0	0	0	0	1	1	2	6	2	5	5	5	4	6	10	0
PROVIDENCE	864	7	0	0	1	2	4	10	11	25	19	38	66	86	115	143	323	11
RICHMOND	5	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	1	0
SCITUATE	32	0	0	0	0	1	0	0	1	1	1	0	7	4	4	2	11	0
SMITHFIELD	63	0	1	0	0	1	0	2	4	4	2	0	5	7	3	10	24	0
SOUTH KINGSTOWN	69	0	0	0	0	0	1	0	2	2	1	5	3	7	7	14	21	0
TIVERTON	43	1	0	0	1	0	0	0	2	1	2	2	4	5	7	8	10	0
WARREN	81	1	0	0	1	0	0	2	2	1	2	5	4	6	12	16	23	0
WARWICK	467	5	0	1	1	0	1	2	2	13	27	39	41	60	61	72	132	4
WESTERLY	91	1	0	0	0	0	0	2	1	2	5	6	7	6	16	15	29	0
WEST GREENWICH	11	0	0	0	0	0	0	0	0	0	1	0	1	2	3	2	2	0
WEST WARWICK	137	1	0	0	0	1	0	1	2	6	8	15	11	16	20	23	32	0
WOONSOCKET	272	2	0	1	0	0	1	1	2	4	14	18	23	25	37	48	96	2

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE MALES RHODE ISLAND, 1985

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
RHODE ISLAND	161	5	0	0	1	1	5	12	9	19	16	16	14	25	12	9	15	1
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
CUMBERLAND	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	23	0	0	0	0	0	0	1	2	1	2	2	4	1	2	2	3	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	1	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0
NARRAGANSETT	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NEWPORT	3	0	0	0	0	0	0	0	1	0	2	0	0	1	1	1	1	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	3	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	106	5	0	0	1	1	5	9	3	15	12	14	7	12	9	6	8	0
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	0	0	0	0	0	0	0	1	0	0	1	0	1	1	0	0	2	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
WESTERLY	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	5	0	0	0	0	0	0	0	1	1	0	1	0	2	1	0	1	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE FEMALES RHODE ISLAND, 1995

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	100+
RHODE ISLAND	134	7	1	0	1	1	0	4	5	6	14	17	13	5	13	13	21	4
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	15	0	0	0	0	0	0	0	0	0	2	1	3	0	3	3	3	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NARRAGANSETT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	9	0	0	0	0	0	0	0	0	0	1	0	1	2	1	4	0	
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
NORTH PROVIDENCE	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
PORTSMOUTH	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
PROVIDENCE	89	6	1	0	1	1	0	4	5	5	9	12	7	7	12	8	10	3
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	5	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	1	0
SMITHFIELD	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	4	1	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
RACE AND/OR SEX UNKNOWN, RHODE ISLAND, 1985

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
RHODE ISLAND	7	0	0	0	0	0	0	0	2	2	0	1	1	0	1	1	0	0
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
NARRAGANSETT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0

Table 7 - Deaths and Death Rates for Leading Causes in 1985, with Comparability Ratios* and for Comparable Causes in 1976-1984
(Rhode Island Residents, Rates per 100,000 Population)

	Cause of Death (ICDA)	1985		1984		1983		1982		1981		1980		1979		1978		1977		1976		Comparability Ratio
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1.	Diseases of the Heart (390-398,402,404-429)	3684	380.5	3718	386.5	3720	389.5	3712	387.5	3813	400.5	3831	404.5	3798	408.7	3754	401.5	3757	401.8	3833	413.5	1.0655
2.	Malignant Neoplasms# (140-208)	2365	244.3	2324	241.6	2303	241.0	2214	231.1	2152	226.1	2127	224.6	2124	228.6	2159	230.9	2237	239.3	2117	228.4	1.0026
3.	Cerebrovascular Diseases (430-438)	645	66.6	629	65.4	640	67.0	595	62.1	622	65.3	723	76.3	708	76.2	698	74.7	769	82.2	761	82.1	1.0049
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	353	36.5	327	34.0	309	32.4	270	28.2	275	28.9	279	29.5	239	25.7	211	22.6	169	18.1	222	23.9	NA
5.	Accidents and Adverse Effects (E800-E949)	264	27.3	260	27.0	234	24.5	271	28.1	293	30.8	328	34.6	309	33.3	262	28.0	335	35.8	287	31.0	0.9970
6.	Pneumonia and Influenza (480-487)	263	27.2	187	19.4	228	23.9	151	15.8	235	24.7	206	21.7	149	16.0	171	18.3	130	13.9	212	22.9	0.9264
7.	Diabetes Mellitus (250)	221	22.8	217	22.6	208	21.8	252	26.3	181	19.0	199	21.0	198	21.3	205	21.9	185	19.8	209	22.5	0.9991
8.	Atherosclerosis (440)	145	15.0	126	13.1	138	14.5	107	11.2	124	13.0	135	14.3	166	17.9	132	14.1	129	13.8	137	14.8	1.0649
9.	Nephritis, Nephrotic Syndrome, and Nephrosis (580-589)	116	12.0	87	9.0	72	7.5	74	7.7	85	8.9	81	8.6	80	8.6	32	3.4	43	4.6	43	4.6	1.7397
10.	Chronic Liver Disease and Cirrhosis (571)	109	11.3	128	13.3	121	12.7	126	13.2	135	14.2	148	16.6	139	15.0	136	14.5	163	17.4	161	17.4	1.0110
11.	Suicide (E950-E959)	96	9.9	96	10.0	101	10.6	110	11.5	105	11.0	108	11.4	115	12.4	110	11.8	142	15.2	112	12.1	1.0032
12.	Septicemia (038)	91	9.4	74	7.7	54	5.7	44	4.6	63	6.5	37	3.9	37	4.0	26	2.8	19	2.0	29	3.1	0.8500
13.	Congenital Anomalies (740-759)	47	4.9	54	5.6	51	5.3	55	5.7	63	6.6	58	6.1	60	6.5	65	7.0	59	6.3	61	6.6	0.9984
14.	Certain Conditions Originating in the Perinatal Period (760-779)	45	4.6	57	5.9	73	7.6	65	6.8	77	8.1	69	7.3	93	10.0	81	8.7	62	6.6	82	8.8	1.0765
15.	Homicide and Legal Intervention (E960-E978)	39	4.0	42	4.4	38	4.0	37	3.9	48	5.0	55	5.8	37	4.0	41	4.4	41	4.4	27	2.9	1.0057
16.	Benign Neoplasms# (210-239)	36	3.7	25	2.6	34	3.6	31	2.1	25	2.6	31	3.3	24	2.6	22	2.4	29	3.1	24	2.6	1.2085
17.	Hypertension with or without Renal Disease (401,403)	34	3.5	35	3.6	52	5.4	38	3.9	35	3.7	32	3.4	37	4.0	33	3.5	21	2.2	36	3.9	1.2703
18.	Ulcer of the Stomach and Duodenum (531-533)	32	3.3	33	3.4	28	2.9	48	5.0	25	2.6	38	4.0	27	2.9	26	2.8	30	3.2	34	3.7	1.1192
19.	Hernia and Intestinal Obstruction (550-553,560)	24	2.5	30	3.1	24	2.5	33	3.4	27	2.8	33	3.5	21	2.3	16	1.7	31	3.3	27	2.9	0.9432
20.	Anemias (280-285)	22	2.3	16	1.7	15	1.6	25	2.6	13	1.4	5	0.5	16	1.7	13	1.4	6	0.6	10	1.1	0.9296

* Caution should be observed in comparing 1979-1985 causes with previous years because of major changes resulting from the adoption of the Ninth Revision of the International Classification of diseases in 1979. See the Introduction for a discussion of comparability ratios for all causes.

\# For complete category title, see Ninth Revision, International Classification of Diseases, 1975.

NA Comparability ratio not available for categories 490-496. See discussion of this category group in the Introduction.

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN

FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1981-1985

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
RHODE ISLAND	ALL	947154	46457	9.8	646	10.2	63148	13.3	10979	173.9	3896	61.7
BARRINGTON	301-304	16174	568	7.0	6	7.8	770	9.5	24	31.2	26	33.8
BRISTOL	307-309	20128	952	9.5	15	12.4	1206	12.0	98	81.3	79	65.5
BURRILLVILLE	129,130	13164	623	9.5	7	7.5	928	14.1	110	118.5	46	49.6
CENTRAL FALLS	108-111	16995	1104	13.0	15	9.8	1525	17.9	399	261.6	120	78.7
CHARLESTOWN	511	4800	195	8.1 (C)	4	10.5 (C)	380	15.8 (C)	47	123.7 (C)	23	60.5 (C)
COVENTRY	206,207	27065	996	7.4	19	10.4	1825	13.5	204	111.8	93	51.0
CRANSTON	134-148	71992	3767	10.5	34	9.4	3618	10.1	355	98.1	208	57.5
EDGEWOOD-PAWTUXET	134-136	13382	669	10.0	11	14.1	778	11.6	129	165.8	51	65.6
AUBURN	137,138,140	18402	1123	12.2	10	9.7	1033	11.2	68	65.8	73	70.7
GARDEN CITY-DEAN ESTATES	139,143,144	12077	639	10.6	4	10.5 (C)	381	6.3	17	44.6 (C)	14	36.7 (C)
ARLINGTON-KNIGHTSVILLE	141,147	11017	695	12.6	5	7.4	675	12.3	92	136.3	38	56.3
WEST CRANSTON	145,146,148	13165	491	7.5	4	6.0	662	10.1	37	55.9	31	46.8
STATE INSTITUTIONS-PETTACONSETT	142	3949	138	7.0 (C)	0	0.0 (C)	82	4.2 (C)	12	146.3 (C)	1	12.2 (C)
CUMBERLAND	112-114	27069	1142	8.4	16	12.1	1321	9.8	122	92.4	72	54.5
NORTH	114	14290	570	8.0	6	9.8	610	8.5	51	83.6	32	52.5
SOUTH	112,113	12779	571	8.9	10	14.2	706	11.0	70	99.2	40	56.7
EAST GREENWICH	209	10211	426	8.3	5	9.9	505	9.9	71	140.6	29	57.4
EAST PROVIDENCE	101-107	50980	2738	10.7	30	9.9	3041	11.9	358	117.7	194	63.8
NORTH	101	7463	439	11.8	2	5.1 (C)	395	10.6	31	78.5 (C)	21	53.2 (C)
NORTH CENTER	102,103	11694	669	11.4	8	9.9	811	13.9	95	117.1	50	61.7
SOUTH CENTER	104,105	17076	921	10.8	8	8.0	995	11.7	110	110.6	65	65.3
SOUTH	106,107	14747	703	9.5	12	14.3	838	11.4	122	145.6	58	69.2
EXETER	505	4453	134	134.0 (C)	2	6.3 (C)	319	14.3 (C)	43	134.8 (C)	15	47.0 (C)
FOSTER	133	3370	141	141.0 (C)	1	4.6 (C)	218	12.9 (C)	17	78.0 (C)	9	41.3 (C)
GLOCESTER	131	7550	253	253.0	1	1.9	525	13.9	43	81.9	24	45.7
HOPKINTON	507	6406	233	233.0	5	9.8	510	15.9	74	145.1	24	47.1
JAMESTOWN	413	4040	218	218.0 (C)	8	27.7 (C)	289	14.3 (C)	25	86.5 (C)	19	65.7 (C)
JOHNSTON	122-125	24907	1094	1094.0	13	9.4	1390	11.2	128	92.1	67	48.2
LINCOLN	115-117	16949	892	892.0	4	4.4	903	10.7	74	81.9	40	44.3
NORTH	115	4717	266	266.0 (C)	1	3.5 (C)	289	12.3 (C)	28	96.9 (C)	7	24.2 (C)
SOUTH	116,117	12232	621	621.0	3	4.9	613	10.0	46	75.0	33	53.8
LITTLE COMPTON	414	3085	142	9.2 (C)	0	0.0 (C)	204	13.2 (C)	19	93.1 (C)	13	63.7 (C)
MIDDLETOWN	402-404	17186	567	6.6	9	7.1	1276	14.8	114	89.3	69	54.1
NARRAGANSETT	515	12088	440	7.3	7	8.8	796	13.2	98	123.1	33	41.5

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1981-1985

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
NEWPORT	405-412	29259	1436	9.8	23	11.1	2067	14.1	448	216.7	121	58.5
NORTH	405,406 410-412	16421	814	9.9	18	13.1	1372	16.7	335	244.2	94	68.5
SOUTH	407-409	12838	610	9.5	3	4.4	687	10.7	112	163.0	27	39.3
NEW SHOREHAM	415	620	42	13.5 (C)	1	14.5 (C)	69	22.3 (C)	5	72.5 (C)	1	14.5 (C)
NORTH KINGSTOWN	501-504	21938	763	7.0	10	6.1	1627	14.8	151	92.8	76	46.7
NORTH PROVIDENCE	118-121	29188	1371	9.4	12	8.1	1473	10.1	122	82.8	69	46.8
NORTH SMITHFIELD	128	9972	466	9.3	5	11.1 (C)	452	9.1	31	68.6 (C)	31	68.6 (C)
PAWTUCKET	149-171	71204	4251	11.9	50	9.5	5286	14.8	1063	201.1	342	64.7
FAIRLAWN	150-163	7139	384	10.8	7	16.1 (C)	434	12.2	49	112.9 (C)	26	59.9 (C)
WOODLAWN-DOWNTOWN	149,151,152 161,162,164	16254	1174	14.4	16	10.6	1510	18.6	448	296.7	107	70.9
OAKHILL	165,166	5658	318	11.2	3	8.2 (C)	368	13.0	45	122.3 (C)	18	48.9 (C)
PLEASANT VIEW-	153,154,160											
EAST SIDE	167,171	14874	781	10.5	19	13.8	1375	18.5	328	238.5	108	78.5
NORTH DARLINGTON	155-159	17638	994	11.3	5	4.4	1134	12.9	154	135.8	67	59.1
SOUTH DARLINGTON	168-170	9641	595	12.3	0	0.0 (C)	459	9.5	37	80.6 (C)	16	34.9 (C)
PORTSMOUTH	401	14257	528	7.4	8	7.2	1109	15.6	75	67.6	34	30.7
PROVIDENCE	001-037	156804	8995	11.5	155	11.9	13018	16.6	4323	332.1	1071	82.3
WASHINGTON PARK	001	7763	325	8.4	14	17.9	783	20.2	227	289.9	55	70.2
ELMWOOD	002,003	14219	741	10.4	26	12.7	2055	28.9	879	427.7	191	92.9
SO. PROVIDENCE(D)	004-007	9271	491	10.6	20	16.2	1232	26.6	666	540.6	129	104.7
FEDERAL HILL- OLNEYVILLE	008-011,019	14041	1271	18.1	8	8.3	960	13.7	371	386.5	72	75.0
WEST END	012-015	13968	833	11.9	34	18.4	1851	26.5	702	379.3	182	98.3
ANNEX-MANTON	016-018,020	17630	1038	11.8	18	11.3	1588	18.0	546	343.8	114	71.8
ELMHURST- UPPER MT. PLEASANT	021,023,024	20755	1163	11.2	11	11.2	986	9.5	113	114.6	59	59.8
SMITH HILL- LOWER MT. PLEASANT	022,025,026	9404	572	12.2	9	10.1	892	19.0	269	301.6	63	70.6
EAGLE PARK- WANSKUCK	027-029	14791	810	11.0	5	5.6	886	12.0	237	267.5	72	81.3
HOPE	030-033	12299	932	15.2	7	7.7	910	14.8	227	249.5	72	79.1
EAST SIDE	034,035	10185	486	9.5	0	0.0 (C)	468	9.2	27	57.7 (C)	28	59.8 (C)
COLLEGE HILL- FOX POINT	036,037	12278	313	5.1	3	8.0 (C)	377	6.1	51	135.3 (C)	28	74.3 (C)
INNER CITY (E)	003-007,009 014,019,025 026,031,037	51637	3211	12.4	86	15.1	5693	22.1	2383	418.6	540	94.9
RICHMOND	506	4018	124	6.2 (C)	9	26.5 (C)	340	16.9 (C)	49	144.1 (C)	14	41.2 (C)
SCITUATE	132	8405	352	8.4	4	7.9	506	12.0	36	71.1	23	45.5

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1981-1985

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
SMITHFIELD	126,127	16886	625	7.4	4	4.4	916	10.8	53	57.9	54	59.0
SOUTH KINGSTOWN	512-514	20414	686	6.7	10	7.6	1324	13.0	164	123.9	55	41.5
TIVERTON	416,417	13526	519	7.7	3	4.1	726	10.7	76	104.7	35	48.2
WARREN	305,306	10640	621	11.7	9	12.1	745	14.0	68	91.3	35	47.0
WARWICK	210-224	87123	4273	9.8	51	10.4	4898	11.2	546	111.5	278	56.8
LAKEWOOD-SPRING GREEN	210,212,213	17633	1051	11.9	11	11.9	928	10.5	85	91.6	42	45.3
NORWOOD-HILLSGROVE	211,214	14830	704	9.5	5	6.2	813	11.0	74	91.0	57	70.1
GREENWOOD-PONTIAC	221,223	9155	522	11.4	4	9.5 (C)	421	9.2	39	92.6 (C)	21	49.9 (C)
BUTTONWOODS	219	12407	510	8.2	8	11.5	697	11.2	63	90.4	32	45.9
OAKLAND BEACH-WARWICK NECK	215-218	18433	852	9.2	14	10.8	1302	14.1	225	172.8	89	68.4
COWESETT-POTOWAMUT	220,222,224	14395	632	8.8	9	12.3	733	10.2	59	80.5	37	50.5
WESTERLY	508,510	18580	888	9.6	17	12.6	1348	14.5	169	125.4	78	57.9
WEST GREENWICH	208	2738	91	6.6 (C)	3	14.8 (C)	203	14.8 (C)	19	93.6 (C)	7	34.5 (C)
WEST WARWICK	201-205	27026	1243	9.2	21	10.3	2043	15.1	311	152.2	105	51.4
WOONSOCKET	172-185	45914	2558	11.1	50	14.5	3449	15.0	847	245.6	264	76.5
FAIRMOUNT-CENTRAL	172,174,176	8844	430	9.7	10	12.2	818	18.5	289	353.3	77	94.1
GLOBE-NORTH END	173,175	7305	395	10.8	4	7.8	514	14.1	60	116.7	30	58.4
BERNON	177-179	10177	546	10.7	12	15.0	800	15.7	168	210.0	51	63.8
SOCIAL	180-183	8983	712	15.9	15	20.0	749	16.7	222	296.4	66	88.1
EAST WOONSOCKET	184,185	10605	470	8.9	9	16.0	561	10.6	106	188.9	40	71.3

* THE SUM OF NEIGHBORHOOD FIGURES WILL NOT ALWAYS EQUAL THE CITY OR TOWN TOTAL BECAUSE TOTALS INCLUDE ITEMS WITH CENSUS TRACTS UNKNOWN
(A) AVERAGE RATE PER 1,000 POPULATION ACCORDING TO THE 1980 CENSUS
(B) AVERAGE RATIO PER 1,000 LIVE BIRTHS 1980-1984
(C) RATE BASED ON EITHER A DENOMINATOR OF LESS THAN 500 LIVE BIRTHS OR LESS THAN 5,000 POPULATION AND MAY BE STATISTICALLY UNRELIABLE
(D) SOUTH PROVIDENCE IS ALSO REFERRED TO AS 'MODEL CITY AREA'
(E) PROVIDENCE 'INNER CITY' GROUPING INCLUDES CENSUS TRACTS THAT ALSO APPEAR IN OTHER NEIGHBORHOOD GROUPINGS

Table 9 - Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1962-1985 (Rhode Island Residents)

	BIRTHS OUT OF WEDLOCK				
Year	Number	Ratio	Year	Number	Ratio
1962	528	28.8	1974	1,133	99.9
1963	580	21.0	1975	1,244	116.0
1964	662	36.8	1976	1,352	125.3
1965	694	40.2	1977	1,577	135.7
1966	778	47.7	1978	1,623	140.9
1967	847	53.6	1979	1,704	143.7
1968	911	59.9	1980	1,904	156.5
1969	1,022	66.1	1981	1,966	158.2
1970	1,148	72.6	1982	2,009	160.7
1971	1,116	74.9	1983	2,220	176.5
1972	1,064	80.1	1984	2,241	177.2
1973	1,140	92.9	1985	2,543	195.7

Table 10 - Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island 1976-1985

		AGE OF MOTHER IN YEARS					
Year		Total	Under 20	20-24	25-29	30-34	35 and Over
1976	Number	1,352*	632	430	192	66	31
	Ratio	125.3	401.3	116.5	51.8	48.2	70.0
1977	Number	1,577	700	589	181	72	35
	Ratio	135.7	431.6	147.4	46.3	45.1	71.4
1978	Number	1,623*	693	583	215	95	36
	Ratio	140.9	67.0	150.6	55.5	53.2	72.6
1979	Number	1,704*	715	605	260	90	34
	Ratio	143.7	477.9	154.7	64.3	47.0	68.8
1980	Number	1,904	764	726	269	102	43
	Ratio	156.5	510.0	176.9	66.9	50.3	83.2
1981	Number	1,966*	768	743	286	127	40
	Ratio	158.2	526.7	183.7	67.6	59.3	72.3
1982	Number	2,009	767	775	312	111	43
	Ratio	160.7	544.0	191.7	73.4	51.1	68.8
1983	Number	2,220	855	796	376	148	45
	Ratio	176.5	596.2	210.6	86.5	63.1	67.1
1984	Number	2,241	841	883	315	152	50
	Ratio	177.2	648.4	234.6	73.6	60.9	61.5
1985	Number	2,543*	942	910	432	177	82
	Ratio	195.7	667.6	237.7	98.1	70.6	96.9

* Includes one or more items with age not stated.

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1995

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	12996	5775	4520	1775	542	188	69	37	27	63
WHITE MALE	6012	2775	2117	762	231	73	25	10	4	15
WHITE FEMALE	5616	2507	2007	768	215	63	18	10	5	23
NON-WHITE MALE	702	240	199	134	54	34	17	11	10	3
NON-WHITE FEMALE	635	247	195	108	42	18	9	6	8	2
UNKNOWN MALE	16	2	2	1	0	0	0	0	0	11
UNKNOWN FEMALE	15	4	0	2	0	0	0	0	0	9
UNDER 15 YEARS										
TOTAL	22	22	0	0	0	0	0	0	0	0
WHITE MALE	9	9	0	0	0	0	0	0	0	0
WHITE FEMALE	5	5	0	0	0	0	0	0	0	0
NON-WHITE MALE	7	7	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	59	58	1	0	0	0	0	0	0	0
WHITE MALE	22	22	0	0	0	0	0	0	0	0
WHITE FEMALE	23	22	1	0	0	0	0	0	0	0
NON-WHITE MALE	8	8	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	6	6	0	0	0	0	0	0	0	0
16 YEARS										
TOTAL	118	111	7	0	0	0	0	0	0	0
WHITE MALE	43	40	3	0	0	0	0	0	0	0
WHITE FEMALE	44	42	2	0	0	0	0	0	0	0
NON-WHITE MALE	18	17	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	13	12	1	0	0	0	0	0	0	0
17 YEARS										
TOTAL	270	233	32	4	1	0	0	0	0	0
WHITE MALE	126	111	14	1	0	0	0	0	0	0
WHITE FEMALE	96	83	6	0	1	0	0	0	0	0
NON-WHITE MALE	25	19	6	0	0	0	0	0	0	0
NON-WHITE FEMALE	23	14	6	3	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1985

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS										
TOTAL	330	308	68	8	2	1	0	0	0	3
WHITE MALE	156	121	34	1	0	0	0	0	0	0
WHITE FEMALE	161	135	18	5	1	1	0	0	0	1
NON-WHITE MALE	41	31	6	2	1	0	0	0	0	1
NON-WHITE FEMALE	30	20	10	0	0	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1
19 YEARS										
TOTAL	552	380	126	36	7	0	0	0	0	3
WHITE MALE	236	173	50	11	1	0	0	0	0	1
WHITE FEMALE	216	149	51	11	4	0	0	0	0	1
NON-WHITE MALE	48	25	12	10	1	0	0	0	0	0
NON-WHITE FEMALE	51	33	13	4	1	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1
20 YEARS										
TOTAL	604	382	177	38	4	0	2	0	0	1
WHITE MALE	286	132	76	16	1	0	1	0	0	0
WHITE FEMALE	240	156	71	10	2	0	0	0	0	1
NON-WHITE MALE	30	16	10	3	1	0	0	0	0	0
NON-WHITE FEMALE	48	18	20	9	0	0	1	0	0	0
21 YEARS										
TOTAL	713	340	238	55	18	5	0	0	0	7
WHITE MALE	323	130	103	20	4	2	0	0	0	4
WHITE FEMALE	303	163	106	18	6	1	0	0	0	3
NON-WHITE MALE	43	16	14	11	6	2	0	0	0	0
NON-WHITE FEMALE	39	15	15	6	2	0	0	0	0	0
22 YEARS										
TOTAL	737	386	239	31	12	6	1	0	0	2
WHITE MALE	352	138	111	36	5	2	0	0	0	0
WHITE FEMALE	304	152	109	38	3	1	1	0	0	0
NON-WHITE MALE	41	15	10	12	1	3	0	0	0	0
NON-WHITE FEMALE	39	21	9	5	3	0	0	0	0	1
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1985

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS										
TOTAL	806	374	304	94	29	3	0	0	0	2
WHITE MALE	376	184	133	42	15	1	0	0	0	1
WHITE FEMALE	338	156	133	33	8	1	0	0	0	1
NON-WHITE MALE	51	19	15	12	4	1	0	0	0	0
NON-WHITE FEMALE	40	14	17	7	2	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
24 YEARS										
TOTAL	968	459	346	125	25	9	0	0	0	4
WHITE MALE	459	227	168	51	12	0	0	0	0	1
WHITE FEMALE	417	203	147	57	6	2	0	0	0	2
NON-WHITE MALE	44	14	11	9	5	6	0	0	0	0
NON-WHITE FEMALE	48	15	20	8	2	1	0	0	0	1
25-29 YEARS										
TOTAL	4402	1758	1715	650	178	58	13	7	0	23
WHITE MALE	2061	860	824	274	75	21	3	1	0	3
WHITE FEMALE	1945	802	760	284	66	19	3	1	0	10
NON-WHITE MALE	194	38	79	42	17	10	5	3	0	0
NON-WHITE FEMALE	187	56	50	49	20	8	2	2	0	0
UNKNOWN MALE	7	0	2	0	0	0	0	0	0	5
UNKNOWN FEMALE	8	2	0	1	0	0	0	0	0	5
30-34 YEARS										
TOTAL	2508	750	994	487	166	55	27	10	7	12
WHITE MALE	1175	372	461	225	79	22	9	2	3	2
WHITE FEMALE	1181	353	483	220	67	22	7	4	2	3
NON-WHITE MALE	93	12	26	26	11	6	7	2	1	2
NON-WHITE FEMALE	71	12	24	14	9	5	4	2	1	0
UNKNOWN MALE	4	0	0	1	0	0	0	0	0	3
UNKNOWN FEMALE	4	1	0	1	0	0	0	0	0	2
35-39 YEARS										
TOTAL	751	149	262	158	90	41	21	16	9	5
WHITE MALE	355	69	137	74	35	21	11	6	0	2
WHITE FEMALE	325	67	107	78	46	14	4	5	3	1
NON-WHITE MALE	36	3	8	4	7	3	4	4	2	0
NON-WHITE FEMALE	32	9	10	2	2	3	2	1	3	0
UNKNOWN MALE	2	0	0	0	0	0	0	0	0	2
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1985

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	87	13	11	28	10	9	4	4	7	1
WHITE MALE	31	5	3	11	4	4	1	1	0	1
WHITE FEMALE	36	6	7	14	5	2	2	0	0	0
NON-WHITE MALE	12	0	1	3	0	2	1	2	3	0
NON-WHITE FEMALE	8	1	0	0	1	1	0	1	4	0
45-49 YEARS										
TOTAL	8	1	0	1	0	1	1	0	4	0
WHITE MALE	2	1	0	0	0	0	0	0	1	0
WHITE FEMALE	1	0	0	0	0	0	1	0	0	0
NON-WHITE MALE	5	0	0	1	0	1	0	0	3	0
AGE UNKNOWN										
TOTAL	1	1	0	0	0	0	0	0	0	0
WHITE FEMALE	1	1	0	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER. RHODE ISLAND, 1985

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	2543	1462	591	300	116	42	15	5	5	7
WHITE MALE	1000	611	220	104	41	15	5	1	2	1
WHITE FEMALE	921	567	200	86	38	11	5	1	1	2
NON-WHITE MALE	319	143	78	59	13	14	4	1	1	1
NON-WHITE FEMALE	298	140	93	46	14	2	1	2	2	0
UNKNOWN MALE	3	1	0	1	0	0	0	0	0	1
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	2
UNDER 15 YEARS										
TOTAL	21	21	0	0	0	0	0	0	0	0
WHITE MALE	8	8	0	0	0	0	0	0	0	0
WHITE FEMALE	5	5	0	0	0	0	0	0	0	0
NON-WHITE MALE	7	7	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	56	55	1	0	0	0	0	0	0	0
WHITE MALE	21	21	0	0	0	0	0	0	0	0
WHITE FEMALE	21	20	1	0	0	0	0	0	0	0
NON-WHITE MALE	8	8	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	6	6	0	0	0	0	0	0	0	0
16 YEARS										
TOTAL	106	102	4	0	0	0	0	0	0	0
WHITE MALE	38	36	2	0	0	0	0	0	0	0
WHITE FEMALE	38	38	0	0	0	0	0	0	0	0
NON-WHITE MALE	17	16	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	13	12	1	0	0	0	0	0	0	0
17 YEARS										
TOTAL	208	183	21	3	1	0	0	0	0	0
WHITE MALE	87	85	11	1	0	0	0	0	0	0
WHITE FEMALE	75	70	4	0	1	0	0	0	0	0
NON-WHITE MALE	18	17	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	18	11	5	2	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1985

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
19 YEARS										
TOTAL	255	205	40	7	2	0	0	0	0	1
WHITE MALE	88	73	15	1	0	0	0	0	0	0
WHITE FEMALE	100	85	10	4	1	0	0	0	0	0
NON-WHITE MALE	31	22	5	2	1	0	0	0	0	1
NON-WHITE FEMALE	25	18	7	0	0	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
19 YEARS										
TOTAL	296	210	58	22	4	0	0	0	0	2
WHITE MALE	113	83	23	5	1	0	0	0	0	1
WHITE FEMALE	110	83	18	7	2	0	0	0	0	0
NON-WHITE MALE	36	20	7	8	1	0	0	0	0	0
NON-WHITE FEMALE	36	24	10	2	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1
20 YEARS										
TOTAL	243	154	61	24	4	0	0	0	0	0
WHITE MALE	102	75	17	9	1	0	0	0	0	0
WHITE FEMALE	79	51	20	6	2	0	0	0	0	0
NON-WHITE MALE	25	13	9	2	1	0	0	0	0	0
NON-WHITE FEMALE	37	15	15	7	0	0	0	0	0	0
21 YEARS										
TOTAL	207	108	57	30	9	3	0	0	0	0
WHITE MALE	84	50	21	10	2	1	0	0	0	0
WHITE FEMALE	71	42	18	7	3	1	0	0	0	0
NON-WHITE MALE	27	7	9	8	2	1	0	0	0	0
NON-WHITE FEMALE	25	9	9	5	2	0	0	0	0	0
22 YEARS										
TOTAL	185	101	47	28	5	4	0	0	0	0
WHITE MALE	72	43	18	7	4	0	0	0	0	0
WHITE FEMALE	70	39	17	13	0	1	0	0	0	0
NON-WHITE MALE	26	8	7	7	1	3	0	0	0	0
NON-WHITE FEMALE	17	11	5	1	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1985

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS										
TOTAL	142	58	45	26	11	2	0	0	0	0
WHITE MALE	53	25	14	3	4	1	0	0	0	0
WHITE FEMALE	45	22	16	5	2	0	0	0	0	0
NON-WHITE MALE	25	6	8	7	3	1	0	0	0	0
NON-WHITE FEMALE	19	5	7	5	2	0	0	0	0	0
24 YEARS										
TOTAL	133	51	46	23	10	3	0	0	0	0
WHITE MALE	47	18	18	7	4	0	0	0	0	0
WHITE FEMALE	49	21	15	10	3	0	0	0	0	0
NON-WHITE MALE	19	5	4	4	2	3	0	0	0	0
NON-WHITE FEMALE	19	7	9	2	1	0	0	0	0	0
25-29 YEARS										
TOTAL	432	143	142	34	38	7	2	3	1	3
WHITE MALE	156	51	50	38	14	2	1	0	0	0
WHITE FEMALE	161	61	52	23	13	3	1	0	0	2
NON-WHITE MALE	53	14	21	13	3	1	0	1	0	0
NON-WHITE FEMALE	61	17	19	14	8	1	0	2	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1
30-34 YEARS										
TOTAL	177	57	44	29	21	13	8	1	3	1
WHITE MALE	77	30	17	12	7	7	3	0	1	0
WHITE FEMALE	67	23	22	7	7	3	3	1	1	0
NON-WHITE MALE	17	0	3	8	2	2	2	0	0	0
NON-WHITE FEMALE	14	4	2	1	5	1	0	0	1	0
UNKNOWN MALE	1	0	0	1	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1
35-39 YEARS										
TOTAL	72	12	24	11	9	9	5	1	1	0
WHITE MALE	30	7	11	3	3	4	1	1	0	0
WHITE FEMALE	26	5	7	7	3	3	1	0	0	0
NON-WHITE MALE	9	0	2	0	3	2	2	0	0	0
NON-WHITE FEMALE	7	0	4	1	0	0	1	0	1	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1985

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	9	2	1	3	2	1	0	0	0	0
WHITE MALE	3	0	0	2	1	0	0	0	0	0
WHITE FEMALE	4	2	0	1	1	0	0	0	0	0
NON-WHITE MALE	2	0	1	0	0	1	0	0	0	0
45-49 YEARS										
TOTAL	1	0	0	0	0	0	0	0	1	0
WHITE MALE	1	0	0	0	0	0	0	0	1	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1985

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES												
TOTAL	12996**	821	75	51	173	522	1921	4735	3954	1280	241	28
WHITE	11628	690	68	40	143	439	1619	4218	3646	1194	228	26
NON-WHITE	1337	130	7	11	30	82	299	509	298	85	13	2
RACE UNKNOWN	31	1	0	0	0	1	4	8	10	1	0	0
UNDER 15 YEARS												
TOTAL	22	1	0	0	1	0	4	8	6	1	2	0
WHITE	14	1	0	0	1	0	3	2	5	1	2	0
NON-WHITE	8	0	0	0	0	0	1	6	1	0	0	0
15 YEARS												
TOTAL	59	6	0	1	1	4	6	34	11	1	1	0
WHITE	45	3	0	0	1	2	3	28	10	0	1	0
NON-WHITE	14	3	0	1	0	2	3	6	1	1	0	0
16 YEARS												
TOTAL	118	11	0	1	3	7	23	42	29	5	2	0
WHITE	87	8	0	0	2	6	19	32	21	5	2	0
NON-WHITE	31	3	0	1	1	1	10	10	8	0	0	0
17 YEARS												
TOTAL	270	24	0	0	10	14	51	87	81	22	5	0
WHITE	222	17	0	0	7	10	40	69	73	18	5	0
NON-WHITE	48	7	0	0	3	4	11	18	8	4	0	0
18 YEARS												
TOTAL	390	35	4	2	6	23	75	158	93	23	3	3
WHITE	317	26	3	1	3	19	55	126	84	21	2	3
NON-WHITE	71	9	1	1	3	4	20	30	9	2	1	0
RACE UNKNOWN	2	0	0	0	0	0	0	2	0	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1985

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS TOTAL	552	55	5	3	10	37	106	139	152	36	3	1
WHITE	452	46	5	2	9	30	74	170	128	32	2	0
NON-WHITE	99	9	0	1	1	7	31	29	24	4	1	1
RACE UNKNOWN	1	0	0	0	0	0	1	0	0	0	0	0
20 YEARS TOTAL	604	48	3	1	5	39	92	246	172	42	4	0
WHITE	526	43	3	1	4	35	71	212	156	40	4	0
NON-WHITE	78	5	0	0	1	4	21	34	16	2	0	0
21 YEARS TOTAL	713	59	4	5	12	38	119	270	134	62	8	1
WHITE	626	51	2	5	11	33	95	236	175	60	8	1
NON-WHITE	87	8	2	0	1	5	24	34	19	2	0	0
22 YEARS TOTAL	737	40	8	4	6	22	129	273	219	65	8	1
WHITE	656	35	8	3	5	19	109	241	198	64	7	1
NON-WHITE	80	5	0	1	1	3	20	32	21	1	1	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
23 YEARS TOTAL	806	47	5	2	9	31	125	284	264	69	14	2
WHITE	714	37	4	2	6	25	99	258	243	62	12	2
NON-WHITE	91	10	1	0	3	6	26	26	20	7	2	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
24 YEARS TOTAL	968	67	5	4	19	39	158	358	279	89	13	4
WHITE	876	55	5	3	16	31	142	319	262	81	13	4
NON-WHITE	92	12	0	1	3	8	16	39	17	8	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1985

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	4402	245	21	20	43	155	604	1635	1336	463	84	10
WHITE	4006	203	20	16	41	126	531	1483	1245	441	80	3
NON-WHITE	391	42	1	4	8	29	71	149	85	28	4	1
RACE UNKNOWN	15	0	0	0	0	0	2	3	6	0	0	0
30-34 YEARS												
TOTAL	2508	135	14	4	31	86	303	862	852	286	61	6
WHITE	2336	123	13	3	27	80	270	799	803	263	59	6
NON-WHITE	164	11	1	1	4	5	32	61	42	15	2	0
RACE UNKNOWN	8	1	0	0	0	1	1	2	1	1	0	0
35-39 YEARS												
TOTAL	751	44	6	4	11	23	104	244	245	94	19	0
WHITE	680	38	5	4	10	19	95	216	225	83	17	0
NON-WHITE	68	6	1	0	1	4	9	27	18	6	2	0
RACE UNKNOWN	3	0	0	0	0	0	0	1	2	0	0	0
40-44 YEARS												
TOTAL	87	4	0	0	0	4	16	29	18	16	4	0
WHITE	67	4	0	0	0	4	12	24	11	12	4	0
NON-WHITE	20	0	0	0	0	0	4	5	7	4	0	0
45-49 YEARS												
TOTAL	8	0	0	0	0	0	0	5	3	0	0	0
WHITE	3	0	0	0	0	0	0	2	1	0	0	0
NON-WHITE	5	0	0	0	0	0	0	3	2	0	0	0
AGE UNKNOWN												
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0
WHITE	1	0	0	0	0	0	0	1	0	0	0	0

* THE EQUIVALENT OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:
1000 GR OR LESS - 2 LB 3 OZ OR LESS
1001 - 1500 GR - 2 LB 4 OZ - 3 LB 4 OZ
1501 - 2000 GR - 3 LB 5 OZ - 4 LB 6 OZ
2001 - 2500 GR - 4 LB 7 OZ - 5 LB 8 OZ
2501 - 3000 GR - 5 LB 9 OZ - 6 LB 9 OZ
3001 - 3500 GR - 6 LB 10 OZ - 7 LB 11 OZ
3501 - 4000 GR - 7 LB 12 OZ - 8 LB 13 OZ
4001 - 4500 GR - 8 LB 14 OZ - 9 LB 14 OZ
4501 - 5000 GR - 9 LB 15 OZ - 11 LB 0 OZ
5001 GR OR MORE - 11 LB 1 OZ OR MORE

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1985

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES												
TOTAL	269**	133	13	7	37	82	73	42	9	3	0	0
WHITE	231	113	11	7	28	73	62	37	8	2	0	0
NON-WHITE	38	20	2	0	9	9	11	5	1	1	0	0
UNDER 15 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
15 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
16 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
17 YEARS												
TOTAL	6	4	0	0	2	2	2	0	0	0	0	0
WHITE	4	2	0	0	1	1	2	0	0	0	0	0
NON-WHITE	2	2	0	0	1	1	0	0	0	0	0	0
18 YEARS												
TOTAL	2	2	0	0	0	2	0	0	0	0	0	0
WHITE	2	2	0	0	0	2	0	0	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1985

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS												
TOTAL	16	12	0	0	5	7	4	0	0	0	0	0
WHITE	16	12	0	0	5	7	4	0	0	0	0	0
20 YEARS												
TOTAL	10	6	2	0	0	4	2	2	0	0	0	0
WHITE	8	5	2	0	0	3	1	2	0	0	0	0
NON-WHITE	2	1	0	0	0	1	1	0	0	0	0	0
21 YEARS												
TOTAL	11	6	2	0	2	2	2	2	1	0	0	0
WHITE	7	4	0	0	2	2	0	2	1	0	0	0
NON-WHITE	4	2	2	0	0	0	2	0	0	0	0	0
22 YEARS												
TOTAL	9	4	2	0	0	2	3	2	0	0	0	0
WHITE	9	4	2	0	0	2	3	2	0	0	0	0
23 YEARS												
TOTAL	18	12	2	0	2	8	4	1	0	1	0	0
WHITE	14	8	2	0	1	5	4	1	0	1	0	0
NON-WHITE	4	4	0	0	1	3	0	0	0	0	0	0
24 YEARS												
TOTAL	26	16	0	0	4	12	6	4	0	0	0	0
WHITE	18	12	0	0	2	10	5	1	0	0	0	0
NON-WHITE	8	4	0	0	2	2	1	3	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1985

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	82	40	2	5	13	20	28	10	1	0	0	0
WHITE	72	35	2	5	10	18	25	9	0	0	0	0
NON-WHITE	10	5	0	0	3	2	3	1	1	0	0	0
30-34 YEARS												
TOTAL	71	29	1	0	6	22	13	17	4	2	0	0
WHITE	63	27	1	0	4	22	15	16	4	1	0	0
NON-WHITE	8	2	0	0	2	0	4	1	0	1	0	0
35-39 YEARS												
TOTAL	18	8	2	2	3	1	3	4	3	0	0	0
WHITE	18	8	2	2	3	1	3	4	3	0	0	0
40-44 YEARS												
45-49 YEARS												
AGE UNKNOWN												

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1985

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES												
TOTAL	2543**	281	23	15	63	180	535	948	536	152	25	3
WHITE	1321	202	19	11	44	128	373	710	482	125	24	2
NON-WHITE	617	78	4	4	19	51	160	237	113	27	1	1
RACE UNKNOWN	5	1	0	0	0	1	2	1	1	0	0	0
UNDER 15 YEARS												
TOTAL	21	1	0	0	1	0	4	8	5	1	2	0
WHITE	13	1	0	0	1	0	3	2	4	1	2	0
NON-WHITE	8	0	0	0	0	0	1	6	1	0	0	0
15 YEARS												
TOTAL	56	6	0	1	1	4	6	31	11	1	1	0
WHITE	42	3	0	0	1	2	3	25	10	0	1	0
NON-WHITE	14	3	0	1	0	2	3	6	1	1	0	0
16 YEARS												
TOTAL	106	9	0	1	2	6	24	40	27	5	1	0
WHITE	76	6	0	0	1	5	14	30	20	5	1	0
NON-WHITE	30	3	0	1	1	1	10	10	7	0	0	0
17 YEARS												
TOTAL	209	21	0	0	8	13	43	63	63	16	2	0
WHITE	172	15	0	0	6	9	35	51	56	13	2	0
NON-WHITE	36	6	0	0	2	4	8	12	7	3	0	0
18 YEARS												
TOTAL	255	25	2	0	4	19	50	109	54	14	3	0
WHITE	138	18	1	0	2	15	36	82	42	13	2	0
NON-WHITE	56	7	1	0	2	4	14	26	7	1	1	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0

TABLE 15 — RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1985

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS												
TOTAL	296	34	3	2	7	22	65	106	75	14	1	1
WHITE	223	25	3	1	6	15	40	85	61	11	1	0
NON-WHITE	72	9	0	1	1	7	24	21	14	3	0	1
RACE UNKNOWN	1	0	0	0	0	0	1	0	0	0	0	0
20 YEARS												
TOTAL	243	19	0	1	4	14	45	105	62	11	1	0
WHITE	181	15	0	1	3	11	29	77	50	3	1	0
NON-WHITE	62	4	0	0	1	3	16	28	12	2	0	0
21 YEARS												
TOTAL	207	24	1	3	6	14	44	79	47	13	0	0
WHITE	155	19	1	3	5	10	30	53	35	12	0	0
NON-WHITE	52	5	0	0	1	4	14	20	12	1	0	0
22 YEARS												
TOTAL	185	20	4	1	4	11	40	68	40	15	2	0
WHITE	142	17	4	1	3	9	31	48	29	15	2	0
NON-WHITE	43	3	0	0	1	2	9	20	11	0	0	0
23 YEARS												
TOTAL	142	12	1	0	4	7	36	50	34	8	2	0
WHITE	98	6	0	0	1	5	13	40	26	5	2	0
NON-WHITE	44	6	1	0	3	2	17	10	8	3	0	0
24 YEARS												
TOTAL	133	19	1	1	7	10	23	50	27	5	2	1
WHITE	96	10	1	0	4	5	25	33	21	4	2	1
NON-WHITE	37	9	0	1	3	5	4	17	6	1	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1995

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	432	61	5	3	13	40	94	150	87	33	3	1
WHITE	317	43	4	3	9	27	62	108	72	25	3	1
NON-WHITE	114	18	1	0	4	13	31	42	15	8	0	0
RACE UNKNOWN	1	0	0	0	0	0	1	0	0	0	0	0
30-34 YEARS												
TOTAL	177	18	3	0	2	13	40	62	45	9	3	0
WHITE	144	16	3	0	2	11	32	49	36	8	3	0
NON-WHITE	31	1	0	0	0	1	8	13	8	1	0	0
RACE UNKNOWN	2	1	0	0	0	1	0	0	1	0	0	0
35-39 YEARS												
TOTAL	72	11	3	2	0	6	12	25	17	5	2	0
WHITE	56	7	2	2	0	3	11	19	14	3	2	0
NON-WHITE	16	4	1	0	0	3	1	6	3	2	0	0
40-44 YEARS												
TOTAL	9	1	0	0	0	1	3	1	2	2	0	0
WHITE	7	1	0	0	0	1	3	1	1	1	0	0
NON-WHITE	2	0	0	0	0	0	0	0	1	1	0	0
45-49 YEARS												
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0
WHITE	1	0	0	0	0	0	0	1	0	0	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 16 - BIRTHS BY CITY OR TOWN BY SELECTED CHARACTERISTICS, RHODE ISLAND, 1985

CITY OR TOWN	ALL RACES				WHITE				NON-WHITE				UNKNOWN
	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL
RHODE ISLAND	12936	12939	2543	821	11628	11583	1921	690	1337	1327	617	130	31
BARRINGTON	144	143	2	6	142	141	2	6	2	2	0	0	0
BRISTOL	252	251	26	17	252	251	26	17	0	0	0	0	0
BURRILLVILLE	181	179	23	11	180	178	23	11	1	1	0	0	0
CENTRAL FALLS	321	320	96	21	293	292	88	21	27	27	8	0	1
CHARLESTOWN	82	82	9	3	76	76	9	3	4	4	0	0	2
COVENTRY	345	342	48	21	340	337	46	20	5	5	2	1	0
CRANSTON	767	764	85	46	741	739	73	45	25	25	6	1	1
CUMBERLAND	278	278	32	12	272	272	32	12	5	5	0	0	1
EAST GREENWICH	99	99	14	3	94	94	14	3	5	5	0	0	0
EAST PROVIDENCE	592	591	79	41	543	542	68	37	47	47	11	4	2
EXETER	74	74	11	3	74	74	11	3	0	0	0	0	0
FOSTER	47	45	2	0	47	45	2	0	0	0	0	0	0
GLOCESTER	122	122	13	5	121	121	13	5	0	0	0	0	1
HOPKINTON	105	102	15	4	104	101	15	4	1	1	0	0	0
JAMESTOWN	64	64	6	1	62	62	6	1	1	1	0	0	1
JOHNSTON	299	299	33	12	295	295	33	12	4	4	0	0	0
LINCOLN	194	193	21	9	190	189	21	8	4	4	0	1	0
LITTLE COMPTON	39	39	3	3	38	38	3	3	0	0	0	0	1
MIDDLETOWN	263	262	22	16	237	236	17	15	26	26	5	1	0
NARRAGANSETT	183	183	29	14	172	172	24	11	11	11	5	3	0
NEWPORT	413	411	88	21	356	354	61	17	55	55	26	4	2
NEW SHOREHAM	13	13	0	0	13	13	0	0	0	0	0	0	0
NORTH KINGSTOWN	309	307	33	19	299	298	31	18	8	8	1	1	1
NORTH PROVIDENCE	338	338	44	22	318	318	37	20	18	18	6	2	2
NORTH SMITHFIELD	88	88	6	11	86	86	6	11	2	2	0	0	0
PAWTUCKET	1096	1090	259	78	984	980	203	71	110	108	48	6	2
PORTSMOUTH	239	237	17	8	229	228	16	8	9	9	1	0	0
PROVIDENCE	2682	2674	1003	217	1847	1839	554	125	840	832	449	92	5
RICHMOND	52	52	6	1	49	49	4	1	3	3	2	0	0
SCITUATE	88	88	2	3	88	88	2	3	0	0	0	0	0
SMITHFIELD	182	182	11	12	178	178	11	12	4	4	0	0	0
SOUTH KINGSTOWN	274	273	40	12	246	245	28	12	28	28	12	0	0
TIVERTON	137	136	13	3	134	133	12	3	3	3	1	0	0
WARREN	169	169	21	7	167	167	19	7	2	2	2	0	0
WARWICK	1015	1013	126	61	994	992	122	59	15	15	4	2	6
WESTERLY	280	280	41	13	270	270	33	13	10	10	2	0	0
WEST GREENWICH	41	41	3	1	41	41	3	1	0	0	0	0	0
WEST WARWICK	408	407	77	25	399	398	75	24	8	8	2	1	1
WOONSOCKET	713	708	184	59	657	652	160	48	54	54	25	11	2

TABLE 17 - RESIDENT LIVE BIRTHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1985

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	12996	1031	1008	1056	1081	1113	1079	1150	1162	1115	1112	1023	1066
BARRINGTON	144	13	7	8	14	16	21	10	10	11	12	13	9
BRISTOL	252	19	21	23	17	17	20	17	25	34	24	13	22
BURRILLVILLE	181	16	13	15	12	16	13	21	13	12	17	16	17
CENTRAL FALLS	321	16	27	30	24	29	22	33	30	23	27	37	23
CHARLESTOWN	82	8	4	5	11	9	5	5	10	4	7	11	3
COVENTRY	345	31	24	23	32	34	27	31	25	35	19	34	24
CRANSTON	767	46	71	65	79	66	53	60	68	60	69	67	63
CUMBERLAND	278	18	11	19	17	24	25	36	31	29	20	26	22
EAST GREENWICH	99	4	10	10	11	10	9	3	8	4	8	6	10
EAST PROVIDENCE	532	53	45	59	43	53	47	57	44	55	53	44	39
EXETER	74	6	5	8	9	9	9	9	5	5	2	4	3
FOSTER	47	1	6	3	3	5	8	2	7	4	1	3	4
GLOCESTER	122	12	7	9	6	7	5	13	16	12	14	12	9
HOPKINTON	105	10	5	13	7	9	7	11	11	8	11	6	7
JAMESTOWN	64	5	5	2	6	5	6	7	8	4	4	7	5
JOHNSTON	299	25	24	23	30	25	22	31	25	23	30	16	25
LINCOLN	194	14	14	14	9	31	16	17	13	15	18	23	10
LITTLE COMPTON	39	2	2	2	2	2	5	2	7	2	5	4	4
MIDDLETOWN	263	21	26	22	25	26	14	34	21	16	15	20	23
NARRAGANSETT	183	11	17	15	18	19	17	15	15	14	16	12	14
NEWPORT	413	26	36	32	33	29	38	31	39	41	40	20	48
NEW SHOREHAM	13	1	1	0	1	1	0	2	1	2	2	1	1
NORTH KINGSTOWN	308	25	29	25	34	28	21	23	26	19	21	27	30
NORTH PROVIDENCE	338	21	25	32	33	22	22	27	35	28	35	32	26
NORTH SMITHFIELD	88	11	4	8	6	7	7	9	10	11	5	6	4
PAWTUCKET	1096	96	91	80	88	95	93	105	101	94	92	79	82
PORTSMOUTH	238	19	20	22	12	13	25	22	26	14	26	15	24
PROVIDENCE	2692	236	209	227	203	260	221	233	233	208	227	208	227
RICHMOND	52	9	3	6	5	5	1	3	3	3	6	4	4
SCITUATE	88	7	7	6	10	4	6	7	9	9	7	7	9
SMITHFIELD	182	11	14	18	17	15	19	9	13	16	24	14	12
SOUTH KINGSTOWN	274	26	18	24	20	14	19	32	24	29	24	23	21
TIVERTON	137	19	6	9	11	12	17	8	12	13	7	14	9
WARREN	169	11	16	10	15	10	17	20	14	19	12	13	12
WARWICK	1015	75	76	80	105	81	86	69	83	99	90	77	94
WESTERLY	280	17	20	31	22	20	23	23	28	31	25	21	19
WEST GREENWICH	41	4	3	0	3	5	4	3	2	1	6	4	6
WEST WARWICK	408	43	29	23	34	26	38	31	43	42	32	33	34
WOONSOCKET	713	43	57	49	54	54	71	73	68	66	59	51	68

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
RHODE ISLAND	12896	2543	821	55	11095	1643	104	71	83
BARRINGTON	144	2	6	0	137	7	0	0	0
301	42	1	1	0	40	2	0	0	0
302	26	0	1	0	24	2	0	0	0
303	40	1	2	0	39	1	0	0	0
304	35	0	2	0	33	2	0	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
BRISTOL	252	26	17	0	228	21	1	2	0
307	79	12	4	0	72	6	0	1	0
308	48	4	4	0	43	4	1	0	0
309	123	10	9	0	112	10	0	1	0
UNKNOWN	2	0	0	0	1	1	0	0	0
BURRILLVILLE	181	23	11	2	167	12	2	0	0
129	91	15	3	1	87	3	1	0	0
130	90	8	8	1	80	9	1	0	0
CENTRAL FALLS	321	96	21	3	241	70	3	4	3
108	66	23	3	1	45	19	1	0	1
109	80	28	5	2	61	18	0	0	1
110	102	27	10	0	78	18	1	4	1
111	73	18	3	0	57	15	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	82	9	3	0	67	7	0	1	7
COVENTRY	345	48	21	2	298	41	1	3	2
206	251	42	17	2	217	29	1	3	1
207	94	6	4	0	81	12	0	0	1
CRANSTON	767	85	48	1	703	54	4	4	2
134	58	5	4	1	55	3	0	0	0
135	67	18	5	0	57	7	3	0	0
136	33	3	1	0	29	4	0	0	0
137	94	8	7	0	86	7	0	0	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
PHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
CRANSTON(CONT.)									
138	51	3	2	0	49	1	1	0	0
139	32	1	2	0	29	3	0	0	0
140	44	5	4	0	39	5	0	0	0
141	68	14	2	0	61	7	0	0	0
142	15	2	0	0	15	0	0	0	0
143	35	2	3	0	34	0	0	1	0
144	32	2	1	0	30	0	0	1	1
145	76	3	4	0	72	4	0	0	0
146	42	3	2	0	38	3	0	1	0
147	80	9	7	0	71	8	0	1	0
148	37	7	2	0	35	2	0	0	0
UNKNOWN	3	0	0	0	3	0	0	0	0
CUMBERLAND	278	32	12	0	257	20	1	0	0
112	66	9	4	0	59	7	0	0	0
113	78	9	4	0	71	7	0	0	0
114	133	14	4	0	126	6	1	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
EAST GREENWICH-209	93	14	3	0	89	10	0	0	0
EAST PROVIDENCE	592	79	41	0	535	54	1	0	2
101	79	4	4	0	73	5	0	0	1
102	107	26	7	0	90	17	0	0	0
103	49	4	3	0	45	4	0	0	0
104	95	15	6	0	83	11	1	0	0
105	97	9	8	0	86	10	0	0	1
106	102	20	9	0	96	6	0	0	0
107	63	2	4	0	62	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
EXETER-505	74	11	3	0	64	10	0	0	0
FOSTER-133	47	2	0	0	41	5	0	0	1
GLOCESTER-131	122	13	5	1	111	7	1	1	2

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
HOPKINTON-507	105	15	4	1	88	12	0	3	2
JAMESTOWN-413	64	6	1	1	54	9	1	0	0
JOHNSTON	233	33	12	0	272	25	1	0	1
122	68	3	4	0	62	6	0	0	0
123	83	8	3	0	81	7	0	0	1
124	38	12	2	0	90	7	1	0	0
125	41	9	3	0	36	5	0	0	0
UNKNOWN	3	1	0	0	3	0	0	0	0
LINCOLN	134	21	9	0	176	17	0	1	0
115	52	6	1	0	44	7	0	1	0
116	41	2	2	0	39	2	0	0	0
117	101	13	6	0	93	8	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	39	3	3	0	32	5	0	1	1
MIDDLETOWN	263	22	16	5	233	28	1	0	1
402	20	0	0	2	20	0	0	0	0
403	177	19	11	2	153	22	1	0	1
404	64	4	5	1	58	6	0	0	0
UNKNOWN	2	0	0	0	2	0	0	0	0
NARRAGANSETT-515	183	29	14	2	160	20	2	1	0
NEWPORT	413	88	21	3	362	46	1	3	1
405	96	34	7	1	80	16	0	0	0
406	76	17	2	2	72	3	0	0	1
407	71	10	3	0	62	7	0	2	0
408	42	10	2	0	32	9	0	1	0
409	42	8	1	0	33	3	0	0	0
410	25	2	4	0	22	3	0	0	0
411	28	1	1	0	25	2	1	0	0
412	30	5	1	0	27	3	0	0	0
UNKNOWN	3	1	0	0	3	0	0	0	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
NEW SHOREHAM-415	13	0	0	0	12	1	0	0	0
NORTH KINGSTOWN	308	33	19	4	289	15	1	1	2
501	160	16	10	2	147	10	1	1	1
502	8	1	0	0	7	0	0	0	1
503	77	11	6	2	76	1	0	0	0
504	61	5	3	0	57	4	0	0	0
UNKNOWN	2	0	0	0	2	0	0	0	0
NORTH PROVIDENCE	338	44	22	0	307	26	1	2	2
118	70	7	5	0	61	7	1	1	0
119	78	11	1	0	72	5	0	0	1
120	62	6	6	0	58	3	0	1	0
121	127	20	10	0	115	11	0	0	1
UNKNOWN	1	0	0	0	1	0	0	0	0
NORTH SMITHFIELD-128	88	6	11	0	82	4	2	0	0
PAWTUCKET	1096	259	78	4	882	182	20	9	3
149	2	0	0	0	2	0	0	0	0
150	71	13	5	0	61	9	0	0	1
151	98	42	7	0	72	23	2	1	0
152	20	9	0	0	13	7	0	0	0
153	46	13	3	0	40	6	0	0	0
154	47	14	2	0	32	11	3	1	0
155	63	18	5	0	50	12	0	1	0
156	43	6	3	0	36	5	2	0	0
157	49	6	4	1	41	6	0	1	0
158	53	4	2	0	45	8	0	0	0
159	31	6	1	0	26	3	2	0	0
160	52	11	4	2	41	9	2	0	0
161 **	79	24	6	1	59	17	2	1	0
163	22	3	0	0	19	1	0	1	1
164 **	102	34	9	0	80	20	1	1	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PAWTUCKET(CONT.)									
165	45	4	5	0	40	4	0	0	1
166	28	6	3	0	22	6	0	0	0
167	57	9	5	0	42	12	2	1	0
168	45	5	1	0	41	3	1	0	0
169	12	2	1	0	11	1	0	0	0
170	49	4	1	0	45	4	0	0	0
171	83	26	11	0	64	15	3	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	238	17	8	4	219	19	0	0	0
PROVIDENCE	2692	1003	217	9	2020	574	49	24	25
1	150	45	12	0	114	33	1	1	1
2	259	137	22	0	167	82	6	1	3
3	165	80	14	0	106	53	4	1	1
4	91	50	11	1	54	28	4	2	3
5	72	45	5	0	49	20	3	0	0
6	37	22	0	0	23	11	2	1	0
7	29	16	1	0	19	10	0	0	0
8	6	2	1	0	3	3	0	0	0
9	43	14	2	1	34	8	0	1	0
10	23	7	2	0	20	2	0	1	0
11	35	18	3	0	29	4	0	1	1
12	60	41	6	1	48	7	0	3	2
13	103	28	9	0	72	27	3	1	0
14	163	68	18	0	106	52	3	0	2
15	52	13	6	0	38	12	1	0	1
16	95	23	8	0	79	16	0	0	0
17	43	9	2	0	34	9	0	0	0
18	119	62	13	1	73	37	1	0	2
19	104	53	5	0	78	21	2	2	1
20	84	48	8	0	59	21	2	2	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PROVIDENCE(CONT.)									
21	93	17	5	1	80	11	2	0	0
22	67	22	5	0	58	9	0	0	0
23	62	5	4	0	56	5	0	1	0
24	55	2	4	1	53	1	0	0	1
25	45	16	2	0	34	8	3	0	0
26	78	27	6	0	58	17	1	1	1
27	44	23	2	0	32	9	2	1	0
28	71	21	7	0	62	7	2	0	0
29	74	15	4	3	65	7	1	1	0
30	2	0	0	0	1	1	0	0	0
31	51	19	4	0	40	9	1	0	1
32	69	26	9	0	52	11	3	3	0
33	71	10	1	0	63	6	0	0	2
34	52	1	2	0	48	4	0	0	0
35	55	7	7	0	46	7	1	0	1
36	20	0	2	0	17	0	1	0	2
37	38	8	2	0	35	3	0	0	0
UNKNOWN	12	3	3	0	9	3	0	0	0
INNER CITY	1137	512	90	3	805	280	26	14	12
RICHMOND-506	52	6	1	0	46	4	0	0	2
SCITUATE-132	88	2	3	0	82	6	0	0	0
SMITHFIELD	182	11	12	0	171	10	1	0	0
126	87	8	8	0	78	8	1	0	0
127	95	3	4	0	93	2	0	0	0
SOUTH KINGSTOWN	274	40	12	1	244	27	1	2	0
512	105	20	4	0	97	6	1	1	0
513	154	19	8	1	135	18	0	1	0
514	13	1	0	0	10	3	0	0	0
UNKNOWN	2	0	0	0	2	0	0	0	0
TIVERTON	137	13	3	1	126	10	1	0	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
TIVERTON(CONT.)									
416	74	5	2	0	69	4	1	0	0
417	63	8	1	1	57	6	0	0	0
WARREN	169	21	7	0	144	23	0	1	1
305	79	14	6	0	59	18	0	1	1
306	90	7	1	0	85	5	0	0	0
WARWICK	1015	126	61	4	803	94	5	5	8
210	91	14	5	0	84	6	0	0	1
211	63	9	3	1	56	7	0	0	0
212	40	2	1	0	37	2	1	0	0
213	56	5	4	1	49	5	0	1	1
214	37	6	11	0	31	6	0	0	0
215	125	29	11	1	110	14	1	0	0
216	10	0	1	0	8	2	0	0	0
217	88	17	3	1	72	13	0	2	1
218	56	7	4	0	44	9	1	0	2
219	147	14	5	0	133	13	0	0	1
220	44	6	5	0	40	3	0	1	0
221	28	2	0	0	27	1	0	0	0
222	81	6	3	0	73	6	1	1	0
223	41	6	5	0	35	4	0	0	2
224	47	3	0	0	43	3	1	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
WESTERLY	280	41	13	2	236	31	1	0	12
508	145	23	8	2	122	18	0	0	5
509	102	14	3	0	83	12	0	0	7
510	25	3	2	0	24	0	1	0	0
UNKNOWN	8	1	0	0	7	1	0	0	0
WEST GREENWICH-208	41	3	1	0	37	4	0	0	0
WEST WARWICK	408	77	25	3	351	55	0	1	1
201	124	10	4	1	113	11	0	0	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
WEST WARWICK(CONT.)									
202	66	17	3	0	55	9	0	1	1
203	121	34	13	0	101	20	0	0	0
204	52	12	4	1	44	8	0	0	0
205	43	4	1	1	36	7	0	0	0
UNKNOWN	2	0	0	0	2	0	0	0	0
WOONSOCKET	713	184	59	2	629	78	2	2	2
172	20	7	2	1	18	2	0	0	0
173	65	10	4	0	57	7	1	0	0
174	69	27	6	0	59	10	0	0	0
175	41	4	2	0	38	3	0	0	0
176	70	19	10	0	59	10	0	1	0
177	34	6	0	0	31	2	1	0	0
178	53	15	4	0	43	10	0	0	0
179	68	19	4	0	59	8	0	0	1
180	39	17	2	0	31	8	0	0	0
181	39	12	3	0	38	1	0	0	0
182	52	6	4	1	49	3	0	0	0
183	36	11	4	0	29	5	0	1	1
184	90	26	11	0	83	7	0	0	0
185	36	5	3	0	34	2	0	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0

** BETWEEN 1980 AND 1985, CENSUS TRACT 182 WAS DIVIDED BETWEEN TRACTS 181 AND 184.

Table 18A - Births and Births Out of Wedlock, 1985 *
All Ages and Under Age 20 by City and Town of Residence

CITY OR TOWN	ALL BIRTHS		BIRTHS OUT OF WEDLOCK	
	TOTAL BIRTHS	UNDER AGE 20	TOTAL BIRTHS	UNDER AGE 20
STATE TOTAL	12996	1412	2543	942
BARRINGTON	144	(a)	(a)	(a)
BRISTOL	252	21	26	9
BURRILLVILLE	181	16	23	10
CENTRAL FALLS	321	61	96	41
CHARLESTOWN	82	(a)	9	(a)
COVENTRY	345	39	48	22
CRANSTON	767	34	85	18
CUMBERLAND	278	18	32	14
EAST GREENWICH	99	6	14	(a)
EAST PROVIDENCE	592	62	79	34
EXETER	74	(a)	11	(a)
FOSTER	47	(a)	(a)	0
GLOCESTER	122	8	13	6
HOPKINTON	105	8	15	6
JAMESTOWN	64	(a)	6	(a)
JOHNSTON	299	18	33	14
LINCOLN	194	13	21	9
LITTLE COMPTON	39	(a)	(a)	0
MIDDLETOWN	263	13	22	7
NARRAGANSETT	183	11	29	8
NEWPORT	413	44	88	31
NEW SHOREHAM	13	0	0	0
NORTH KINGSTON	308	23	33	12
NORTH PROVIDENCE	338	25	44	15
NORTH SMITHFIELD	88	(a)	6	(a)
PAWTUCKET	1096	144	259	91
PORTSMOUTH	238	8	17	7
PROVIDENCE	2692	440	1003	339
RICHMOND	52	(a)	6	(a)
SCITUATE	88	(a)	(a)	(a)
SMITHFIELD	182	13	21	(a)
SOUTH KINGSTOWN	274	25	40	18
TIVERTON	137	7	13	(a)
WARREN	169	15	21	11
WARWICK	1015	78	196	54
WESTERLY	280	30	41	16
WEST GREENWICH	41	(a)	(a)	0
WEST WARWICK	408	44	77	28
WOONSOCKET	713	158	184	97

(a) Number is greater than zero (0) but less than six (6).
* Totals may include births where age is unknown

TABLE 19A - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
RACE OF FETUS, WEEKS OF UTEROGESTATION, AND MODE OF DELIVERY, 1985

MODE OF DELIVERY	TOTAL	RACE			WEEKS OF UTEROGESTATION			
		WHITE	NON-WHITE	UNKNOWN	UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	8535	7719	815	441	8419	45	57	14
SPONTANEOUS	757	349	45	363	682	27	52	1
INDUCED	7774	6930	770	14	7737	8	5	13

TABLE 19B - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MONTH OF DELIVERY BY WEEKS OF UTEROGESTATION 1985

MONTH	TOTAL	WEEKS OF UTEROGESTATION			
		UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	8535	8419	45	57	14
JANUARY	741	735	2	3	1
FEBRUARY	731	724	2	5	0
MARCH	772	763	3	6	0
APRIL	661	648	4	5	4
MAY	754	741	5	5	3
JUNE	740	727	4	8	1
JULY	693	680	2	7	4
AUGUST	700	690	4	5	0
SEPTEMBER	613	604	1	2	0
OCTOBER	716	705	8	4	1
NOVEMBER	681	673	5	1	2
DECEMBER	637	623	5	9	0

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1985

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
RHODE ISLAND	6536	1705	4761	635	446	186	5901	1209	4575
BARRINGTON	78	24	53	16	14	1	62	10	52
301	23	5	17	4	3	0	19	2	17
302	9	3	6	3	3	0	6	0	6
303	21	6	15	4	3	1	17	3	14
304	21	9	12	5	5	0	16	4	12
UNKNOWN TRACT	4	1	3	0	0	0	4	1	3
BRISTOL	108	17	90	13	10	3	95	7	87
307	33	3	30	3	1	2	30	2	28
308	30	2	27	3	2	1	27	0	26
309	43	12	31	7	7	0	36	5	31
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
CUMBERLAND	67	21	46	7	7	0	60	14	46
129	32	8	24	2	2	0	30	6	24
130	35	13	22	5	5	0	30	8	22
CENTRAL FALLS	152	59	91	16	13	3	136	46	89
108	40	14	26	3	2	1	37	12	25
109	34	17	16	3	3	0	31	14	16
110	36	15	21	7	6	1	29	9	20
111	39	13	25	3	2	1	35	11	24
UNKNOWN TRACT	3	0	3	0	0	0	3	0	3
CHARLESTOWN	35	9	24	2	2	0	33	7	24
511	35	9	24	2	2	0	33	7	24
COVENTRY	151	46	104	13	11	1	138	35	103
206	110	31	78	10	8	1	100	23	77
207	41	15	26	3	3	0	38	12	26
CRANSTON	432	121	307	52	41	7	380	80	293
134	41	12	29	5	4	1	36	8	28
135	42	10	32	3	3	0	33	7	32
136	21	7	14	1	1	0	20	6	14
137	45	13	32	6	6	0	34	7	32

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1985

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
139	22	8	14	2	2	0	20	6	14
139	4	0	4	0	0	0	4	0	4
140	41	14	26	9	9	0	32	6	26
141	32	6	26	2	1	1	30	5	25
142	12	3	9	1	1	0	11	2	9
143	27	7	19	1	1	0	26	6	19
144	16	4	12	4	2	2	12	2	10
145	35	14	21	6	6	0	29	8	21
146	14	3	10	3	1	1	11	2	9
147	49	12	36	4	2	2	45	10	34
148	28	6	22	4	2	2	24	4	20
UNKNOWN TRACT	3	2	1	1	1	0	2	1	1
CUMBERLAND	114	26	88	14	12	2	100	14	86
112	20	9	11	3	3	0	17	6	11
113	19	2	17	2	1	1	17	1	16
114	73	15	58	9	8	1	64	7	57
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
EAST GREENWICH	60	10	49	3	2	1	57	8	48
209	60	10	49	3	2	1	57	8	48
EAST PROVIDENCE	289	85	196	40	32	8	249	53	188
101	33	9	24	6	4	2	27	5	22
102	51	18	33	6	5	1	45	13	32
103	32	14	17	5	5	0	27	9	17
104	51	14	34	7	5	2	44	9	32
105	50	17	32	6	4	2	44	13	30
106	30	5	23	3	3	0	27	2	23
107	35	8	27	7	6	1	28	2	26
UNKNOWN TRACT	7	0	6	0	0	0	7	0	6
EXETER	17	2	14	1	1	0	16	1	14
505	17	2	14	1	1	0	16	1	14

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1985

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
FOSTER	19	9	10	4	4	0	15	5	10
133	19	9	10	4	4	0	15	5	10
GLOCESTER	36	10	25	6	6	0	30	4	25
131	36	10	25	6	6	0	30	4	25
HOPKINTON	19	8	10	2	2	0	17	6	10
507	19	8	10	2	2	0	17	6	10
JAMESTOWN	32	9	23	4	3	1	28	6	22
413	32	9	23	4	3	1	28	6	22
JOHNSTON	153	41	109	18	15	3	135	26	106
122	24	7	16	4	4	0	20	3	16
123	46	15	31	4	3	1	42	12	30
124	55	15	38	9	7	2	46	8	36
125	25	4	21	1	1	0	24	3	21
UNKNOWN TRACT	3	0	3	0	0	0	3	0	3
LINCOLN	91	22	68	4	3	1	87	13	67
115	34	6	27	2	2	0	32	4	27
116	25	8	17	2	1	1	23	7	16
117	31	8	23	0	0	0	31	8	23
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
LITTLE COMPTON	13	5	8	1	1	0	12	4	8
414	13	5	8	1	1	0	12	4	8
MIDDLETOWN	30	20	67	3	2	0	87	18	67
402	8	4	3	1	0	0	7	4	3
403	42	12	29	1	1	0	41	11	29
404	34	3	30	1	1	0	33	2	30
UNKNOWN TRACT	6	1	5	0	0	0	6	1	5
NARRAGANSETT	132	27	103	13	10	3	113	17	100
515	132	27	103	13	10	3	113	17	100
NEWPORT	237	58	232	1	1	0	236	57	232
405	49	14	33	0	0	0	43	14	33

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1985

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
406	56	11	44	0	0	0	56	11	44
407	45	4	41	0	0	0	45	4	41
408	35	6	28	0	0	0	35	6	28
409	38	7	30	1	1	0	37	6	30
410	31	3	20	0	0	0	31	9	20
411	14	1	13	0	0	0	14	1	13
412	14	4	10	0	0	0	14	4	10
UNKNOWN TRACT	15	2	13	0	0	0	15	2	13
NEW SHOREHAM	6	0	6	1	0	1	5	0	5
415	5	0	6	1	0	1	5	0	5
NORTH KINGSTOWN	146	28	112	12	6	5	134	22	107
501	61	10	51	3	1	2	58	9	49
503	45	3	34	6	3	3	39	6	31
504	29	5	20	2	1	0	27	4	20
UNKNOWN TRACT	11	4	7	1	1	0	10	3	7
NORTH PROVIDENCE	168	54	109	31	27	4	137	27	105
118	42	16	25	6	4	2	36	12	23
119	41	14	26	8	8	0	33	6	26
120	31	11	19	8	8	0	23	3	19
121	50	12	38	8	6	2	42	6	36
UNKNOWN TRACT	4	1	1	1	1	0	3	0	1
NORTH SMITHFIELD	25	8	17	3	3	0	22	5	17
128	25	8	17	3	3	0	22	5	17
PAWTUCKET	586	148	414	54	43	11	532	105	403
149	6	2	4	0	0	0	6	2	4
150	38	8	30	1	1	0	37	7	30
151	47	16	27	4	3	1	43	13	26
152	11	1	10	1	0	1	10	1	9
153	20	2	18	1	1	0	19	1	18
154	20	6	13	2	2	0	18	4	13

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1985

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
155	28	5	20	3	2	1	25	3	19
156	16	6	10	1	1	0	15	5	10
157	20	2	17	1	1	0	19	1	17
158	19	4	15	2	2	0	17	2	15
159	24	6	17	4	2	2	20	4	15
160	37	12	25	3	3	0	34	9	25
161	45	15	28	9	6	3	36	3	25
163	14	2	10	1	1	0	13	1	10
164	54	13	36	2	2	0	52	11	36
165	30	9	20	4	3	1	26	6	13
166	15	7	8	1	1	0	14	6	3
167	35	11	23	5	4	1	30	7	22
168	20	3	17	2	2	0	18	1	17
169	6	0	6	0	0	0	6	0	6
170	21	5	15	4	4	0	17	1	15
171	51	10	38	3	2	1	48	8	38
UNKNOWN TRACT	9	3	6	0	0	0	9	3	6
PORTSMOUTH	74	21	52	4	3	0	70	18	52
401	74	21	52	4	3	0	70	18	52
PROVIDENCE	1798	463	1293	211	120	87	1587	343	1212
1	36	30	63	14	7	7	92	23	56
2	131	46	83	21	9	11	110	37	72
3	68	18	48	11	6	4	57	12	44
4	44	10	33	11	4	7	33	6	26
5	37	8	29	3	1	2	34	7	26
6	21	6	15	4	3	1	17	3	14
7	23	5	18	2	0	2	21	5	16
8	38	8	30	1	1	0	37	7	30
9	18	4	14	2	1	1	16	3	13
10	19	2	16	2	2	0	17	0	16

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1985

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
11	31	9	22	4	2	2	27	7	20
12	42	5	37	2	2	0	40	3	37
13	57	17	40	6	2	4	51	15	36
14	89	39	47	15	7	7	74	32	40
15	21	7	13	2	2	0	13	5	13
16	55	20	33	12	3	2	43	11	31
17	20	4	16	3	2	1	17	2	15
18	61	16	43	8	3	5	53	13	38
19	62	20	41	11	3	8	51	17	33
20	38	9	29	6	1	5	32	8	24
21	53	11	40	4	3	1	49	9	33
22	42	10	31	6	4	2	36	6	29
23	38	6	31	3	2	1	35	4	30
24	52	6	46	2	2	0	50	4	46
25	39	17	22	7	4	3	32	13	19
26	53	16	36	7	5	2	46	11	34
27	33	9	22	5	4	1	28	5	21
28	49	16	32	4	4	0	45	12	32
29	36	1	34	2	0	2	34	1	32
30	1	0	1	0	0	0	1	0	1
31	69	11	58	1	1	0	68	10	58
32	53	14	35	4	2	2	49	12	33
33	45	12	32	6	6	0	39	6	32
34	31	7	22	3	3	0	28	4	22
35	56	7	49	5	5	0	51	2	49
36	63	9	59	4	3	1	65	6	58
37	49	13	36	4	2	2	45	11	34
UNKNOWN TRACT	59	15	44	4	3	1	55	12	43
RICHMOND	29	12	15	5	4	1	23	9	14
506	29	12	15	6	4	1	23	9	14

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1985

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
SCITUATE	46	17	28	6	6	0	40	11	28
132	46	17	28	6	6	0	40	11	28
SMITHFIELD	105	24	81	14	7	7	91	17	74
126	57	7	50	9	3	6	48	4	44
127	48	17	31	5	4	1	43	13	30
SOUTH KINGSTOWN	165	42	120	16	13	3	149	29	117
512	52	14	37	2	1	1	50	13	36
513	62	21	40	10	9	1	52	12	39
514	38	5	33	1	1	0	37	4	33
UNKNOWN TRACT	13	2	10	3	2	1	10	0	9
TIVERTON	45	9	35	1	0	1	44	9	34
416	30	6	24	1	0	1	29	6	23
417	15	3	11	0	0	0	15	3	11
WARREN	60	25	35	10	10	0	50	15	35
305	27	11	16	2	2	0	25	9	16
306	33	14	19	8	8	0	25	6	19
WARWICK	450	35	350	34	27	7	416	68	343
210	33	9	24	5	4	1	28	5	23
211	32	6	25	4	4	0	28	2	25
212	19	3	16	1	1	0	18	2	16
213	22	4	18	1	1	0	21	3	18
214	42	10	31	2	1	1	40	9	30
215	51	12	39	5	3	2	46	9	37
216	6	4	2	1	1	0	5	3	2
217	40	3	37	1	0	1	39	3	36
218	30	6	24	4	3	1	26	3	23
219	62	18	43	5	5	0	57	13	43
220	22	5	17	2	1	1	20	4	16
221	23	2	21	0	0	0	23	2	21
222	37	7	29	2	2	0	35	5	29

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1995

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
223	18	6	12	1	1	0	17	5	12
224	8	0	8	0	0	0	8	0	8
UNKNOWN TRACT	5	0	4	0	0	0	5	0	4
WESTERLY	73	17	54	3	3	0	70	14	54
508	42	9	31	2	2	0	40	7	31
509	20	4	16	1	1	0	19	3	16
510	9	3	6	0	0	0	3	3	6
UNKNOWN TRACT	2	1	1	0	0	0	2	1	1
WEST GREENWICH	13	4	9	0	0	0	13	4	9
208	13	4	9	0	0	0	13	4	9
WEST WARWICK	172	39	123	10	3	0	162	30	123
201	63	9	53	2	2	0	61	7	53	
202	25	8	15	3	2	0	22	6	15
203	37	9	27	0	0	0	37	9	27
204	20	4	16	1	1	0	19	3	16
205	24	9	15	4	4	0	20	5	15
UNKNOWN TRACT	3	0	3	0	0	0	3	0	3
WOONSOCKET	250	70	173	46	23	23	204	47	156
172	9	5	4	4	2	2	5	3	2
173	19	4	15	2	0	2	17	4	13
174	23	4	19	7	4	3	16	0	16
175	11	5	6	1	1	0	10	4	6
176	25	6	19	3	1	2	22	5	17
177	6	3	3	2	1	1	4	2	2
178	22	8	14	6	5	1	16	3	13
179	22	4	17	4	2	2	18	2	15
180	12	6	6	2	1	1	10	5	5
[illegible]	20	7	13	5	2	3	15	5	10
[illegible]	16	5	11	2	1	1	14	4	10
183	12	1	11	1	0	1	11	1	10

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1985

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
184	37	8	29	4	1	3	33	7	26
185	12	4	8	3	2	1	9	2	7
UNKNOWN TRACT	4	0	4	0	0	0	4	0	4

* TOTALS MAY INCLUDE ITEMS WITH UNKNOWN MARITAL STATUS

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND NATURE OF PREVIOUS DELIVERIES TO MOTHER - RHODE ISLAND OCCURRENCES, 1985

				AGE OF MOTHER IN YEARS													
			ALL AGES	UNDER 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45 AND OVER
TOTAL			2779	54	110	170	297	621	703	690	666	573	508	458	1615	818	341	94	5	13
MARITAL STATUS OF MOTHER																				
MARRIED			1610	0	0	0	5	21	33	65	86	88	79	100	518	342	183	55	5	3
UNMARRIED			1169	54	110	167	275	592	659	613	560	479	400	351	1084	459	152	29	0	10
UNKNOWN			171	0	2	3	7	18	12	12	20	12	10	7	33	17	10	10	0	0
PREVIOUS DELIVERIES TO MOTHER																				
NONE			1368	53	111	159	236	450	461	337	337	263	174	164	364	136	44	10	0	0
ONE			1040	0	4	9	38	134	169	178	183	167	164	125	417	175	63	11	0	3
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	1	1026	0	2	6	20	79	106	113	119	93	79	79	213	70	18	2	0	1
0	1	0	59	0	0	0	1	5	6	15	5	9	6	7	25	5	1	2	0	0
1	0	0	725	0	2	3	17	50	57	50	59	60	59	39	179	92	44	7	0	2
TWO			1212	0	0	1	10	29	52	76	94	91	101	82	349	208	95	16	0	3
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	2	144	0	0	0	2	6	15	19	21	17	24	11	51	10	5	3	0	0
0	1	1	55	0	0	0	1	0	0	5	3	7	6	5	14	11	3	0	0	0
0	2	0	11	0	0	0	0	0	2	0	1	2	0	1	5	0	0	0	0	0
1	0	1	409	0	0	1	4	12	23	29	39	38	39	34	123	43	22	1	0	3
1	1	0	64	0	0	0	1	7	3	10	3	3	4	3	22	14	7	1	0	0
2	0	0	404	0	0	0	2	4	9	13	23	21	28	29	134	110	53	14	0	0

TABLE 21 - INDUCED FETAL DEATHS
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER, RHODE ISLAND OCCURRENCES 1995

				AGE OF MOTHER IN YEARS																
			ALL AGES	UNDER 15	15	16	17	18	19	20	21	22	23	24	25 TO 29	30 TO 34	35 TO 39	40 TO 44	45 TO 49	UNKNOWN
THREE OR MORE LIVE BIRTHS			689	0	0	0	1	4	11	23	27	26	43	49	258	138	83	24	2	0
0	0	3	51	0	0	0	0	1	1	1	7	0	6	4	25	4	4	0	0	0
0	1	2	15	0	0	0	1	0	0	0	2	0	1	0	8	1	0	0	0	0
0	2	1	5	0	0	0	0	0	1	0	0	0	0	0	2	2	0	0	0	0
0	3	0	4	0	0	0	0	0	0	1	0	0	1	0	1	1	0	0	0	0
1	0	2	103	0	0	0	0	1	4	4	5	6	11	10	34	14	4	0	0	0
1	1	1	44	0	0	0	0	0	1	4	3	2	2	3	13	11	3	0	0	0
1	2	0	9	0	0	0	0	0	0	0	1	0	0	0	2	3	1	1	0	0
2	0	1	250	0	0	0	0	0	4	2	4	11	9	24	96	49	25	1	0	0
2	1	0	83	0	0	0	0	1	0	0	1	1	5	3	28	15	18	7	1	0
3	0	0	122	0	0	0	0	1	0	5	4	2	4	5	39	32	11	3	1	0
FOUR OR MORE LIVE BIRTHS			339	0	0	0	1	1	4	7	10	10	13	22	125	78	46	18	1	0
0	0	4	10	0	0	0	0	0	0	0	2	0	0	1	4	3	0	0	0	0
0	1	3	4	0	0	0	0	0	0	0	0	0	0	0	3	1	0	0	0	0
0	2	2	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
0	3	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
0	4	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
1	0	3	23	0	0	0	1	0	0	0	1	2	2	2	9	6	0	0	0	0
1	1	2	14	0	0	0	0	1	0	1	0	1	1	1	4	4	1	0	0	0
1	2	1	6	0	0	0	0	0	0	0	0	1	0	0	3	0	1	1	0	0
1	3	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
2	0	2	83	0	0	1	0	0	2	1	2	1	4	1	41	9	19	1	0	0
2	1	1	51	0	0	0	0	0	1	0	2	1	1	2	18	14	8	2	0	0
2	2	0	11	0	0	0	0	0	0	1	0	0	0	3	2	2	4	2	0	0
3	0	1	42	0	0	0	1	0	0	1	2	1	2	4	22	11	2	5	1	0
3	1	0	29	0	0	0	0	0	0	1	0	0	0	2	11	5	1	0	0	0
4	0	0	33	0	0	0	0	0	1	0	1	1	1	0	9	4	1	2	0	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1995

				AGE OF MOTHER IN YEARS														
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
FIVE			149	0	0	0	0	0	1	2	4	4	5	11	53	43	22	4	0	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	5	5	0	0	0	0	0	0	0	1	1	1	0	1	1	0	0	0	0
0	1	4	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
0	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
1	0	4	7	0	0	0	0	0	0	0	0	0	0	0	4	1	2	0	0	0
1	1	3	5	0	0	0	0	0	1	0	0	0	0	1	2	1	0	0	0	0
1	2	2	7	0	0	0	0	0	0	1	0	0	2	0	3	1	0	0	0	0
1	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
1	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
2	0	3	21	0	0	0	0	0	0	1	0	1	1	2	9	6	2	0	0	0
2	1	2	15	0	0	0	0	0	0	0	2	1	0	1	4	4	3	0	0	0
2	2	1	6	0	0	0	0	0	0	0	0	0	0	0	5	0	1	0	0	0
2	3	0	5	0	0	0	0	0	0	0	0	0	0	1	0	3	1	0	0	0
3	0	2	20	0	0	0	0	0	0	0	1	1	0	3	9	5	2	0	0	0
3	1	1	14	0	0	0	0	0	0	0	0	0	1	0	4	3	1	0	0	0
3	2	0	8	0	0	0	0	0	0	0	0	0	0	1	1	1	3	2	0	0
4	0	1	17	0	0	0	0	0	0	0	0	0	0	1	5	9	1	0	0	0
4	1	0	8	0	0	0	0	0	0	0	0	0	0	1	1	3	2	1	0	0
5	0	0	5	0	0	0	0	0	0	0	0	0	0	0	1	3	0	1	0	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1985

			AGE OF MOTHER IN YEARS																
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNKNOWN
SIX			60	0	0	0	0	0	0	2	1	3	0	3	18	22	9	2	0	0
PREVIOUS DELIVERIES WERE *																				
L.B.	S.F.D.	I.F.D.																		
1	0	5	5	0	0	0	0	0	0	0	0	0	0	0	3	2	0	0	0	0
1	1	4	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
1	4	1	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
2	0	4	6	0	0	0	0	0	0	1	0	0	0	0	3	2	0	0	0	0
2	2	2	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
2	3	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
3	0	3	8	0	0	0	0	0	0	0	0	1	0	0	3	3	1	0	0	0
3	1	2	10	0	0	0	0	0	0	1	0	2	0	0	3	3	1	0	0	0
3	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
3	3	0	3	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0
4	0	2	7	0	0	0	0	0	0	0	0	0	0	1	1	4	1	0	0	0
4	1	1	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
4	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
5	0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0
5	1	0	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
6	0	0	7	0	0	0	0	0	0	0	0	0	0	0	1	3	2	1	0	0
SEVEN +			69	0	0	0	0	0	1	0	1	1	3	0	22	16	15	7	2	0
UNKNOWN			56	1	1	2	1	1	4	5	3	3	5	2	9	2	4	5	0	0

* L.B. REFERS TO PREVIOUS LIVE BIRTHS, S.F.D. TO PREVIOUS SPONTANEOUS FETAL DEATHS, AND I.F.D. TO PREVIOUS INDUCED FETAL DEATHS

TABLE 22A - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY

NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1985

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL FETAL DEATHS OF 20 WEEKS OR MORE	94	100.0	8	28	21	22	5	3	0	7
FIRST DELIVERY	11	11.7	2	5	2	1	0	0	0	1
SECOND DELIVERY	16	17.0	1	9	1	5	0	0	0	0
NO PREVIOUS FETAL DEATHS	13		0	8	1	4	0	0	0	0
ONE PREVIOUS FETAL DEATH	3		1	1	0	1	0	0	0	0
THIRD DELIVERY	14	14.9	1	1	5	5	1	1	0	0
NO PREVIOUS FETAL DEATHS	9		0	1	3	4	0	1	0	0
ONE PREVIOUS FETAL DEATH	2		1	0	1	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	3		0	0	1	1	1	0	0	0
FOURTH DELIVERY	4	4.3	0	1	0	3	0	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	1	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	2		0	0	0	2	0	0	0	0
FIFTH DELIVERY	2	2.1	0	1	1	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	1	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SIXTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SEVENTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
EIGHTH OR MORE DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
UNKNOWN BIRTH ORDER	47	50.0	4	11	12	8	4	2	0	6

TABLE 22B - SPONTANEOUS FETAL DEATHS OCCURRING IN RHODE ISLAND BY

NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1985

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL SPONTANEOUS FETAL DEATHS	757	100.0	58	130	241	173	60	24	0	11
FIRST DELIVERY	64	8.5	12	23	18	5	3	2	0	1
SECOND DELIVERY	78	10.3	6	31	21	17	3	0	0	0
NO PREVIOUS FETAL DEATHS	61		2	25	17	14	3	0	0	0
ONE PREVIOUS FETAL DEATH	17		4	6	4	3	0	0	0	0
THIRD DELIVERY	53	7.0	2	7	22	16	4	2	0	0
NO PREVIOUS FETAL DEATHS	26		0	3	9	11	2	1	0	0
ONE PREVIOUS FETAL DEATH	18		2	2	9	3	1	1	0	0
TWO PREVIOUS FETAL DEATHS	9		0	2	4	2	1	0	0	0
FOURTH DELIVERY	31	4.1	0	9	7	11	4	0	0	1
NO PREVIOUS FETAL DEATHS	10		0	2	4	3	1	0	0	0
ONE PREVIOUS FETAL DEATH	4		0	2	0	1	1	0	0	0
TWO PREVIOUS FETAL DEATHS	13		0	2	3	5	2	0	0	1
THREE+ PREVIOUS FETAL DEATHS	4		0	2	0	2	0	0	0	0
FIFTH DELIVERY	13	1.7	0	7	4	2	0	0	0	0
NO PREVIOUS FETAL DEATHS	3		0	0	3	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	2		0	1	1	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	4		0	3	0	1	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	4		0	3	0	1	0	0	0	0
SIXTH DELIVERY	7	0.9	0	0	3	2	1	0	0	1
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	1	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	5		0	0	2	1	1	0	0	1
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
SEVENTH DELIVERY	2	0.3	0	0	1	1	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
EIGHTH OR MORE DELIVERY	4	0.5	0	0	1	0	3	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	2		0	0	1	0	1	0	0	0
UNKNOWN BIRTH ORDER	505	66.7	38	114	164	119	42	20	0	8

TABLE 23 - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY WEIGHT OF FETUS AND AGE OF MOTHER 1985

FETAL WEIGHT IN GRAMS	TOTAL NUMBER	TOTAL PER CENT	AGE OF MOTHER IN YEARS UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	UNKNOWN
TOTAL	94	100.0	8	28	21	22	5	3	0	7
1,000 OR LESS	20	21.3	3	5	7	2	1	2	0	0
1,001 - 1,500	5	5.3	0	2	0	2	0	0	0	1
1,501 - 2,000	5	5.3	0	1	1	1	1	0	0	1
2,001 - 2,500	6	6.4	1	2	1	1	1	0	0	0
LOW WEIGHT TOTAL	36	38.3	4	10	9	6	3	2	0	2
2,501 - 3,000	2	2.1	0	0	1	1	0	0	0	0
3,001 - 3,500	4	4.3	0	1	1	1	0	1	0	0
3,501 - 4,000	4	4.3	0	1	1	2	0	0	0	0
4,001 - 4,500	1	1.1	0	0	1	0	0	0	0	0
4,501 - 5,000	1	1.1	0	0	0	1	0	0	0	0
5,001 OR MORE	0	0.0	0	0	0	0	0	0	0	0
NOT STATED	46	48.9	4	16	8	11	2	0	0	5

Table 24 - FETAL DEATHS OCCURRING IN RHODE ISLAND BY SELECTED CAUSE OF DEATH AND WEEKS OF UTEROGESTATION 1985

CAUSE OF FETAL DEATH (ICD, 1975)	FETAL DEATHS BY WEEKS OF UTEROGESTATION									
	TOTAL		UNDER 20		20-27		28 OR MORE		UNKNOWN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ALL CAUSES	8535	100.0	8419	98.6	45	0.5	57	0.7	14	0.2
CONGENITAL ANOMALIES (740-759)	11	0.1	1	0.0	2	4.4	8	14.0	0	0.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	8522	99.8	8417	100.0	43	95.6	48	84.2	14	100.0
MATERNAL COMPLICATIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)	4	0.0	0	0.0	1	2.2	3	5.3	0	0.0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	604	7.1	589	7.0	14	31.1	0	0.0	1	7.1
COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (762)	56	0.7	28	0.3	9	20.0	19	33.3	0	0.0
COMPLICATIONS OF LABOR AND DELIVERY (763)	1	0.0	0	0.0	0	0.0	1	1.8	0	0.0
SHORT GESTATION AND UNSPECIFIED LOW BIRTH WEIGHT (765)	2	0.0	1	0.0	1	2.2	0	0.0	0	0.0
INTRAUTERINE HYPOXIA AND ASPHYXIA (768)	7	0.1	3	0.0	2	4.4	2	3.5	0	0.0
HAEMATOLOGICAL DISORDERS (776)	3	0.0	0	0.0	0	0.0	3	5.3	0	0.0
CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION (778)	1	0.0	0	0.0	1	2.2	0	0.0	0	0.0
OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (779)	7844	91.9	7796	92.6	15	33.3	20	35.1	13	92.9
ALL OTHER CAUSES (RESIDUAL)	2	0.0	1	0.0	0	0.0	1	1.8	0	0.0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1985

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL CAUSES																	
TOTAL	9636*	106	14	14	12	43	83	148	205	425	491	804	1054	1241	1322	1390	2284
WHITE MALE	4632	58	11	9	6	32	57	95	124	248	284	472	622	694	631	606	683
WHITE FEMALE	4702	36	2	5	4	9	21	37	65	150	175	298	405	514	659	761	1561
NON-WHITE MALE	161	5	0	0	1	1	5	12	9	19	18	16	14	25	12	9	15
NON-WHITE FEMALE	134	7	1	0	1	1	0	4	5	6	14	17	13	8	19	13	25
UNKNOWN MALE	6	0	0	0	0	0	0	0	2	2	0	1	0	0	1	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TUBERCULOSIS(010-018)																	
TOTAL	5	0	0	0	0	0	0	1	0	0	0	0	0	0	3	0	1
WHITE MALE	3	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
TOTAL	4	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	1
WHITE MALE	3	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
OTHER TUBERCULOSIS(013-018)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
SEPTICEMIA(038)																	
TOTAL	91	1	0	0	0	0	0	0	2	2	2	3	8	10	16	20	27
WHITE MALE	38	1	0	0	0	0	0	0	2	1	0	2	5	8	7	7	5
WHITE FEMALE	50	0	0	0	0	0	0	0	0	1	2	1	3	2	7	13	21
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
VIRAL HEPATITIS(070)																	
TOTAL	6	0	0	0	0	0	0	1	0	0	2	0	0	1	1	1	0
WHITE MALE	6	0	0	0	0	0	0	1	0	0	2	0	0	1	1	1	0
SYPHILIS(090-097)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
ALL OTHER INFECTIOUS AND PARASITIC DISEASES(001-003,005,020-032,037, 039 -041,046-054,056-066,071-088,098-139																	
TOTAL	28	3	0	0	0	1	0	4	2	0	2	0	1	1	1	5	5
WHITE MALE	9	0	0	0	0	0	0	2	1	0	0	0	1	1	0	1	3
WHITE FEMALE	17	3	0	0	0	1	0	1	1	0	2	0	0	0	1	2	5
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1985

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)																	
TOTAL	2365	0	0	2	2	6	6	18	56	158	192	313	368	398	341	254	251
WHITE MALE	1179	0	0	1	1	6	6	8	29	73	100	167	204	204	166	115	99
WHITE FEMALE	1129	0	0	1	0	0	0	10	24	79	82	137	159	181	171	136	149
NON-WHITE MALE	36	0	0	0	0	0	0	0	2	3	5	5	5	11	1	2	2
NON-WHITE FEMALE	20	0	0	0	1	0	0	0	1	2	5	4	0	2	3	1	1
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX(140-149)																	
TOTAL	45	0	0	0	0	0	0	0	0	2	5	8	11	8	4	2	5
WHITE MALE	28	0	0	0	0	0	0	0	0	1	4	4	8	6	3	1	1
WHITE FEMALE	16	0	0	0	0	0	0	0	0	1	1	4	2	2	1	1	4
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM(150-159)																	
TOTAL	673	0	0	0	0	0	3	3	11	29	54	79	93	124	96	93	89
WHITE MALE	331	0	0	0	0	0	3	1	6	18	30	43	59	59	42	39	31
WHITE FEMALE	325	0	0	0	0	0	0	2	3	8	21	33	34	62	52	53	57
NON-WHITE MALE	6	0	0	0	0	0	0	0	1	0	2	0	0	3	0	0	0
NON-WHITE FEMALE	10	0	0	0	0	0	0	0	1	1	1	3	0	0	2	1	1
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS(160-165)																	
TOTAL	624	0	0	0	0	0	0	0	12	58	53	114	119	119	77	35	33
WHITE MALE	312	0	0	0	0	0	0	0	10	38	33	71	74	71	58	29	28
WHITE FEMALE	193	0	0	0	0	0	0	0	2	18	13	40	41	41	18	10	10
NON-WHITE MALE	15	0	0	0	0	0	0	0	0	2	1	3	4	3	1	0	1
NON-WHITE FEMALE	4	0	0	0	0	0	0	0	0	1	2	0	0	1	0	0	0
MALIGNANT NEOPLASMS OF BREAST(174-175)																	
TOTAL	230	0	0	0	0	0	0	3	10	23	23	26	36	20	44	23	22
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE FEMALE	228	0	0	0	0	0	0	3	10	23	23	26	36	19	44	22	22
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1985

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)																	
TOTAL	220	0	0	0	0	0	1	5	2	9	9	25	27	46	20	36	34
WHITE MALE	114	0	0	0	0	0	1	1	0	1	2	14	13	22	13	24	23
WHITE FEMALE	96	0	0	0	0	0	0	4	2	7	5	10	14	20	13	11	10
NON-WHITE MALE	9	0	0	0	0	0	0	0	0	1	1	1	0	4	0	1	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)																	
TOTAL	106	0	0	0	0	0	0	0	1	6	11	7	15	12	25	17	12
WHITE MALE	71	0	0	0	0	0	0	0	0	5	9	6	11	9	18	8	5
WHITE FEMALE	33	0	0	0	0	0	0	0	1	1	2	0	4	3	7	8	7
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES(170-173,190-199)																	
TOTAL	233	0	0	1	1	4	1	4	9	24	25	31	48	42	44	27	32
WHITE MALE	141	0	0	1	1	4	1	4	7	8	12	19	23	22	21	10	9
WHITE FEMALE	150	0	0	0	0	0	0	0	2	16	12	13	25	20	22	17	23
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
LEUKEMIA(204-208)																	
TOTAL	70	0	0	0	1	1	1	1	4	2	3	7	3	15	7	7	12
WHITE MALE	37	0	0	0	0	1	1	0	3	0	1	4	3	7	6	1	5
WHITE FEMALE	31	0	0	0	0	0	0	1	1	2	2	2	1	5	1	6	7
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES(200-203)																	
TOTAL	104	0	0	1	0	1	0	2	7	5	9	16	10	12	18	11	12
WHITE MALE	44	0	0	0	0	1	0	2	3	2	5	7	5	5	5	3	3
WHITE FEMALE	57	0	0	1	0	0	0	0	3	3	3	9	2	6	13	8	9
NON-WHITE MALE	3	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE(210-239)																	
TOTAL	36	0	0	0	0	1	0	0	1	1	4	3	2	5	5	8	6
WHITE MALE	10	0	0	0	0	0	0	0	0	1	3	1	1	1	0	3	0
WHITE FEMALE	23	0	0	0	0	1	0	0	0	0	1	1	1	4	5	5	5
NON-WHITE FEMALE	3	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1985

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
DIABETES MELLITUS(250)																	
TOTAL	221	0	0	0	0	0	0	1	4	9	10	22	28	28	39	37	43
WHITE MALE	87	0	0	0	0	0	0	1	3	7	5	11	12	12	15	10	11
WHITE FEMALE	115	0	0	0	0	0	0	0	1	1	4	10	14	12	20	25	28
NON-WHITE MALE	10	0	0	0	0	0	0	0	0	1	1	0	2	2	2	1	1
NON-WHITE FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	0	2	2	1	3
NUTRITIONAL DEFICIENCIES(260-269)																	
TOTAL	20	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	12
WHITE MALE	8	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	2
WHITE FEMALE	12	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	10
ANEMIAS(280-285)																	
TOTAL	22	0	0	0	1	0	0	0	1	0	0	3	2	0	2	7	6
WHITE MALE	10	0	0	0	1	0	0	0	0	0	0	2	0	0	1	4	2
WHITE FEMALE	11	0	0	0	0	0	0	0	0	0	0	1	2	0	1	3	4
NON-WHITE MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
MENINGITIS(320-322)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
MAJOR CARDIOVASCULAR DISEASES (390-448)																	
TOTAL	4622	3	1	0	2	3	9	18	51	160	192	338	436	566	657	778	1410
WHITE MALE	2138	0	1	0	2	2	6	10	37	112	126	214	274	343	315	315	378
WHITE FEMALE	2364	1	0	0	0	0	2	6	9	40	54	107	148	211	328	447	1011
NON-WHITE MALE	51	1	0	0	0	1	1	1	2	5	5	7	5	9	4	3	7
NON-WHITE FEMALE	65	1	0	0	0	0	0	1	1	3	7	9	9	3	9	8	14
UNKNOWN MALE	4	0	0	0	0	0	0	0	2	0	0	1	0	0	1	0	0
DISEASES OF THE HEART (390-398,402,404-429)																	
TOTAL	3684	2	1	0	2	2	5	12	40	144	165	286	364	475	531	606	1049
WHITE MALE	1778	0	1	0	2	1	3	7	32	104	111	183	236	290	265	251	292
WHITE FEMALE	1808	0	0	0	0	0	1	4	5	33	44	97	118	173	256	346	741
NON-WHITE MALE	44	1	0	0	0	1	1	1	2	4	4	7	2	9	3	3	6
NON-WHITE FEMALE	51	1	0	0	0	0	0	0	0	3	6	9	8	3	6	6	10
UNKNOWN MALE	3	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1985

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE(390-398)																	
TOTAL	34	0	0	0	0	0	0	0	0	3	3	3	2	6	7	8	2
WHITE MALE	9	0	0	0	0	0	0	0	0	2	0	1	0	2	2	1	1
WHITE FEMALE	25	0	0	0	0	0	0	0	0	1	3	2	2	4	5	7	1
HYPERTENSIVE HEART DISEASE(402)																	
TOTAL	80	0	0	0	0	0	0	1	1	4	4	6	6	7	10	9	32
WHITE MALE	32	0	0	0	0	0	0	1	0	3	2	5	3	3	4	3	8
WHITE FEMALE	45	0	0	0	0	0	0	0	1	1	2	1	1	4	6	6	23
NON-WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
ISCHEMIC HEART DISEASE (410-414)																	
TOTAL	2988	0	0	0	1	1	0	2	27	112	131	234	300	393	432	501	854
WHITE MALE	1460	0	0	0	1	1	0	2	24	82	89	153	195	241	217	214	241
WHITE FEMALE	1446	0	0	0	0	0	0	0	1	23	32	66	97	142	206	281	598
NON-WHITE MALE	37	0	0	0	0	0	0	0	1	4	4	7	2	7	3	3	6
NON-WHITE FEMALE	42	0	0	0	0	0	0	0	0	3	6	7	6	3	5	3	9
UNKNOWN MALE	3	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0
ACUTE MYOCARDIAL INFARCTION (410)																	
TOTAL	1546	0	0	0	0	0	0	1	19	70	87	152	200	226	255	239	298
WHITE MALE	812	0	0	0	0	0	0	1	17	48	57	99	133	138	121	103	95
WHITE FEMALE	690	0	0	0	0	0	0	0	0	17	23	46	60	82	129	133	200
NON-WHITE MALE	20	0	0	0	0	0	0	0	1	3	2	5	2	4	2	1	0
NON-WHITE FEMALE	23	0	0	0	0	0	0	0	0	2	5	2	5	2	2	2	3
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE(411)																	
TOTAL	10	0	0	0	0	0	0	0	0	0	0	0	0	1	3	3	3
WHITE MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	1
WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1985

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ANGINA PECTORIS(413)																	
TOTAL	5	0	0	0	0	0	0	0	1	0	0	0	0	2	2	0	0
WHITE MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ICHEMIC HEART DISEASE(412,414)																	
TOTAL	1427	0	0	0	1	1	0	1	8	42	44	82	100	164	172	259	553
WHITE MALE	641	0	0	0	1	1	0	1	6	34	32	54	62	102	94	109	145
WHITE FEMALE	748	0	0	0	0	0	0	0	1	6	9	20	37	58	74	147	396
NON-WHITE MALE	17	0	0	0	0	0	0	0	0	1	2	2	0	3	1	2	6
NON-WHITE FEMALE	19	0	0	0	0	0	0	0	0	1	1	5	1	1	3	1	6
UNKNOWN MALE	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
OTHER DISEASES OF ENDOCARDIUM(424)																	
TOTAL	42	0	0	0	1	0	0	0	0	1	2	2	2	6	9	10	9
WHITE MALE	17	0	0	0	1	0	0	0	0	1	1	0	1	5	4	2	2
WHITE FEMALE	25	0	0	0	0	0	0	0	0	0	1	2	1	1	5	8	7
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)																	
TOTAL	536	2	1	0	0	1	5	9	12	24	25	40	54	63	72	76	152
WHITE MALE	259	0	1	0	0	0	3	4	8	16	19	24	37	39	38	30	40
WHITE FEMALE	265	0	0	0	0	0	1	4	3	8	6	15	17	22	34	43	112
NON-WHITE MALE	7	1	0	0	0	1	1	1	1	0	0	0	0	2	0	0	0
NON-WHITE FEMALE	5	1	0	0	0	0	0	0	0	0	0	1	0	0	0	3	0
HYPERTENSION WITH OR WITHOUT RENAL DISEASE(401,403)																	
TOTAL	34	0	0	0	0	0	0	0	0	2	0	4	2	7	4	3	12
WHITE MALE	14	0	0	0	0	0	0	0	0	1	0	2	0	5	2	1	3
WHITE FEMALE	19	0	0	0	0	0	0	0	0	1	0	1	2	2	2	2	9
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
CEREBROVASCULAR DISEASES (430-438)																	
TOTAL	645	0	0	0	0	1	3	4	8	12	19	27	50	55	88	131	247
WHITE MALE	214	0	0	0	0	1	2	2	3	5	9	13	24	24	32	46	53
WHITE FEMALE	416	0	0	0	0	0	1	1	4	6	9	14	23	31	53	84	190
NON-WHITE MALE	5	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0	1
NON-WHITE FEMALE	10	0	0	0	0	0	0	1	1	0	1	0	1	0	2	1	3

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1985

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE(431-432)																	
TOTAL	112	0	0	0	0	0	3	2	0	4	5	11	13	17	20	15	22
WHITE MALE	44	0	0	0	0	0	2	1	0	2	1	5	7	7	7	8	4
WHITE FEMALE	66	0	0	0	0	0	1	1	0	1	4	6	6	10	13	7	17
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
TOTAL	109	0	0	0	0	0	0	0	0	0	1	5	7	8	14	22	52
WHITE MALE	34	0	0	0	0	0	0	0	0	0	0	2	5	5	8	5	9
WHITE FEMALE	73	0	0	0	0	0	0	0	0	0	1	3	2	3	5	17	42
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
CEREBRAL EMBOLISM(434.1)																	
TOTAL	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
WHITE MALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)																	
TOTAL	422	0	0	0	0	1	0	2	8	7	12	11	30	30	54	94	173
WHITE MALE	134	0	0	0	0	1	0	1	3	2	7	6	12	12	17	33	40
WHITE FEMALE	277	0	0	0	0	0	0	0	4	5	4	5	15	18	35	60	131
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
NON-WHITE FEMALE	9	0	0	0	0	0	0	1	1	0	1	0	1	0	2	1	2
ATHEROSCLEROSIS(440)																	
TOTAL	145	0	0	0	0	0	0	0	1	2	7	10	9	15	12	18	71
WHITE MALE	66	0	0	0	0	0	0	0	1	2	6	9	5	10	5	9	19
WHITE FEMALE	76	0	0	0	0	0	0	0	0	0	0	1	4	5	6	9	51
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES(441-448)																	
TOTAL	114	1	0	0	0	0	1	2	2	0	1	11	11	14	22	18	31
WHITE MALE	66	0	0	0	0	0	1	1	1	0	0	7	9	14	11	11	11
WHITE FEMALE	45	1	0	0	0	0	0	1	0	0	1	4	1	0	11	6	20
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1985

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ACUTE BRONCHITIS AND BRONCHIOLITIS(466)																	
TOTAL	3	1	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
WHITE MALE	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
PNEUMONIA AND INFLUENZA(480-487)																	
TOTAL	263	1	0	1	0	1	0	0	3	6	3	9	13	16	35	44	131
WHITE MALE	115	1	0	1	0	1	0	0	0	1	1	6	10	10	16	21	47
WHITE FEMALE	141	0	0	0	0	0	0	0	3	3	1	3	3	5	18	22	83
NON-WHITE MALE	5	0	0	0	0	0	0	0	0	2	0	0	0	1	1	0	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
PNEUMONIA(480-486)																	
TOTAL	256	1	0	1	0	1	0	0	3	6	3	9	13	16	34	43	126
WHITE MALE	115	1	0	1	0	1	0	0	0	1	1	6	10	10	16	21	47
WHITE FEMALE	134	0	0	0	0	0	0	0	3	3	1	3	3	5	17	21	78
NON-WHITE MALE	5	0	0	0	0	0	0	0	0	2	0	0	0	1	1	0	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
INFLUENZA(487)																	
TOTAL	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	5
WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	5
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS(490-496)																	
TOTAL	353	0	0	0	0	0	0	0	4	8	18	23	62	60	52	60	66
WHITE MALE	217	0	0	0	0	0	0	0	2	6	7	14	38	38	38	39	35
WHITE FEMALE	131	0	0	0	0	0	0	0	2	1	10	9	24	22	13	20	30
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)																	
TOTAL	20	0	0	0	0	0	0	0	1	1	1	3	3	0	3	4	4
WHITE MALE	16	0	0	0	0	0	0	0	0	1	1	3	2	0	2	4	3
WHITE FEMALE	4	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	1
EMPHYSEMA(492)																	
TOTAL	54	0	0	0	0	0	0	0	1	1	5	5	10	13	6	7	6
WHITE MALE	33	0	0	0	0	0	0	0	1	1	2	2	8	7	5	3	4
WHITE FEMALE	21	0	0	0	0	0	0	0	0	0	3	3	2	6	1	4	2

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1985

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ASTHMA(493)																	
TOTAL	13	0	0	0	0	0	0	0	2	3	1	0	0	1	2	3	1
WHITE MALE	4	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0	0
WHITE FEMALE	7	0	0	0	0	0	0	0	1	1	1	0	0	0	1	3	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)																	
TOTAL	266	0	0	0	0	0	0	0	0	3	11	15	43	46	41	46	55
WHITE MALE	164	0	0	0	0	0	0	0	0	3	4	9	28	30	30	32	28
WHITE FEMALE	99	0	0	0	0	0	0	0	0	0	6	6	21	16	10	13	27
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0
ULCER OF STOMACH AND DUODENUM(531-533)																	
TOTAL	32	0	0	0	0	0	0	0	0	1	0	1	1	3	2	8	16
WHITE MALE	16	0	0	0	0	0	0	0	0	1	0	1	1	2	2	5	4
WHITE FEMALE	15	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	11
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
APPENDICITIS(540-543)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA(550-553,560)																	
TOTAL	24	0	0	0	0	0	0	0	0	0	1	1	1	0	2	6	13
WHITE MALE	7	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	4
WHITE FEMALE	17	0	0	0	0	0	0	0	0	0	0	1	1	0	2	4	9
CHRONIC LIVER DISEASE AND CIRRHOSIS(571)																	
TOTAL	109	0	0	0	0	0	0	3	6	15	11	14	23	17	3	7	4
WHITE MALE	66	0	0	0	0	0	0	1	5	10	9	10	14	10	5	2	1
WHITE FEMALE	37	0	0	0	0	0	0	2	1	4	3	3	8	7	3	5	3
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	5	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER(574-575)																	
TOTAL	19	0	0	0	0	0	0	0	0	0	0	1	2	0	3	4	9
WHITE MALE	10	0	0	0	0	0	0	0	0	0	0	1	2	0	2	3	2
WHITE FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	7

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1985

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS(580-593)																	
TOTAL	116	0	0	0	0	0	0	1	3	3	3	5	20	21	15	17	28
WHITE MALE	54	0	0	0	0	0	0	0	1	2	2	3	13	11	6	7	9
WHITE FEMALE	56	0	0	0	0	0	0	1	1	1	1	2	6	9	8	9	18
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
NON-WHITE FEMALE	4	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	1
ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME(580-581)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS, NEPHROPATHY, AND RENAL SCLEROSIS, UNSPECIFIED(582-583,587)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0
RENAL FAILURE,DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, & SMALL KIDNEY OF UNKNOWN CAUSE(584-586,588-589)																	
TOTAL	110	0	0	0	0	0	0	1	3	3	3	4	18	21	14	16	27
WHITE MALE	51	0	0	0	0	0	0	0	1	2	2	2	12	11	6	7	8
WHITE FEMALE	53	0	0	0	0	0	0	1	1	1	1	2	5	9	7	8	19
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
NON-WHITE FEMALE	4	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	1
INFECTIONS OF KIDNEY(590)																	
TOTAL	9	0	0	0	0	0	0	0	0	0	0	0	0	2	1	3	3
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0
WHITE FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	3
HYPERPLASIA OF PROSTATE(600)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
CONGENITAL ANOMALIES(740-759)																	
TOTAL	47	26	5	1	0	0	2	2	0	0	1	2	2	1	2	2	1
WHITE MALE	21	13	2	1	0	0	0	1	0	0	1	0	1	0	1	1	0
WHITE FEMALE	22	12	2	0	0	0	2	0	0	0	0	2	1	1	0	1	1
NON-WHITE MALE	2	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1995

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)																	
TOTAL	45	44	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	29	28	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	13	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME(767-769)																	
TOTAL	15	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	10	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-766,770-779)																	
TOTAL	30	29	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	19	18	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	10	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS(780-799)																	
TOTAL	34	14	1	1	0	0	1	3	4	5	0	1	0	0	0	0	4
WHITE MALE	19	7	1	0	0	0	1	1	3	3	0	1	0	0	0	0	2
WHITE FEMALE	10	4	0	1	0	0	0	2	1	0	0	0	0	0	0	0	2
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
NON-WHITE FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER DISEASES(RESIDUAL)																	
TOTAL	754	6	4	0	1	2	6	25	19	33	36	51	68	83	107	100	207
WHITE MALE	338	2	4	0	0	1	4	18	10	20	20	29	37	43	44	47	59
WHITE FEMALE	384	2	0	0	1	1	2	4	8	10	11	15	29	44	61	51	142
NON-WHITE MALE	16	0	0	0	0	0	0	2	1	2	4	2	2	1	0	0	2
NON-WHITE FEMALE	15	2	0	0	0	0	0	1	0	0	1	2	0	1	2	2	4
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1985

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)																	
TOTAL	264	5	1	9	5	22	35	36	23	12	7	6	13	16	22	21	31
WHITE MALE	154	4	1	6	1	19	27	27	16	5	3	3	7	6	6	10	13
WHITE FEMALE	96	0	0	3	3	2	8	5	5	5	3	2	6	10	15	11	18
NON-WHITE MALE	12	1	0	0	1	0	0	4	1	2	1	1	0	0	1	0	0
NON-WHITE FEMALE	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
MOTOR VEHICLE ACCIDENTS(E810-E825)																	
TOTAL	113	0	0	7	3	20	29	17	7	4	3	3	6	3	8	2	1
WHITE MALE	75	0	0	4	0	17	22	14	6	2	2	2	4	1	1	0	0
WHITE FEMALE	33	0	0	3	2	2	7	2	0	2	1	0	2	2	7	2	1
NON-WHITE MALE	3	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS(E800-E807,E826-E949)																	
TOTAL	151	5	1	2	2	2	6	19	16	8	4	3	7	13	14	19	30
WHITE MALE	79	4	1	2	1	2	5	13	10	3	1	1	3	5	5	10	13
WHITE FEMALE	63	0	0	0	1	0	1	3	5	3	2	2	4	8	8	9	17
NON-WHITE MALE	9	1	0	0	0	0	0	3	1	2	1	0	0	0	1	0	0
SUICIDE(E950-E959)																	
TOTAL	96	0	0	0	1	6	11	26	15	10	6	6	2	6	2	2	3
WHITE MALE	63	0	0	0	1	2	6	18	11	6	5	5	1	3	1	1	3
WHITE FEMALE	28	0	0	0	0	4	4	6	4	3	1	1	1	3	1	0	0
NON-WHITE MALE	5	0	0	0	0	0	1	2	0	1	0	0	0	0	0	1	0
HOMICIDE AND LEGAL INTERVENTION (E960-E978)																	
TOTAL	39	2	1	0	0	0	12	8	7	2	1	1	1	0	1	1	2
WHITE MALE	20	1	1	0	0	0	7	6	1	0	0	1	0	0	1	1	1
WHITE FEMALE	11	1	0	0	0	0	2	0	4	2	0	0	1	0	0	0	1
NON-WHITE MALE	7	0	0	0	0	0	3	1	2	0	1	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ALL OTHER EXTERNAL CAUSES(E980-E999)																	
TOTAL	6	0	0	0	0	1	1	1	2	0	0	1	0	0	0	0	0
WHITE MALE	4	0	0	0	0	1	0	0	2	0	0	1	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0

• TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 26 - RESIDENT DEATHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1985

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	9636	939	912	892	753	798	746	755	719	748	759	790	825
BARRINGTON	113	12	10	11	9	11	12	7	9	7	6	11	8
BRISTOL	188	17	16	16	14	19	14	16	12	20	8	16	20
BURRILLVILLE	146	13	17	10	11	19	14	15	5	11	6	11	14
CENTRAL FALLS	231	26	24	31	12	13	16	19	20	20	21	12	17
CHARLESTOWN	40	2	4	3	4	1	6	3	3	2	7	2	3
COVENTRY	220	25	18	24	13	17	16	17	19	13	16	20	22
CRANSTON	769	78	78	70	73	56	48	69	53	60	54	54	76
CUMBERLAND	232	20	21	21	16	22	19	18	14	10	25	27	19
EAST GREENWICH	88	7	11	12	9	1	7	5	4	6	5	11	10
EAST PROVIDENCE	544	54	60	51	35	46	53	35	43	42	38	40	41
EXETER	22	2	2	2	3	0	0	2	4	1	2	2	2
FOSTER	25	2	2	1	3	1	2	3	3	2	2	0	4
GLOCESTER	51	5	5	8	4	3	4	5	3	2	4	5	3
HOPKINTON	50	7	3	9	2	1	4	8	5	0	3	2	6
JAMESTOWN	59	4	9	5	5	6	2	2	4	5	7	4	6
JOHNSTON	272	26	25	21	23	25	25	21	30	14	25	22	15
LINCOLN	184	12	13	22	16	16	11	14	13	20	9	17	15
LITTLE COMPTON	26	6	1	3	0	3	2	3	2	2	1	1	2
MIDDLETOWN	120	7	11	11	5	13	8	14	10	7	11	14	9
NARRAGANSETT	93	14	10	10	5	5	10	13	3	11	5	4	3
NEWPORT	275	21	36	20	21	29	7	17	21	27	24	31	21
NEW SHOREHAM	10	2	1	1	1	0	2	0	0	0	2	1	1
NORTH KINGSTOWN	159	17	13	13	9	21	16	11	8	10	14	15	12
NORTH PROVIDENC	319	31	27	37	23	29	23	24	26	23	33	21	22
NORTH SMITHFIEL	104	11	8	6	11	11	10	6	11	6	8	6	10
PAWTUCKET	872	77	75	89	74	67	63	63	63	58	78	85	80
PORTSMOUTH	118	11	15	7	9	15	9	11	8	11	7	6	9
PROVIDENCE	1758	192	169	146	158	134	139	130	125	146	114	145	160
RICHMOND	18	1	1	2	0	1	2	2	2	3	3	1	0
SCITUATE	84	10	7	15	6	3	6	7	3	9	5	3	10
SMITHFIELD	140	18	9	13	11	11	7	12	10	6	12	15	15
SOUTH KINGSTOWN	137	12	12	12	9	7	9	11	12	14	16	11	12
TIVERTON	101	6	10	11	9	6	9	11	3	15	8	7	6
WARREN	144	14	6	14	10	10	14	15	18	8	9	13	13
WARWICK	921	78	90	95	67	77	64	80	66	67	82	73	82
WESTERLY	195	22	20	13	14	21	15	10	9	19	18	19	15
WEST GREENWICH	22	2	1	1	0	0	6	3	2	3	2	1	1
WEST WARWICK	202	24	24	19	20	25	22	15	20	25	21	23	24
WOONSOCKET	524	51	48	37	39	53	44	38	47	43	47	40	37

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1985

CAUSE OF DEATH(ICDA CODE)	ALL INFANTS	NEONATAL (-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 -27 DAYS	28 DAYS-11 MONTHS
ALL CAUSES - TOTAL	106	78	48	15	15	28
SEPTICEMIA(038)	1	1	0	0	1	0
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES (REMAINDER OF 001-139)	3	2	1	1	0	1
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS(323-389)	1	0	0	0	0	1
ACUTE UPPER RESPIRATORY INFECTIONS(460-465)	1	0	0	0	0	1
BRONCHITIS AND BRONCHIOLITIS(466,490-491)	1	0	0	0	0	1
PNEUMONIA AND INFLUENZA(480-487)	1	0	0	0	0	1
PNEUMONIA(480-486)	1	0	0	0	0	1
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519)	2	0	0	0	0	2
CONGENITAL ANOMALIES(740-759)	26	18	9	4	5	8
ANENCEPHALUS AND SIMILAR ANOMALIES(740)	1	1	1	0	0	0
CONGENITAL HYDROCEPHALUS(742.3)	1	0	0	0	0	1
OTHER CONGEN ANOMALIES OF CNTRL SYSTM & EYE(742.0-742.2,742.4-742.9,743)	1	1	1	0	0	0
CONGENITAL ANOMALIES OF HEART(745-746)	7	2	1	0	1	5
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)	1	1	1	0	0	0
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)	1	1	0	0	1	0
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)	5	5	4	1	0	0
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)	4	3	1	2	0	1
OTHER CHROMOSOMAL ANOMALIES(758.1-758.9)	3	2	0	1	1	1
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)	2	2	0	0	2	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)	44	43	29	8	6	1
NEWBORN AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY(760)	3	3	3	0	0	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY(761)	4	4	3	0	1	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES(762)	11	11	10	1	0	0
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY(763)	1	1	1	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT(765)	3	3	3	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA(768)	5	5	2	1	2	0
FETAL DISTRESS IN LIVEBORN INFANT(768.2-768.4)	2	2	2	0	0	0
BIRTH ASPHYXIA(768.5-768.9)	3	3	0	1	2	0
RESPIRATORY DISTRESS SYNDROME(769)	10	9	4	4	1	1
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD(771)	5	5	3	1	1	0
ALL OTHER & ILL-DEF'D CONDITIONS IN PERINATAL PERIOD(775.2-775.9,776.1-779)	2	2	0	1	1	0
SYMPTOMS,SIGNS, AND ILL-DEFINED CONDITIONS(780-799)	14	11	8	2	1	3
SUDDEN INFANT DEATH SYNDROME(798.0)	3	1	0	0	1	2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797,798.1-799)	11	10	8	2	0	1
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)	5	1	0	0	1	4
INHALATION & INGESTION OF FOOD OR OBJECT CAUSING SUFFOCATION(E911,E912)	1	0	0	0	0	1
ACCIDENTAL MECHANICAL SUFFOCATION(E913)	1	0	0	0	0	1
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)	3	1	0	0	1	2
HOMICIDE(E960-E969)	2	0	0	0	0	2
OTHER HOMICIDE(E960-E966,E968-E369)	2	0	0	0	0	2
ALL OTHER CAUSES(RESIDUAL)	5	2	1	0	1	3

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN,
BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE:
RHODE ISLAND, 1985

TYPE OF PLACE OF ACCIDENT	TOTAL	AGE OF DECEDENT IN YEARS: UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL ACCIDENTS (E8000-9499)*																	
TOTAL	264**	5	1	9	5	22	35	36	23	12	7	6	13	16	22	21	31
MALE	166	5	1	6	2	19	27	31	17	7	4	4	7	6	7	10	13
FEMALE	98	0	0	3	3	3	8	5	6	5	3	2	6	10	15	11	18
MOTOR VEHICLE ACCIDENTS (E810-825)																	
TOTAL	113	0	0	7	3	20	29	17	7	4	3	3	6	3	8	2	1
MALE	78	0	0	4	1	17	22	15	6	2	2	3	4	1	1	0	0
FEMALE	35	0	0	3	2	3	7	2	1	2	1	0	2	2	7	2	1
NON-MOTOR VEHICLE ACCIDENTS (E800-807,826-949)																	
TOTAL	151	5	1	2	2	2	6	19	16	8	4	3	7	13	14	19	30
MALE	88	5	1	2	1	2	5	16	11	5	2	1	3	5	6	10	13
FEMALE	63	0	0	0	1	0	1	3	5	3	2	2	4	8	5	9	17
00 HOME																	
TOTAL	79	4	1	2	2	0	2	8	10	5	3	2	4	5	3	7	15
MALE	44	4	1	2	1	0	2	6	7	3	1	0	1	2	3	4	7
FEMALE	35	0	0	0	1	0	0	2	3	2	2	2	3	3	6	3	8
10-19 FARM																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
11 FARM BUILDING (EXCEPT FARM HOUSE)																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
30-39 INDUSTRIAL																	
TOTAL	4	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0
MALE	4	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0
31 CONSTRUCTION																	
TOTAL	4	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0
MALE	4	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN,
BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE:
RHODE ISLAND, 1985

TYPE OR PLACE OF ACCIDENT	TOTAL	AGE OF DECEDENT IN YEARS: UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
40-49 PLACE OF RECREATION																	
TOTAL	6	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	0
MALE	6	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	0
41 BOATING																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
43 SWIMMING																	
TOTAL	3	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0
MALE	3	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0
45 HUNTING																	
TOTAL	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
47 HUNTING & MOUNTAIN CLIMBING																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
50 STREET AND HIGHWAY - SIDEWALK																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
60 PUBLIC BUILDING																	
TOTAL	6	0	0	0	0	1	0	0	1	1	1	0	1	1	0	0	0
MALE	4	0	0	0	0	1	0	0	0	1	1	0	1	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
70 RESIDENT INSTITUTION																	
TOTAL	22	0	0	0	0	0	0	0	0	1	0	0	1	3	3	5	9
MALE	9	0	0	0	0	0	0	0	0	0	0	0	1	1	1	3	3
FEMALE	13	0	0	0	0	0	0	0	0	1	0	0	0	2	2	2	6
80-88 OTHER SPECIFIED PLACE																	
TOTAL	4	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	1
MALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
80 OPEN SEA																	
TOTAL	3	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1
MALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
88 OTHER																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
90 UNKNOWN																	
TOTAL	15	0	0	0	0	1	1	3	1	1	0	0	1	0	1	4	2
MALE	9	0	0	0	0	1	0	2	1	1	0	0	0	0	1	2	1
FEMALE	6	0	0	0	0	0	1	1	0	0	0	0	1	0	0	2	1

* NEW ENGLAND STANDARD LOCATION CATEGORIES ARE ASSIGNED ONLY TO DEATHS CLASSIFIED TO ICDA E830-E838, E846-E869, AND E880-E928.

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
RHODE ISLAND	3636	77	106	2365	535	230	20	45	221	3684	1546	34
BARRINGTON	113	0	0	39	10	5	1	1	2	29	11	0
301	27	0	0	7	2	0	0	1	0	10	2	0
302	31	0	0	10	2	1	1	0	1	11	5	0
303	30	0	0	10	3	3	0	0	1	4	1	0
304	25	0	0	12	3	1	0	0	0	4	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	188	0	2	44	11	4	0	1	6	72	35	0
307	43	0	1	8	2	0	0	0	0	17	10	0
308	34	0	0	7	2	1	0	0	2	13	4	0
309	110	0	1	29	7	3	0	1	4	42	21	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	146	1	1	34	7	1	1	0	3	65	27	0
129	84	0	0	22	3	1	0	0	2	38	12	0
130	62	1	1	12	4	0	1	0	1	27	15	0
CENTRAL FALLS	231	2	2	40	6	5	0	2	9	99	38	2
108	42	0	0	8	1	0	0	1	2	22	10	0
109	75	0	0	10	2	1	0	1	4	31	7	0
110	67	1	1	13	3	1	0	0	1	24	7	2
111	47	1	1	9	0	3	0	0	2	21	14	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	40	2	2	9	3	2	0	0	1	16	3	0
COVENTRY	220	1	2	55	3	7	1	2	5	86	38	1
206	159	1	1	41	7	7	1	2	5	60	27	1
207	61	0	1	14	2	0	0	0	0	26	11	0
CRANSTON	769	5	6	201	52	18	1	5	10	302	126	1
134	45	1	1	11	2	1	0	0	0	18	5	0
135	60	0	0	16	3	2	0	0	2	24	10	0
136	28	0	0	5	2	0	0	0	0	16	6	0
137	89	1	2	20	5	2	0	1	3	40	17	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
CRANSTON(CONT.)												
138	57	0	0	10	1	1	1	0	1	21	6	0
139	58	2	2	14	4	0	0	2	1	26	9	0
140	72	0	0	24	6	0	0	0	1	23	6	0
141	55	0	0	12	1	1	0	1	1	20	9	0
142	22	0	0	9	1	1	0	1	0	6	1	0
143	42	1	1	12	5	0	0	0	0	14	9	0
144	48	0	0	17	6	3	0	0	0	20	12	0
145	62	0	0	17	6	1	0	0	0	25	11	1
146	18	0	0	7	0	2	0	0	0	5	4	0
147	76	0	0	15	7	2	0	0	0	36	18	0
148	33	0	0	11	3	2	0	0	1	7	2	0
UNKNOWN	4	0	0	1	0	0	0	0	0	1	1	0
CUMBERLAND	232	2	2	59	14	4	0	2	2	94	35	3
112	45	0	0	9	1	1	0	0	0	22	10	0
113	74	1	1	16	5	1	0	1	1	32	9	2
114	110	1	1	34	8	2	0	1	1	39	15	1
UNKNOWN	3	0	0	0	0	0	0	0	0	1	1	0
EAST GREENWICH-209	88	1	2	29	8	3	0	2	1	32	14	0
EAST PROVIDENCE	544	4	4	104	20	16	0	1	11	227	97	3
101	86	0	0	19	2	4	0	1	1	31	15	1
102	81	1	1	7	0	3	0	0	3	36	11	0
103	70	1	1	13	4	1	0	0	2	30	10	0
104	57	0	0	13	0	2	0	0	0	19	8	1
105	111	1	1	26	6	3	0	0	2	44	13	1
106	80	1	1	13	3	3	0	0	2	31	14	0
107	57	0	0	13	5	0	0	0	0	35	20	0
UNKNOWN	2	0	0	0	0	0	0	0	1	1	0	0
EXETER-505	22	0	0	5	0	0	0	0	2	7	4	0
FOSTER-133	25	0	1	7	1	0	1	0	0	8	2	0
GLOCESTER-131	51	0	0	17	6	2	0	2	0	15	11	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
HOPKINTON-507	50	0	0	13	4	1	0	0	1	15	5	0
JAMESTOWN-413	59	0	1	14	5	1	1	1	3	19	8	0
JOHNSTON	272	2	3	81	21	6	0	1	5	89	35	0
122	48	0	0	21	3	3	0	0	1	10	2	0
123	59	1	1	17	8	0	0	0	1	16	8	0
124	101	1	2	30	6	1	0	1	3	33	13	0
125	62	0	0	13	4	2	0	0	0	30	12	0
UNKNOWN	2	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	184	0	0	48	12	6	0	0	1	77	36	2
115	53	0	0	9	2	1	0	0	0	26	10	0
116	37	0	0	15	5	1	0	0	0	10	5	0
117	91	0	0	23	5	3	0	0	1	41	21	2
UNKNOWN	3	0	0	1	0	1	0	0	0	0	0	0
LITTLE COMPTON-414	26	0	0	4	0	1	0	0	0	15	8	0
MIDDLETOWN	120	1	2	27	10	4	0	0	6	41	18	1
402	8	0	0	0	0	0	0	0	0	2	0	0
403	52	0	0	12	4	2	0	0	5	17	7	0
404	60	1	2	15	6	2	0	0	1	22	11	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	93	1	1	31	8	2	0	0	3	33	14	1
NEWPORT	275	2	4	64	15	4	0	2	5	90	37	0
405	38	0	0	10	3	1	0	0	0	15	8	0
406	56	1	2	8	2	1	0	1	1	21	9	0
407	46	1	1	14	5	0	0	1	2	10	3	0
408	48	0	1	10	2	1	0	0	2	15	5	0
409	39	0	0	5	1	0	0	0	0	17	8	0
410	25	0	0	9	1	0	0	0	0	7	2	0
411	13	0	0	4	0	0	0	0	0	2	1	0
412	5	0	0	2	1	0	0	0	0	2	1	0
UNKNOWN	5	0	0	2	0	1	0	0	0	1	0	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
NEW SHOREHAM-415	10	0	1	2	0	1	0	0	1	4	2	1
NORTH KINGSTOWN	159	2	2	43	9	7	0	4	4	57	25	1
501	73	2	2	23	4	4	0	2	0	25	12	0
502	7	0	0	2	1	0	0	0	0	3	1	0
503	46	0	0	8	4	1	0	1	2	18	8	1
504	31	0	0	9	0	2	0	1	2	10	4	0
UNKNOWN	2	0	0	1	0	0	0	0	0	1	0	0
NORTH PROVIDENCE	319	4	7	83	21	8	1	1	7	130	47	0
118	53	0	1	11	2	1	0	0	1	24	8	0
119	71	0	1	25	6	3	1	1	3	26	11	0
120	73	0	1	15	3	2	0	0	1	34	12	0
121	122	4	4	32	10	2	0	0	2	46	16	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	104	2	2	23	5	4	0	0	1	44	21	0
PAWTUCKET	872	6	7	203	54	24	3	5	19	355	153	5
149	14	0	0	0	0	0	0	0	2	6	2	0
150	49	1	1	6	1	1	0	0	1	23	6	0
151	54	0	1	11	6	1	1	0	2	23	7	0
152	58	0	0	15	4	3	0	0	2	23	12	1
153	21	0	0	7	2	0	0	0	1	9	3	0
154	17	2	2	4	1	0	1	0	2	4	3	0
155	39	0	0	8	4	2	0	0	0	16	9	0
156	30	0	0	7	4	1	0	0	0	11	4	0
157	49	1	1	15	7	1	0	0	1	18	10	0
158	55	0	0	17	5	1	0	0	1	16	7	0
159	38	0	0	11	3	1	0	0	0	15	8	0
160	32	0	0	9	1	2	1	0	0	15	4	0
161 **	39	0	0	4	0	0	0	0	2	13	5	1
163	38	0	0	7	2	0	0	0	1	22	7	0
164 **	54	0	0	9	3	0	0	1	3	29	12	2

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PAWTUCKET(CONT.)												
165	44	0	0	15	0	3	0	1	0	15	7	0
166	21	1	1	4	1	1	0	0	0	7	3	0
167	41	1	1	13	3	4	0	0	1	13	5	0
168	46	0	0	10	2	1	0	1	0	23	14	0
169	31	0	0	8	3	0	0	1	0	14	6	0
170	58	0	0	14	2	2	0	0	0	25	12	0
171	40	0	0	8	0	0	0	1	0	13	7	1
UNKNOWN	4	0	0	1	0	0	0	0	0	2	0	0
PORTSMOUTH-401	118	0	1	32	12	4	0	0	3	40	17	0
PROVIDENCE	1758	15	23	392	91	35	4	9	50	626	269	6
1	65	3	3	15	4	1	0	2	0	25	14	1
2	33	1	1	17	5	0	2	0	2	21	11	0
3	55	3	5	13	6	0	1	0	1	20	8	0
4	27	0	1	4	0	0	0	0	3	6	2	0
5	20	0	0	7	2	0	0	1	1	4	2	0
6	6	0	0	2	0	0	0	0	0	1	1	0
7	43	0	0	12	3	1	0	1	1	15	4	0
8	50	0	0	15	4	2	0	0	3	23	15	0
9	51	0	0	15	6	3	0	0	0	13	8	0
10	38	0	0	5	2	0	0	0	1	17	6	0
11	23	0	0	4	0	0	0	0	0	12	8	0
12	42	1	1	5	3	1	0	0	3	13	2	0
13	47	0	0	16	3	0	0	0	1	16	11	0
14	44	3	5	10	2	1	0	0	1	13	6	0
15	20	0	0	3	1	1	0	0	0	7	2	0
16	68	1	1	23	4	3	0	2	2	16	9	1
17	43	0	0	10	3	1	1	0	1	19	8	0
18	51	1	1	11	2	3	0	0	1	26	15	1
19	69	0	0	10	2	2	0	0	0	27	10	0
20	50	0	1	13	1	1	0	0	2	15	6	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PROVIDENCE(CONT.)												
21	90	0	1	23	2	4	0	2	4	31	16	1
22	36	0	0	7	3	1	0	0	0	13	7	0
23	71	0	0	16	3	2	0	1	2	27	11	0
24	65	1	1	14	2	0	0	0	2	27	8	1
25	28	0	0	8	2	0	0	0	3	10	5	0
26	39	0	0	4	1	1	0	0	1	18	9	0
27	27	0	0	6	2	0	0	0	0	8	3	0
28	46	0	0	18	6	2	0	0	0	21	8	1
29	81	1	1	21	4	1	0	0	3	28	8	0
30	8	0	0	1	0	0	0	0	1	4	2	0
31	52	0	0	12	1	0	0	0	1	16	8	0
32	30	0	0	6	1	2	0	0	1	10	3	0
33	104	0	0	13	1	1	0	0	3	46	15	0
34	26	0	0	7	4	0	0	0	0	5	4	0
35	45	0	0	10	2	0	0	0	0	23	11	0
36	21	0	0	7	2	1	0	0	0	4	0	0
37	42	0	1	9	2	0	0	0	5	11	2	0
UNKNOWN	11	0	0	0	0	0	0	0	1	4	1	0
INNER CITY	631	7	13	136	35	9	1	2	22	218	92	0
RICHMOND-506	18	2	2	3	1	0	0	0	0	6	3	0
SCITUATE-132	84	0	0	23	4	2	0	0	1	33	12	0
SMITHFIELD	140	0	0	45	13	6	0	0	2	36	12	0
126	55	0	0	19	6	2	0	0	1	18	6	0
127	85	0	0	26	7	4	0	0	1	18	6	0
SOUTH KINGSTOWN	137	2	2	30	8	3	0	0	5	39	14	0
512	72	1	1	13	3	1	0	0	3	23	9	0
513	58	1	1	17	5	2	0	0	1	12	3	0
514	3	0	0	0	0	0	0	0	0	2	1	0
UNKNOWN	4	0	0	0	0	0	0	0	1	2	1	0
TIVERTON	101	1	1	25	4	0	1	0	1	48	30	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
TIVERTON(CONT.)												
416	60	1	1	14	3	0	0	0	1	31	15	0
417	41	0	0	11	1	0	1	0	0	17	12	0
WARREN	144	1	1	41	8	3	1	0	2	43	15	0
305	55	1	1	16	3	0	0	0	1	14	7	0
306	89	0	0	25	5	3	1	0	1	29	11	0
WARWICK	921	5	6	244	79	22	3	1	22	366	149	2
210	87	1	1	29	13	3	0	0	1	28	11	1
211	64	0	0	20	2	2	0	0	0	22	7	0
212	58	0	0	15	5	2	0	0	0	22	13	0
213	66	0	0	18	4	4	0	0	2	23	7	1
214	96	2	2	30	12	2	1	1	1	40	19	0
215	75	1	2	20	5	1	1	0	1	29	9	0
216	12	0	0	3	1	1	0	0	0	3	1	0
217	50	0	0	9	2	0	0	0	3	23	11	0
218	58	0	0	14	4	0	0	0	2	25	12	0
219	111	1	1	23	9	2	0	0	3	46	17	0
220	29	0	0	10	2	0	1	0	1	8	2	0
221	61	0	0	14	3	2	0	0	4	30	12	0
222	88	0	0	25	10	2	0	0	1	37	16	0
223	57	0	0	12	6	1	0	0	3	26	10	0
224	8	0	0	2	0	0	0	0	0	3	2	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	1	0
WESTERLY	195	2	3	44	13	3	1	0	5	73	21	1
508	113	1	2	27	6	3	0	0	2	47	11	0
509	54	1	1	10	6	0	0	0	2	14	4	1
510	27	0	0	7	1	0	1	0	1	11	6	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
WEST GREENWICH-208	22	0	0	7	1	0	0	0	1	7	2	0
WEST WARWICK	262	3	4	77	22	7	0	0	6	121	56	1
201	73	0	1	24	4	2	0	0	0	32	16	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-423)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
WEST WARWICK(CONT.)												
202	41	0	0	9	4	0	0	0	3	15	5	0
203	79	2	2	22	5	5	0	0	2	42	19	1
204	29	1	1	9	4	0	0	0	0	14	4	0
205	40	0	0	13	5	0	0	0	1	18	13	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	524	8	9	123	29	9	0	3	15	226	93	3
172	29	0	0	7	1	1	0	0	1	9	6	0
173	41	0	0	9	2	0	0	1	1	20	8	0
174	39	1	1	12	2	0	0	0	3	14	5	0
175	35	0	0	10	3	2	0	0	0	18	7	0
176	19	0	0	5	3	0	0	0	0	9	6	0
177	47	0	1	11	2	2	0	0	2	24	12	1
178	27	1	1	5	0	0	0	0	2	8	3	0
179	48	0	0	10	4	1	0	1	1	26	8	2
180	64	0	0	15	1	1	0	0	3	27	12	0
181	39	0	0	13	3	1	0	0	0	13	2	0
182	20	2	2	4	2	0	0	0	0	5	2	0
183	13	1	1	4	1	1	0	1	1	3	0	0
184	69	2	2	12	4	0	0	0	1	30	13	0
185	31	1	1	5	1	0	0	0	0	18	3	0
UNKNOWN	3	0	0	1	0	0	0	0	0	2	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
RHODE ISLAND	645	145	263	353	109	47	45	264	113	36	33	6
BARRINGTON	8	2	4	4	2	0	0	1	0	1	1	0
301	3	2	0	0	1	0	0	0	0	0	0	0
302	2	0	1	1	0	0	0	0	0	0	0	0
303	2	0	0	2	0	0	0	1	0	1	0	0
304	1	0	3	1	1	0	0	0	0	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	8	4	7	12	3	1	0	8	4	2	0	0
307	2	1	2	3	0	0	0	2	0	2	0	0
308	1	0	0	2	1	0	0	1	1	0	0	0
309	5	3	5	7	2	1	0	4	3	0	0	0
UNKNOWN	0	0	0	0	0	0	0	1	0	0	0	0
BURRILLVILLE	6	3	4	6	5	2	1	5	2	0	2	0
129	2	1	3	4	3	1	0	2	0	0	0	0
130	4	2	1	2	2	1	1	3	2	0	0	0
CENTRAL FALLS	15	3	4	7	4	0	2	10	2	3	1	0
108	1	0	1	0	1	0	0	2	0	0	0	0
109	5	1	0	1	1	0	0	5	1	1	1	0
110	5	1	2	6	0	0	1	1	0	2	0	0
111	4	1	1	0	2	0	1	2	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	3	1	1	1	0	1	1	1	1	0	0	0
COVENTRY	15	5	7	6	3	0	0	7	5	4	1	0
206	9	4	7	5	2	0	0	4	3	2	1	0
207	6	1	0	1	1	0	0	3	2	2	0	0
CRANSTON	52	12	28	28	8	4	3	11	3	8	0	0
134	2	0	4	2	1	0	0	0	0	0	0	0
135	5	0	2	2	0	0	0	0	0	0	0	0
136	2	0	2	1	0	0	0	0	0	1	0	0
137	3	0	2	5	0	0	1	4	0	1	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
CRANSTON(CONT.)												
138	2	1	4	2	0	2	0	0	0	2	0	0
139	6	1	2	3	0	0	2	0	0	0	0	0
140	8	3	2	0	0	1	0	2	1	0	0	0
141	6	1	2	2	2	0	0	0	0	0	0	0
142	1	0	1	1	0	0	0	0	0	0	0	0
143	4	1	1	1	0	0	0	1	0	0	0	0
144	3	0	0	1	2	0	0	0	0	0	0	0
145	3	3	0	2	1	0	0	0	0	2	0	0
146	2	0	0	1	0	0	0	1	1	0	0	0
147	4	0	2	3	2	1	0	3	1	1	0	0
148	0	2	3	2	0	0	0	0	0	1	0	0
UNKNOWN	1	0	1	0	0	0	0	0	0	0	0	0
CUMBERLAND	16	3	6	8	3	2	1	3	0	2	0	0
112	3	1	0	1	2	0	0	0	0	1	0	0
113	6	2	1	2	0	0	1	2	0	1	0	0
114	6	0	5	5	1	2	0	1	0	0	0	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	5	2	3	3	0	1	0	1	0	0	0	0
EAST PROVIDENCE	28	9	18	19	8	1	3	13	4	4	3	0
101	9	0	0	3	2	0	0	1	0	1	0	0
102	6	1	5	3	0	0	1	6	3	0	0	0
103	4	1	2	2	1	1	0	1	0	0	1	0
104	3	1	3	0	0	0	0	1	1	1	1	0
105	4	2	5	4	2	0	1	2	0	1	1	0
106	2	3	3	6	3	0	1	2	0	1	0	0
107	0	1	0	1	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	1	2	0	0	0	1	0	3	1	0	0	0
FOSTER-133	2	0	1	0	0	0	0	0	0	2	0	0
GLOCESTER-131	5	0	2	2	1	0	0	6	3	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
HOPKINTON-507	6	0	0	4	0	0	0	4	2	1	0	0
JAMESTOWN-413	2	1	2	3	0	1	0	2	0	1	1	0
JOHNSTON	14	4	8	9	1	0	2	10	6	2	1	0
122	1	0	2	1	0	0	0	4	2	1	0	0
123	5	1	0	3	0	0	1	3	2	1	0	0
124	5	2	5	3	1	0	1	2	2	0	1	0
125	3	0	1	1	0	0	0	1	0	0	0	0
UNKNOWN	0	1	0	1	0	0	0	0	0	0	0	0
LINCOLN	11	1	1	4	1	1	0	5	4	3	1	0
115	3	0	1	0	0	0	0	0	0	2	1	0
116	0	1	0	0	1	1	0	0	0	0	0	0
117	6	0	0	4	0	0	0	5	4	1	0	0
UNKNOWN	2	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	1	0	1	0	0	0	0	1	1	0	0	0
MIDDLETOWN	9	1	2	5	3	0	2	5	3	1	1	0
402	1	1	0	0	1	0	0	1	0	0	0	0
403	4	0	0	1	1	0	0	2	1	1	1	0
404	4	0	2	4	1	0	2	2	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	3	1	3	4	0	1	0	2	1	1	0	0
NEWPORT	21	10	5	10	2	0	2	5	1	3	2	0
405	4	0	1	0	0	0	0	0	0	1	0	0
406	4	1	0	3	0	0	1	2	0	0	0	0
407	2	3	1	2	0	0	1	2	1	1	0	0
408	4	1	3	1	0	0	0	1	0	0	2	0
409	5	3	0	1	0	0	0	0	0	0	0	0
410	0	2	0	1	2	0	0	0	0	0	0	0
411	1	0	0	2	0	0	0	0	0	1	0	0
412	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
NEW SHOREHAM-415	0	0	0	2	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	12	2	4	6	1	1	1	7	2	2	0	1
501	9	0	2	2	1	1	1	3	0	1	0	0
502	0	0	0	1	0	0	0	0	0	0	0	0
503	2	2	2	2	0	0	0	4	2	0	0	1
504	1	0	0	1	0	0	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	17	5	8	5	5	1	2	6	4	1	0	1
118	4	3	1	1	0	0	0	2	2	1	0	0
119	2	1	1	1	0	1	0	0	0	0	0	1
120	6	0	1	0	1	0	0	2	0	0	0	0
121	5	1	5	3	4	0	2	2	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	10	3	1	3	0	0	2	0	0	0	0	0
PAWTUCKET	61	15	16	31	10	1	7	21	7	2	2	0
149	3	0	0	1	0	0	0	0	0	0	0	0
150	5	0	2	2	0	0	1	1	1	0	0	0
151	2	0	0	3	0	0	0	2	1	0	1	0
152	2	1	2	0	1	0	0	0	0	0	0	0
153	2	0	0	0	0	0	0	0	0	0	0	0
154	0	0	1	0	0	0	2	1	1	1	0	0
155	5	0	1	0	1	0	0	2	1	0	0	0
156	5	1	1	0	0	0	0	2	0	0	0	0
157	2	1	0	4	1	0	1	1	0	0	0	0
158	5	1	1	5	0	0	1	2	0	0	0	0
159	2	0	2	1	0	0	0	2	1	0	0	0
160	1	1	1	1	1	1	0	0	0	0	0	0
161 **	4	2	0	2	0	0	0	3	1	0	0	0
163	4	1	1	1	0	0	0	0	0	0	0	0
164 **	3	2	1	0	0	0	0	1	0	1	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PAWTUCKET(CONT.)												
165	4	0	1	3	2	0	0	0	0	0	0	0
166	1	0	0	0	0	0	1	0	0	0	0	0
167	2	0	1	2	1	0	1	1	1	0	0	0
168	1	1	0	2	1	0	0	1	0	0	0	0
169	3	2	0	0	1	0	0	1	0	0	0	0
170	3	1	1	1	0	0	0	1	0	0	0	0
171	1	1	0	3	1	0	0	0	0	0	1	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	8	2	4	3	2	2	0	4	0	2	0	0
PROVIDENCE	130	15	61	60	25	12	6	45	17	21	18	3
1	4	0	1	2	0	1	1	4	1	2	1	0
2	14	1	5	3	3	1	0	3	1	1	1	1
3	1	0	0	1	2	0	2	2	0	0	3	0
4	1	0	3	2	1	0	0	2	0	0	0	1
5	0	0	0	3	1	0	0	1	0	0	0	0
6	0	0	0	0	0	1	0	1	1	1	0	0
7	2	0	0	1	0	0	0	0	0	2	2	0
8	2	1	3	4	1	1	0	2	1	3	1	0
9	4	0	3	3	0	0	0	3	2	0	0	0
10	3	0	1	1	2	0	0	1	1	0	0	0
11	2	0	0	0	1	0	0	2	1	0	0	0
12	4	2	1	0	0	1	0	2	1	0	1	0
13	2	0	0	1	0	0	0	1	0	0	1	0
14	1	0	3	2	1	2	1	1	1	0	0	0
15	2	0	1	3	0	0	0	2	1	0	0	0
16	5	0	2	1	3	0	1	0	0	0	0	0
17	1	1	2	1	0	0	0	0	0	0	1	1
18	2	0	2	1	1	0	0	2	2	0	0	0
19	3	1	3	5	1	1	0	1	0	0	1	0
20	4	0	2	0	2	1	0	1	1	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PROVIDENCE(CONT.)												
21	13	0	1	2	0	1	0	3	1	0	0	0
22	3	1	1	2	0	0	0	1	0	0	0	0
23	7	1	2	5	1	0	0	1	0	1	1	0
24	5	1	0	1	1	0	1	2	1	3	1	0
25	0	0	0	2	0	0	0	0	0	2	0	0
26	3	0	2	0	0	0	0	1	0	0	1	0
27	3	0	1	0	1	0	0	0	0	1	0	0
28	2	0	0	1	0	0	0	0	0	1	0	0
29	5	0	3	3	0	1	0	0	0	2	1	0
30	1	0	0	0	0	0	0	0	0	0	0	0
31	5	0	2	2	0	1	0	1	0	2	1	0
32	1	0	1	2	2	0	0	0	0	0	0	0
33	9	2	5	3	0	0	0	0	0	0	0	0
34	4	1	3	1	0	0	0	1	0	0	0	0
35	4	1	3	0	0	0	0	0	0	0	0	0
36	3	1	0	2	1	0	0	1	0	0	0	0
37	3	1	3	0	0	0	0	3	1	0	1	0
UNKNOWN	2	0	2	0	0	0	0	0	0	0	0	0
INNER CITY	34	4	21	23	4	6	3	22	8	7	11	1
RICHMOND-506	2	1	0	1	1	0	1	0	0	0	0	0
SCITUATE-132	1	4	4	4	0	0	0	2	1	2	0	0
SMITHFIELD	14	2	5	7	2	1	0	3	2	4	1	0
126	9	0	1	2	0	1	0	1	1	1	0	0
127	5	2	4	5	2	0	0	2	1	3	1	0
SOUTH KINGSTOWN	12	1	6	6	3	1	1	6	3	5	0	0
512	8	0	3	2	3	0	1	1	0	4	0	0
513	3	1	3	4	0	1	0	3	2	1	0	0
514	0	0	0	0	0	0	0	1	1	0	0	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	5	0	2	3	0	1	0	2	1	0	1	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
TIVERTON(CONT.)												
416	4	0	1	2	0	1	0	0	0	0	0	0
417	1	0	1	1	0	0	0	2	1	0	1	0
WARREN	10	7	3	7	1	1	0	7	2	2	0	0
305	4	4	0	4	1	1	0	4	1	0	0	0
306	6	3	3	3	0	0	0	3	1	2	0	0
WARWICK	71	7	27	34	10	2	2	30	13	7	2	0
210	9	0	2	1	4	1	1	1	0	0	0	0
211	2	1	2	2	0	0	0	3	3	2	1	0
212	6	1	1	3	1	0	0	1	0	0	0	0
213	6	1	1	4	1	0	0	2	1	0	0	0
214	5	0	2	4	0	0	0	3	1	0	0	0
215	3	0	3	2	0	0	1	6	2	3	0	0
216	3	0	0	0	0	0	0	0	0	0	0	0
217	6	1	2	1	0	0	0	1	0	0	0	0
218	3	1	1	5	0	0	0	1	0	0	0	0
219	13	1	3	3	2	1	0	5	2	0	0	0
220	2	0	0	0	2	0	0	2	2	0	0	0
221	2	0	2	2	0	0	0	2	1	0	0	0
222	8	0	3	3	0	0	0	3	1	2	1	0
223	2	1	4	4	0	0	0	0	0	0	0	0
224	1	0	1	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	20	3	4	13	2	2	2	9	4	0	1	0
508	10	2	2	6	1	2	1	5	2	0	0	0
509	8	0	1	7	1	0	1	3	2	0	0	0
510	2	1	1	0	0	0	0	1	0	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH-208	3	0	0	1	0	0	0	0	0	1	0	0
WEST WARWICK	12	2	1	10	1	1	3	4	3	6	1	0
201	5	1	0	3	0	1	0	1	1	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1985

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800 949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
WEST WARWICK(CONT.)												
202	4	1	1	0	0	0	0	2	1	1	0	0
203	2	0	0	4	1	0	2	1	1	2	0	0
204	0	0	0	1	0	0	1	0	0	1	0	0
205	1	0	0	2	0	0	0	0	0	2	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	26	12	10	22	2	5	1	12	5	3	1	1
172	5	0	0	1	0	0	0	1	0	1	0	0
173	1	2	1	3	0	0	0	1	1	1	0	0
174	2	0	1	2	0	0	0	0	0	0	1	0
175	2	1	0	1	0	0	0	1	0	0	0	0
176	2	0	1	0	0	0	0	0	0	0	0	0
177	1	0	0	2	1	1	0	2	1	0	0	0
178	2	3	1	0	0	1	0	0	0	0	0	0
179	0	0	1	3	0	0	0	1	1	0	0	0
180	2	1	1	1	0	0	0	1	0	0	0	0
181	4	1	0	1	0	0	0	1	0	0	0	0
182	1	1	0	2	1	2	0	2	1	0	0	1
183	0	1	0	1	0	0	0	1	0	0	0	0
184	3	1	4	5	0	0	1	1	1	0	0	0
185	1	1	0	0	0	1	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 182 WAS DIVIDED BETWEEN TRACTS 181 AND 184

TABLE 30 - RESIDENT ACCIDENT DEATHS BY TYPE AND AGE: RHODE ISLAND, 1985

TYPE OF ACCIDENT(ICD CODE)	ALL AGES	AGE IN YEARS UNDER 1	1-4	5-14	15-24	25-44	45-64	65-84	85 & OVER
ALL ACCIDENTS(E800-949)	264	5	1	14	57	59	25	72	31
MOTOR VEHICLE ACCIDENTS(810-825)	113	0	0	10	49	24	10	19	1
COLLISION WITH ANOTHER MOTOR VEHICLE(812)	27	0	0	1	15	4	2	4	1
COLLISION WITH PEDESTRIAN(814)	34	0	0	8	4	6	6	10	0
OTHER COLLISION ACCIDENTS(810,811, 813,815)	35	0	0	1	22	6	2	4	0
NON-COLLISION MOTOR VEHICLE ACCIDENTS(816-818)	14	0	0	0	6	7	0	1	0
UNSPECIFIED MOTOR VEHICLE ACCIDENTS(819)	2	0	0	0	1	1	0	0	0
MOTOR VEHICLE NON-TRAFFIC ACCIDENTS (820-825)	1	0	0	0	1	0	0	0	0
WATER TRANSPORT ACCIDENTS(830-838)	2	0	0	0	1	1	0	0	0
POISONING(850-869)	19	0	0	0	3	15	1	0	0
BY DRUGS, MEDICAMENTS, AND BIOLOGICALS(850-858)	16	0	0	0	2	14	0	0	0
BY OTHER SOLIDS, LIQUIDS, GASES, AN VAPORS(860-869	3	0	0	0	1	1	1	0	0
FALLS(880-888)	60	0	0	0	1	6	4	23	20
FIRES AND FLAMES(890-899)	16	1	1	2	0	2	3	5	2
DROWNING AND SUBMERSION(910)	5	0	0	0	3	2	0	0	0
INHALATION OF FOOD OR OTHER OBJECT (911-912)	12	1	0	0	0	0	1	7	3
ELECTRIC CURRENT(925)	1	0	0	1	0	0	0	0	0
ALL OTHER (RESIDUAL)	36	3	0	1	0	3	4	12	3

Table 31 - Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1985
Rhode Island Residents: Rate per 100,000 Population, Except Total Rate per 1,000)

Rank Order	Cause of Death(ICD,1975)	1985 Number	1985 Rate	1984 Rate	Per Cent Change
	BOTH SEXES				
	TOTAL	9636	10.0	9.8	2.0
1.	Diseases of the Heart(390-398,402,404-429)	3684	380.5	386.5	-1.6
2.	Malignant Neoplasms(140-208)	2365	244.3	241.6	1.1
3.	Cerebrovascular Diseases(430-438)	645	66.6	65.4	1.8
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	353	36.5	34.0	7.4
5.	Accidents and Adverse Effects(E810-E949)	264	27.3	27.0	1.1
6.	Pneumonia and Influenza(480-487)	263	27.2	19.4	40.2
7.	Diabetes Mellitus(250)	221	22.8	22.6	0.9
8.	Atherosclerosis(440)	145	15.0	13.1	14.5
9.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	116	12.0	9.0	33.3
10.	Chronic liver disease and cirrhosis(571)	109	11.3	13.3	-15.0
	All Other Causes	1471	151.9	147.5	3.0
	MALE				
	TOTAL	4799	10.4	10.4	0.0
1.	Diseases of the Heart(390-398,402,404-429)	1825	395.6	397.8	-0.6
2.	Malignant Neoplasms(140-208)	1216	263.6	263.8	-0.1
3.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	221	47.9	47.8	0.2
4.	Cerebrovascular Diseases(430-438)	219	47.5	52.2	-9.0
5.	Accidents and Adverse Effects(E810-E949)	166	36.0	36.9	-2.4
6.	Pneumonia and Influenza(480-487)	120	26.0	20.3	28.1
7.	Diabetes Mellitus(250)	97	21.0	18.3	14.8
8.	Suicide(E950-E959)	68	14.7	16.1	-8.7
9.	Atherosclerosis(440)	67	14.5	12.2	18.9
10.	Chronic Liver Disease and Cirrhosis(571)	67	14.5	18.1	-19.9
	All Other Causes	733	158.9	160.8	-1.2
	FEMALE				
	TOTAL	4837	9.5	9.2	3.3
1.	Diseases of the Heart(390-398,402,404-429)	1859	366.7	376.3	-2.6
2.	Malignant Neoplasms(140-208)	1149	226.7	221.4	2.4
3.	Cerebrovascular Diseases(430-438)	426	84.0	77.4	8.5
4.	Pneumonia and Influenza(480-487)	143	28.2	18.7	50.8
5.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	132	26.0	21.4	21.5
6.	Diabetes Mellitus(250)	124	24.5	26.4	-7.2
7.	Accidents and Adverse Effects(E810-E949)	98	19.3	18.1	6.6
8.	Atherosclerosis(440)	78	15.4	13.9	10.8
9.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	60	11.8	7.5	57.3
10.	Septicemia(038)	51	10.1	7.5	34.7
	All Other Causes	717	141.4	131.8	7.3

Table 32 - Five Leading Causes of Death in Specific Age Groups : Rhode Island, 1985
(Rhode Island Residents; Rates per 100,000 Population For Specified Groups

Age Group & Rank	Cause of Death(ICD,1975)	1985 Number	1985 Rate	1984 Rate	Per Cent Change
Under 5 Years	ALL CAUSES	120	207.1	244.9	-15.4
1.	Certain Conditions Originating in the Perinatal Period (760-779)	43	74.2	99.0	-25.1
2.	Congenital Anomalies(740-759)	31	53.5	62.5	-14.4
3.	Accidents and Adverse Effects(E800-E949)	6	10.4	15.6	-33.3
4.	Sudden Infant Death Syndrome(798.0)	3	5.2	19.1	-72.8
5.	Homicide(E960-E969)	3	5.2	8.7	-40.2
	All Other Causes	34	58.7	39.9	47.1
5-19 Years	ALL CAUSES	69	29.9	29.3	2.0
1.	Accidents and Adverse Effects(E800-E949)	36	15.6	8.7	79.3
2.	Malignant Neoplasms(140-208)	10	4.3	4.4	-2.3
3.	Suicide(E950-E959)	7	3.0	3.1	-3.2
4.	Diseases of the Heart(390-398,402,404-429)	4	1.7	1.7	0.0
5.	Pneumonia and Influenza(480-487)	2	0.9	0.4	125.0
	All Other Causes	10	4.3	10.9	-60.6
20-44 Years	ALL CAUSES	436	127.3	117.8	8.1
1.	Accidents and Adverse Effects(E800-E949)	94	27.4	30.3	-9.6
2.	Malignant Neoplasms(140-208)	80	23.4	22.3	4.9
3.	Diseases of the Heart(390-398,402,404-429)	57	16.6	13.5	23.0
4.	Suicide(E950-E959)	52	15.2	12.0	26.7
5.	Homicide and Legal Intervention(E960-E969)	27	7.9	6.8	16.2
	All Other Causes	126	36.8	32.9	11.9
45-64 Years	ALL CAUSES	1720	828.9	845.0	-1.9
1.	Malignant Neoplasms(140-208)	663	319.5	324.0	-1.4
2.	Diseases of the Heart(390-398,402,404-429)	595	286.7	286.7	0.0
3.	Cerebrovascular Diseases(430-438)	58	27.9	28.1	-0.7
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions(490-496)	49	23.6	18.9	24.9
5.	Diabetes Mellitus(250)	41	19.8	17.5	13.1
	Total All Causes	314	151.3	169.8	-10.9
65 Years and Over	ALL CAUSES	7291	5619.6	5485.9	2.4
1.	Diseases of the Heart(390-398,402,404-429)	3025	2331.5	2384.9	-2.2
2.	Malignant Neoplasms(140-208)	1612	1242.5	1215.7	2.2
3.	Cerebrovascular Diseases(430-438)	571	440.1	434.5	1.3
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions(490-496)	300	231.2	219.6	5.3
5.	Pneumonia and Influenza(480-487)	239	184.2	127.2	44.8
	All Other Causes	1544	1190.1	1104.0	7.8

TABLE 33 - NUMBER OF MARRIAGES AND PERSONS MARRIED BY CITY AND TOWN OF RESIDENCE OF BRIDE AND GROOM: RHODE ISLAND 1985

(RHODE ISLAND OCCURRENCES)

	MARRIAGES ACCORDING TO RESIDENCE		
CITY OR TOWN	PERSONS MARRIED	GROOM	BRIDE
TOTAL	16022	8011	8011
BARRINGTON	167	73	94
BRISTOL	273	134	139
BURRILLVILLE	163	76	87
CENTRAL FALLS	307	154	153
CHARLESTOWN	100	57	43
COVENTRY	436	205	231
CRANSTON	1014	496	518
CUMBERLAND	357	154	203
EAST GREENWICH	144	69	75
EAST PROVIDENCE	692	329	363
EXETER	79	42	37
FOSTER	49	24	25
GLOCESTER	110	47	63
HOPKINTON	105	50	55
JAMESTOWN	80	38	42
JOHNSTON	394	196	198
LINCOLN	230	112	118
LITTLE COMPTON	38	18	20
MIDDLETOWN	245	127	118
NARRAGANSETT	208	113	95
NEWPORT	499	244	255
NEW SHOREHAM	14	6	8
NORTH KINGSTOWN	380	187	193
NORTH PROVIDENCE	469	240	229
NORTH SMITHFIELD	99	53	46
PAWTUCKET	1112	547	565
PORTSMOUTH	194	86	108
PROVIDENCE	2087	1026	1061
RICHMOND	43	22	21
SCITUATE	128	64	64
SMITHFIELD	242	104	139
SOUTH KINGSTOWN	267	120	147
TIVERTON	134	55	79
WARREN	153	76	77
WARWICK	1342	657	685
WESTERLY	242	114	128
WEST GREENWICH	49	23	26
WEST WARWICK	527	264	263
WOONSOCKET	653	316	337
OTHER STATES OR FOREIGN PLACES	2197	1233	932

TABLE 34 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE OF BRIDE, AGE OF GROOM, 1985

AGE OF BRIDE	AGE OF GROOM IN YEARS												
IN YEARS	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	9011	266	2329	2344	1262	714	385	240	171	109	100	91	0
UNDER 20	776	190	455	95	20	14	2	0	0	0	0	0	0
20-24	2930	65	1526	995	247	65	22	7	1	1	0	1	0
25-29	2036	9	[illegible]	991	469	196	49	20	7	3	0	2	0
30-34	1013	2	42	201	378	229	80	42	20	4	3	2	0
35-39	543	0	10	51	113	147	133	45	26	8	8	2	0
40-44	263	0	2	10	26	48	57	52	37	17	10	4	0
45-49	189	0	3	0	7	10	25	53	43	28	17	3	0
50-54	104	0	1	1	2	4	7	15	28	25	15	6	0
55-59	61	0	0	0	0	1	0	3	4	18	21	14	0
60-64	45	0	0	0	0	0	0	3	5	5	11	21	0
65 & OVER	51	0	0	0	0	0	0	0	0	0	15	36	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 35 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE AT MARRIAGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1985

AGE GROUP IN YEARS	PREVIOUS MARITAL STATUS OF BRIDE					PREVIOUS MARITAL STATUS OF GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	8011	5773	211	2024	3	8011	5671	211	2127	2
UNDER 20	776	771	0	5	0	266	265	0	1	0
20-24	2930	2776	4	150	0	2329	2279	0	50	0
25-29	2036	1586	8	441	1	2344	2026	3	315	0
30-34	1013	463	14	535	1	1262	762	8	491	1
35-39	543	112	16	414	1	714	230	11	472	1
40-44	263	29	19	215	0	385	49	13	323	0
45-49	189	12	16	161	0	240	25	14	201	0
50-54	104	8	33	57	0	171	13	21	137	0
55-59	61	6	25	30	0	109	11	23	75	0
60-64	45	5	31	9	0	100	4	51	45	0
OVER 64	51	5	33	7	0	91	7	67	17	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0

TABLE 36 - NUMBER OF TIMES MARRIED FOR BRIDES BY NUMBER OF TIMES MARRIED FOR GROOMS

RHODE ISLAND, 1985 (RHODE ISLAND OCCURRENCES)

NUMBER OF THIS MARRIAGE FOR BRIDE	NUMBER OF THIS MARRIAGE FOR GROOM				
	TOTAL	FIRST	SECOND	THIRD OR MORE	UNKNOWN
TOTAL	8011	5671	2031	307	2
FIRST	5773	4878	815	80	0
SECOND	1975	739	1074	161	1
THIRD OR MORE	262	54	142	66	0
UNKNOWN	1	0	0	0	1

TABLE 37 - MARRIAGES OCCURRING IN RHODE ISLAND BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1985

PREVIOUS MARITAL STATUS OF BRIDE	PREVIOUS MARITAL STATUS OF GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	8011	5671	211	2127	2
SINGLE	5773	4878	22	873	0
WIDOWED	211	33	94	84	0
DIVORCED	2024	759	35	1169	1
UNKNOWN	3	1	0	1	1

TABLE 38 - MARRIAGES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED

BY BRIDE ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY GROOM: RHODE ISLAND, 1985

	LAST GRADE COMPLETED BY GROOM						
			HIGH SCHOOL		COLLEGE		
LAST GRADE COMPLETED BY BRIDE	TOTAL	8 YEARS OR LESS	1 - 3 YEARS	4TH YEAR	1 - 3 YEARS	4TH YEAR OR MORE	NOT STATED
TOTAL	8011	339	933	3032	1595	2103	9
8 YEARS OR LESS	243	102	58	53	18	12	0
HIGH SCHOOL							
1 - 3 YEARS	817	97	276	344	76	24	0
4TH YEAR	3065	105	451	1621	523	365	0
COLLEGE							
1 - 3 YEARS	2017	26	133	709	640	510	0
4TH YEAR OR MORE	1849	7	15	296	338	1191	2
NOT STATED	14	2	0	4	0	1	7

TABLE 39 - DIVORCES OCCURRING IN RHODE ISLAND BY AGE OF WIFE, AGE OF HUSBAND, 1985

AGE OF WIFE IN YEARS

AGE OF HUSBAND IN YEARS	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	3698	34	511	905	739	613	366	210	115	80	43	40	42
UNDER 20	4	3	1	0	0	0	0	0	0	0	0	0	0
20-24	276	19	216	30	5	4	2	0	0	0	0	0	1
25-29	765	10	234	421	64	21	5	2	0	0	0	0	8
30-34	787	2	47	321	335	58	11	5	1	2	1	0	4
35-39	679	0	6	99	250	279	34	7	4	1	0	0	4
40-44	453	1	3	22	60	178	163	15	6	0	0	0	5
45-49	263	0	0	10	15	42	99	80	13	3	0	0	1
50-54	183	0	1	6	5	17	26	67	46	8	1	0	6
55-59	131	0	1	2	2	9	18	20	24	42	6	2	5
60-64	72	0	1	0	0	3	2	3	12	16	20	7	2
65 & OVER	70	0	0	1	2	0	1	4	8	8	15	30	1
UNKNOWN	16	0	1	3	1	3	0	1	1	0	0	1	5

TABLE 40 - DIVORCES BY NUMBER OF TIMES MARRIED BEFORE THIS DIVORCE BY SEX: RHODE ISLAND, 1985

(RHODE ISLAND OCCURRENCES)

NUMBER OF HUSBAND'S MARRIAGES	TOTAL DIVORCES	NUMBER OF WIFE'S MARRIAGES				
		FIRST	SECOND	THIRD	FOURTH OR MORE	UNKNOWN
TOTAL DIVORCES	3698	2881	633	101	21	62
FIRST	2962	2540	283	26	5	8
SECOND	696	311	309	54	12	0
THIRD	91	27	36	16	2	0
FOURTH OR MORE	11	2	4	4	1	0
UNKNOWN	38	1	2	1	0	34

TABLE 41 - DIVORCES BY MARITAL STATUS AND AGE OF HUSBAND AND OF WIFE: RHODE ISLAND, 1985

(RHODE ISLAND OCCURRENCES)

AGE GROUP IN YEARS	HUSBAND				WIFE			
	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN
TOTAL	3698	2862	778	58	3698	2881	755	62
UNDER 20	4	4	0	0	34	34	0	0
20-24	276	267	5	4	511	498	9	4
25-29	765	724	36	5	905	806	88	11
30-34	787	646	137	4	739	573	160	6
35-39	678	492	178	8	613	431	172	10
40-44	453	302	137	14	366	239	116	11
45-49	263	168	86	9	210	127	74	9
50-54	183	118	63	2	115	66	49	0
55-59	131	77	51	3	80	46	33	1
60-64	72	24	43	5	43	16	19	8
OVER 64	70	29	38	3	40	16	24	0
UNKNOWN	16	11	4	1	42	29	11	2

TABLE 42 - NUMBER OF DIVORCES OF REMARRIED PERSONS BY PREVIOUS MARITAL HISTORY: RHODE ISLAND, 1985

(RHODE ISLAND OCCURRENCES)

	HUSBAND	WIFE
TOTAL DIVORCES GRANTED TO REMARRIED PERSONS	778	755
NUMBER OF DIVORCES WITH PREVIOUS MARRIAGES ENDED BY:		
DIVORCE ONLY:	693	659
DEATH ONLY:	36	48
COMBINATION OF DEATH AND DIVORCE:	10	8
UNKNOWN:	39	39

TABLE 43 - NUMBER OF DIVORCES BY COUNTY WITH NUMBER OF CHILDREN UNDER EIGHTEEN KNOWN TO BE AFFECTED

RHODE ISLAND, 1985

(RHODE ISLAND OCCURRENCES)

NUMBER OF CHILDREN PER DIVORCE	TOTAL CHILDREN UNDER 18 AFFECTED	TOTAL DIVORCES	NUMBER OF DIVORCES BY COUNTY				
			BRISTOL	KENT	NEWPORT	PROVIDENCE	WASHINGTON
TOTAL	3674	3634	150	673	349	2134	343
NONE	0	1444	66	267	133	839	139
ONE	1036	1036	45	186	102	597	115
TWO	1556	778	23	143	79	441	86
THREE	738	246	10	40	16	143	37
FOUR	224	56	1	9	3	34	6
FIVE	80	16	0	1	2	10	3
SIX	24	4	0	2	0	1	1
SEVEN	7	1	0	1	0	0	0
NINE	9	1	0	0	0	1	0
NOT STATED	*	116	5	19	12	74	6

TABLE 44 - DIVORCES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY SEX: RHODE ISLAND, 1985

(RHODE ISLAND OCCURRENCES)

LAST GRADE COMPLETED	HUSBAND		WIFE	
	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL	3698	100.0	3698	100.0
8 YEARS OR LESS	263	7.1	171	4.6
HIGH SCHOOL				
1 - 3 YEARS	559	15.1	555	15.0
4 YEARS	1507	40.8	1633	44.2
COLLEGE				
1 - 3 YEARS	517	14.0	611	16.5
4 YEARS OR MORE	551	14.9	441	11.9
NOT STATED	301	8.1	287	7.8